



DANGER—POISON—PRECAUTIONS ☠

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED

Breathing vapors spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. To protect bees, do not apply when crops are in bloom. Remove or cover hives if application is necessary during bloom.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

✦ FIRST AID TREATMENT ✦

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

FOR ALL EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies. **GLASS CONTAINERS**—Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS—

1-GALLON CANS—Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of cans, crush can, and bury deeply in an isolated location.

5-GALLON, 30-GALLON and 55-GALLON DRUMS—Pour the following mixture into empty containers:

5-GALLON DRUMS—2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons of detergent.

30-GALLON DRUMS—3 gallons water, 1 lb. caustic soda (household lye), 1/2 cup detergent.

55-GALLON DRUMS—5 gallons water, 2 lb. caustic soda (household lye), 1 cup detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in **TOP** of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

NOTE TO PHYSICIAN

STOP - READ

POISON

**See Side Panels
for Antidote &
Precautions**

H

WETT

ACTIVE INGREDIENTS
Parathion
phosphoric acid
* (O,O-Dimethyl phosphorothioic acid)
phosphoric acid
INERT INGREDIENTS

DO NOT TOUCH



POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. To protect bees, do not apply when crops are in bloom. Remove or cover hives if application is necessary during bloom.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

✦ FIRST AID TREATMENT ✦

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

deeply in an isolated location.

5-GALLON, 30-GALLON and 55-GALLON DRUMS—Pour the following mixture into empty containers:

5-GALLON DRUMS—2 qts. water, ½ cup caustic soda (household lye), 2 tablespoons of detergent.

30-GALLON DRUMS—3 gallons water, 1 lb. caustic soda (household lye), ½ cup detergent.

55-GALLON DRUMS—5 gallons water, 2 lb. caustic soda (household lye), 1 cup detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.


CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in TOP of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

NOTE TO PHYSICIAN

ANTIDOTE—administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibition affecting the Central and Peripheral nervous system and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement: **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**



STOP - READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions

RED U



DANGER

Keep Out of
Reach of
Children

HELENA

BRAND

40-20

WETTABLE POWDER

ACTIVE INGREDIENTS:

DIRECTIONS FOR USE
DANGER

To insure that residue levels are below tolerances of the U.S. Food & Drug Administration, do not apply at date later than specified.

Do not apply within 15 days of harvest on following:

BEANS (Dry): For control of aphids, armyworm, leaf miners, leaf rollers, Mexican bean beetles and mites, use 1 pound per acre in sufficient water to insure adequate coverage.

CARROTS: For control of aphids, vegetable weevils and petrobia mites, use 1 pound per acre.

CUCUMBERS: For control of aphids and two-spotted mites, use 1 pound per acre.

PEAS (Garden and Blackeye): For control of armyworms, weevils, use 1 pound per acre. For armyworms and spider mites, use 1 1/4 pounds per acre.

PEPPERS: For control of aphids and leaf miners, use 1 pound per acre. For flea beetles, use 1 1/4 to 1 1/2 pounds per acre.

TOMATOES: For control of aphids, armyworms, cutworms, grasshoppers, leaf miners, spider mites, tomato pinworms, whiteflies, plant bugs and psyllids, use 1 1/4 pounds per acre.

DO NOT APPLY WITHIN 21 DAYS OF HARVEST ON FOLLOWING:

BEANS (Green): For control of aphids, armyworm, leaf miners, leaf rollers, Mexican bean beetle, red spider mite and plant bugs, use 1 pound per acre.

CELERY: For control of aphids, celery leaf tier, spider mites and tarnished plant bugs, use 1 pound per acre. For leafhoppers, use 3/4 pound per acre.

COLLARDS, KALE, MUSTARD AND SPINACH: For control of aphids, cabbage loopers, imported cabbageworms, vegetable weevils, leafhoppers, crown mites and cutworms in crown, use 1 1/4 pounds per acre.

LETTUCE (Leaf, Bibb, Head): For control of worms, cabbage loopers and imported cabbageworms, use 1 pound per acre.

Do not use treated carrot tops for food or feed.

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

HELENA

BRAND

40-20

WETTABLE POWDER

ACTIVE INGREDIENTS:

Parathion (O,O-diethyl O-p-nitrophenyl
phosphorothioate) 40%

* (O,O-dimethyl O-p-nitrophenyl
phosphorothioate) 20%

INERT INGREDIENTS 40%

TOTAL 100%

*Methyl Parathion

HELENA CHEMICAL COMPANY

Wetzel, Ark. - Tampa, Fla. - Lubbock, Texas

De Moines, Iowa - West Columbia, South Carolina

To insure that residue levels are below tolerances established by the U.S. Food & Drug Administration, do not apply to any crop at date later than specified.

Do not apply within 15 days of harvest on following.

BEANS (Dry): For control of aphids, armyworms, leafhoppers, leaf miners, leaf rollers, Mexican bean beetles and red spider mites, use 1 pound per acre in sufficient water to provide adequate coverage.

CABBOTS: For control of aphids, vegetable weevils, leafhoppers, and petrobis mites, use 1 pound per acre.

CUCUMBERS: For control of aphids and two-spotted mites, use 1 pound per acre.

PEAS (Garden and Blackeye): For control of aphids and pea weevils, use 1 pound per acre. For armyworms, loopers and spider mites, use 1 1/4 pounds per acre.

PEPPERS: For control of aphids and leaf miners, use 1/2 pound per acre. For flea beetles, use 1 1/4 to 1 1/2 pounds per acre.

TOMATOES: For control of aphids, armyworms, cabbage loopers, leafhoppers, leaf miners spider mites, tomato russet mites, whiteflies, plant bugs and psyllids, use 1 1/4 pounds per acre.

DO NOT APPLY WITHIN 21 DAYS OF HARVEST ON FOLLOWING:

BEANS (Green): For control of aphids, armyworms, leafhoppers, leaf miners, leaf rollers, Mexican bean beetle, red spider mites and plant bugs, use 1 pound per acre.

CELERY: For control of aphids, celery leaf tiers, celeryworm, spider mites and tarnished plant bugs, use 1 pound per acre. For leafhoppers, use 3/4 pound per acre.

COLLARDS, KALE, MUSTARD AND SPINACH: For control of aphids, cabbage loopers, imported cabbageworms, leaf miners, vegetable weevils, leafhoppers, crown mites and seed corn maggots in crown, use 1 1/4 pounds per acre.

LETTUCE (Leaf, Bibb, Head): For control of aphids, armyworms, cabbage loopers and imported cabbageworms, use 1 pound per acre.

Do not use treated carrot tops for food or feed.

Apply all dosages in sufficient water for good coverage.

NOT FOR HOME USE

of Mines for

Keep all unpri
is danger of

Do not rub e
and get help
ately. Explain
dition. After
cannot come.

IMPORTANT
wash hands, f

AFTER WO
water. Wear c
ing. Wash pr
each use. Res
included with

Parathion is
all skin surfac
mediately. Ex
die.

Some of the
cramps, weak
breathing, nerv
and nose, mus

Hele

to tl

the j

of S

Hele

wari

FIT

Hele

ing.

arisi

dam

as le

DO NO

E

NET

BE CAREFUL

DANGER

Keep Out of Reach of Children

W

WDER

yl

40%

20%

40%

100%

DIRECTIONS FOR USE DANGER

To insure that residue levels are below tolerances established by the U.S. Food & Drug Administration, do not apply to any crop at date later than specified.

Do not apply within 15 days of harvest on following.

BEANS (Dry): For control of aphids, armyworms, leafhoppers, leaf miners, leaf rollers, Mexican bean beetles and red spider mites, use 1 pound per acre in sufficient water to provide adequate coverage.

CARROTS: For control of aphids, vegetable weevils, leafhoppers, and petrobis mites, use 1 pound per acre.

CUCUMBERS: For control of aphids and two-spotted mites, use 1 pound per acre.

PEAS (Garden and Blackeye): For control of aphids and pea weevils, use 1 pound per acre. For armyworms, loopers and spider mites, use 1 1/4 pounds per acre.

PEPPERS: For control of aphids and leaf miners, use 1/2 pound per acre. For flea beetles, use 1 1/4 to 1 1/2 pounds per acre.

TOMATOES: For control of aphids, armyworms, cabbage loopers, grasshoppers, leaf miners spider mites, tomato russet mites, whiteflies, plant bugs and psyllids, use 1 1/4 pounds per acre.

DO NOT APPLY WITHIN 31 DAYS OF HARVEST ON FOLLOWING:

BEANS (Green): For control of aphids, armyworms, leafhoppers, leaf miners, leaf rollers, Mexican bean beetle, red spider mites and plant bugs, use 1 pound per acre.

CELERY: For control of aphids, celery leaf tiers, celeryworm, spider mites and tarnished plant bugs, use 1 pound per acre. For leafhoppers, use 3/4 pound per acre.

COLLARDS, KALE, MUSTARD AND SPINACH: For control of aphids, cabbage loopers, imported cabbageworms, leaf miners, vegetable weevils, leafhoppers, crown mites and seed corn maggot in crown, use 1 1/4 pounds per acre.

LETTUCE (Leaf, Bibb, Head): For control of aphids, armyworms, cabbage loopers and imported cabbageworms, use 1 pound per acre.

Do not use treated carrot tops for food or feed.

Apply all dosages in sufficient water for good coverage.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

★ POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the limitations referred to therein.

Helena Chemical Company makes no other express or implied warranty, including no express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct