

FIRST AID TREATMENT

ANTIDOTE: If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician immediately! If on skin, remove contaminated clothing and immediately wash skin with soap and water.

WARNING

May be fatal if SWALLOWED, INHALED, or ABSORBED THROUGH SKIN! Rapidly absorbed through skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. BUREAU OF MINES for Ethion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed or food-stuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not breathe spray mist.

ATROPINE IS ANTIDOTAL

Keep on hand an emergency supply of 20 tablets, grains 1/100.

PHYSICIANS NOTE: Never give morphine. Give atropine grains 1/100 two or three tablets at once and every hour up to 30 tablets or until pupils dilate. Clear chest by postural drainage. Give artificial respiration if patient becomes comatose.

WARNING - FLAMMABLE

KEEP AWAY FROM HEAT AND OPEN FLAME

Keep container closed. Leaking packages should be removed to a safe place.

CAUTION: USE OF THIS MATERIAL IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH DIRECTIONS MAY PRODUCE PLANT INJURY.

DO NOT STORE AT TEMPERATURES BELOW 0°F.

DO NOT USE IN UNDILUTED FORM

DO NOT REUSE EMPTY DRUM. DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

NET CONTENTS

U.S. GALLONS

HELENA

BRAND

ETHION

Emulsifiable Liquid Insecticide-Acaricide

WARNING!

KEEP OUT OF REACH OF CHILDREN.
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONS.

Contents 4 lb.
ETHION, per gallon.

ACTIVE INGREDIENTS:

*Ethion	46.78%
Petroleum Distillate	36.87%
INERT INGREDIENTS:	16.35%
TOTAL	100.00%

*O,O',O',O'-Tetraethyl S,S'-methylene
bisphosphorodithioate

MANUFACTURED BY

HELENA CHEMICAL COMPANY

West Helena, Ark. Tampa, Fla. Lubbock, Texas

Des Moines, Iowa West Columbia, South Carolina

DIRECTIONS

CROP: Cotton DISEASES
INSECTS: Spider Mites

Immediately prior to use, mix good practice is to dilute the required amount of water, then apply while mixing and applying.

Use this material at the rate of sufficient water to cover. (Aerial application—3 to 4 gallons per acre. Ground application—3 to 4 gallons per acre.)

Applications of this material should continue until the pest population reaches the point where control is essential to good control.

THOROUGH COVER

Do not apply on cotton after

Cotton which has received a chemical application should not be grazed by dairy animals until finished for slaughter. This material is toxic to wildlife. Keep out of streams and waterways only as specified on this label. Conditions favor drift from a treated area where runoff is likely to occur by cleaning of equipment or drifting on treated areas may be killed.

E.P.A. Reg. No. 5905-136

WARRANTY AND LIMITATIONS
Helena Chemical Company warrants that this material conforms to the label and is reasonably fit for the purpose for which it is sold, subject to the terms and conditions of sale, set forth therein. Helena Chemical Company makes no warranty, including any other express or implied, of MERCHANTABILITY, and no other person is authorized to do so except in writing. Any damages arising from the use of this material are limited to direct damages, and shall not include consequential damages such as loss of profits or value.

DO NOT RE-USE THIS CONTAINER

HELENA BRAND ETHION

Emulsifiable Liquid Insecticide-Acaricide

WARNING! KEEP OUT OF REACH OF CHILDREN.
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONS.

ACTIVE INGREDIENTS:
*Ethion 46.78%
Petroleum Distillate 36.87%
INERT INGREDIENTS: 16.35%
TOTAL 100.00%

Contents 4 lb.
ETHION per gallon.

*O,O,O',O'-Tetraethyl S,S'-methylene
bisphosphorodithioate

DIRECTIONS FOR USE

ROOF INSECTICIDE
Immediate application is recommended for best control. Good practice is to dilute the material with an equal amount of water for 24 to 36 hours before the required amount of water is added to the material while mixing and applying.

Use this material at the rate of 1 to 2 pint per acre in sufficient water to cover. Aerial application—2 to 3 gallons per acre. Ground application—3 to 10 gallons per acre.

Applications of this material should begin when an infestation reaches the point where control is required and be repeated as necessary. Full coverage of plants during application is essential to good control.

THOROUGH COVERAGE IS NECESSARY

Do not apply on cotton after the bolls begin to open.

Cotton which has received applications of this pesticide should not be grazed by dairy animals or animals being finished for slaughter. This product is toxic to fish and wildlife. Keep out of streams or ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed.

MAR 15 1972

E.P.A. Reg. No. 5905-136

5905-136