

WARNING
READ ENTIRE LABEL BEFORE USING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water in case of contact or after using. Do not contaminate streams, lakes, or ponds with this material. This product is toxic to fish, birds, and other wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

Avoid treating animals during cold, stormy weather and overheated and sick animals.

WARNING

Avoid contamination of feed and foodstuffs. Do not use on young animals including calves under 3 months of age. Do not use on dairy animals, dairy barns, or forage crops to be fed dairy animals or animals being finished for slaughter. Do not use on beef cattle, sheep and goats within 4 weeks of slaughter. Do not use on household pets or humans.

FIRE HAZARD: Keep away from heat and open flame. Do not spray into or near fire or open flame.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

WARRANTY AND LIMITATION OF DAMAGES. Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein. Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of **FITNESS** or of **MERCHANTABILITY**, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.



DO NOT RE-USE EMPTY CONTAINER, DESTROY IT BY PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

E.P.A. Reg. No. 5905-138

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

TOXAPHENE MALATHION LIVESTOCK SPRAY

HELENA



HELENA
cially for
thion. Wh
in contro
spray app

CATTLE
Ticks: M
MALATH
strong sp
cation an
applicati
and activ
ear tick,
head and

HORSES
rected ur
thorough
months o

SHEEP A
and apply
sary. To
of 1 galle
tion. Flee
HELENA
gallons v
producin

BARN AN
quitoes,
of 1 galle
and arou
of run-off
ing quart
other bre
animals
before sp
Apply 3 g

FOR BAG
mixture v

PHENE- MATHION STOCK RAY

ARNING

REACH

HELENA
ANIMAL HEALTH

HELENA ANIMAL HEALTH TOXAPHENE MALATHION is a specially formulated effective combination of toxaphene and malathion. When mixed with water it forms spray emulsions for use in control of certain external insect parasites of livestock by spray application to the animals as a premise spray.

SUGGESTIONS FOR USE

CATTLE (Except Dairy Cows and Calves): Horn Flies, Lice, Ticks: Mix 1 gallon **HELENA ANIMAL HEALTH TOXAPHENE MALATHION** with 100 gallons water and apply to animals as a strong spray to penetrate hair to the skin. Make thorough application and repeat as needed. When tail lice are present, a second application should be made in 2 weeks. If ticks are numerous and active, it is well to repeat treatment in 2 weeks. For spinose ear tick, apply spray as a low pressure mist into the ears and to head and neck.

HORSES: Ticks — 1 gallon per 100 gallons water. Apply as directed under Cattle. If spraying is objectionable, horses may be thoroughly sponged with the spray mixture. Colts under 3 months of age should not be treated.

SHEEP AND GOATS: Ticks — Mix 1 gallon in 100 gallons water and apply as a spray thoroughly wetting skin. Repeat as necessary. To control Lice and Sheep ticks on Kids — Mix at the rate of 1 gallon to 250 gallons water and make a thorough application. Fleece Worms — Apply a spray prepared by mixing 1 gallon **HELENA ANIMAL HEALTH TOXAPHENE MALATHION** in 100 gallons water and repeat as necessary. Do not apply to goats producing milk for human consumption.

BARN AND PREMISE SPRAY: For residual control of Flies, Mosquitoes, Fleas and certain insects — Thoroughly mix at the rate of 1 gallon to 20 gallons water and spray till runoff. Spray inside and around barns, stables, sties, and pens. Wet surfaces to point of run-off. Spray cracks and other hiding places as well as sleeping quarters of animals. Treat manure piles, stagnant pools and other breeding places. Repeat application as necessary. Remove animals and cover feed, utensils, and feed and water troughs before spraying. Do not use inside dairy barns or milk rooms. Apply 3 gallons spray mixture per 1,000 square feet.

FOR BACKRUBBER: Use 1 gallon to 9 gallons oil. 1 gallon of mixture will treat 200 feet of cable.

Manufactured by
HELENA CHEMICAL COMPANY
Memphis, TN 38137

LIVESTOCK SPRAY

WARNING

KEEP OUT OF REACH OF CHILDREN

See other cautions on side panel

ACTIVE INGREDIENTS

1. 2,4-Dichlorophenoxyacetic acid (2,4-D) 1.00%
2. 2,4,5-Trichlorophenoxyacetic acid (2,4,5-T) 1.00%
3. 2,4-Dichlorophenoxyacetic acid, isomer 0.50%
4. 2,4,5-Trichlorophenoxyacetic acid, isomer 0.50%

INERT INGREDIENTS

1. Water 98.00%

ED

38

