

HELENA BRAND

10% SEVIN® GRANULES

For the Control of European Corn Borer

CAUTION: KEEP OUT OF REACH OF CHILDREN.

SEE OTHER CAUTION STATEMENTS

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate) 10% by wt.
INERT INGREDIENTS: 90% by wt.
Total 100%

ACCEPTED

Trade mark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate (carbaryl).

6-3-72
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR THE CONTROL OF PESTS
EPA REG. NO. 5905-169

DIRECTIONS FOR USE

CORN:

For the control of European Corn Borer, use Helena 10% SEVIN GRANULES at the rate of 15 to 20 lbs. per acre as a foliar treatment. More than one application may be necessary.

Do not apply within seven days of harvest.

PURCHASE OR USE THIS PRODUCT CONSTITUTES ACCEPTANCE OF ALL TERMS STATED HEREIN.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and not include consequential commercial damages such as loss of profit or value, etc.

Do not reuse empty container. Destroy it by bury-

CAUTION

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Harmful if inhaled or swallowed — Avoid breathing of dust — Do not take internally — Skin contact may be harmful — Avoid contact — Wash hands and face before eating.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Antropine is antidotal. Avoid contamination of food.

Read entire label. Use in strict accordance with label directions and cautions.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your State Agricultural Extension Service.

E.P.A. REG. NO. 5905-169

ACCEPTED

ACCEPTED WITH COMMENTS