

**DANGER—POISON—PRECAUTIONS**


**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts. Spray mist dust may be fatal if swallowed.



**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands, spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.




**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.



**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish, shrimp, crabs, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.



This product is highly toxic to bees. Do not direct treatment on residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DANGER**

**DANGER:** Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin.

**POISONING SYMPTOMS:** Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

**ANTIDOTE:** Atropine is the specific antidote. Obtain emergency supply of Atropine 1 to 2 grain tablets from your doctor. Keep on hand.

**CALL A PHYSICIAN IMMEDIATELY** if persons handling or working with Parathion develop poisoning symptoms.

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME**

**+ FIRST AID TREATMENT +**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty

**POST TREATED AREA**

Do not enter treated area until spray has dried. Do not enter treated area until spray has dried.

**FOR ALL EMPTY CONTAINERS**

**DO NOT** use empty containers for other purposes. Wash thoroughly with soap and water. Do not use for food or drink. Do not use for storage of chemicals. Do not use for storage of flammable liquids. Do not use for storage of acids or alkalis. Do not use for storage of other hazardous materials. Do not use for storage of other hazardous materials.

**METAL CONTAINERS**

**1 GALLON CANS:** Wash with water and soap. Rinse and dry. Do not use for food or drink. Do not use for storage of chemicals. Do not use for storage of flammable liquids. Do not use for storage of acids or alkalis. Do not use for storage of other hazardous materials. Do not use for storage of other hazardous materials.

**CAUTION:** Do not use empty containers for food or drink. Do not use empty containers for storage of chemicals. Do not use empty containers for storage of flammable liquids. Do not use empty containers for storage of acids or alkalis. Do not use empty containers for storage of other hazardous materials. Do not use empty containers for storage of other hazardous materials.

**IF THE ABOVE INSTRUCTIONS CANNOT BE USED**

Do not use empty containers for food or drink. Do not use empty containers for storage of chemicals. Do not use empty containers for storage of flammable liquids. Do not use empty containers for storage of acids or alkalis. Do not use empty containers for storage of other hazardous materials. Do not use empty containers for storage of other hazardous materials.

**NOTE TO PHYSICIAN**

**ANTIDOTE:** Atropine is the specific antidote. Obtain emergency supply of Atropine 1 to 2 grain tablets from your doctor. Keep on hand. Do not use empty containers for food or drink. Do not use empty containers for storage of chemicals. Do not use empty containers for storage of flammable liquids. Do not use empty containers for storage of acids or alkalis. Do not use empty containers for storage of other hazardous materials. Do not use empty containers for storage of other hazardous materials.

**STOP - READ LABEL BEFORE USING!**

**POISON**  
See Side Panels  
for Antidote &  
Precautions



**DANGER**  
Keep Out of  
Reach of  
Children



**GUNTER 6-3**

**Emulsifiable Insecticide Concentrate**

**ACTIVE INGREDIENTS:**

- Toxaphene 92.55%
- 1,1,1-Trichloro-2,2,2-trifluoroethane 26.27%
- Nitrogen 2.78%


**INERT INGREDIENTS:**

**TOTAL 100.00%**

1 gallon of  
**SIX - THREE**  
contains 6 pounds  
Toxaphene and 3 pounds  
Methyl Parathion  
per gallon

- Technical Chlorinated Camphene
- 1,1,1-Trichloro-2,2,2-Trifluoroethane
- Technical Chlorinated Camphene
- 1,1,1-Trichloro-2,2,2-Trifluoroethane
- Technical Chlorinated Camphene
- 1,1,1-Trichloro-2,2,2-Trifluoroethane

**DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE**



**DIRECTIONS FOR USE**

This product is an emulsifiable concentrate that readily with water for the control of certain attacking cotton and s

**DIRECTIONS FOR USE ON**

For early season control of Aphids, Thrips, and Fleas, use 1 quart per this material in sufficient water to give good cov

For mid and late season of Boll weevil, Bollwo Fleahoppers, Lygus and Plant bugs, and Cotton use 1 1/2 to 2 quarts per this material in sufficient to give good coverage.

Mix with water, 10 gal. acre for ground applic. 1 to 3 gallons per acre aerial application. Mix water by agitation; ag: the mixture while spray allowed to stand, reag: before use.

Care should be taken th this material is not a drift onto neighboring or non-crop areas.

**USAGE CAUTION:** Cotton received applications of insecticide should not be by dairy animals being for slaughter.

Do not feed trash from cotton to such animals. not apply within 7 days picking or harvest. Do not enter field within 2 after application should protective clothing.

READ LABEL BEFORE USING!

ON  
panels  
pte &  
tions



**DANGER**

Keep Out of  
Reach of  
Children

**HELENA**

**GUNTER 6-3**

Emulsifiable Insecticide Concentrate

ACTIVE INGREDIENTS

75% DDT	52.55%
10% O,O-dimethyl O-p nitrophenyl phosphorothioate	26.27%
Nylone	2.78%

INERT INGREDIENTS

TOTAL	100.00%
-------	---------

1 gallon of  
- THREE  
5 1/2 pounds  
1 and 3/4 pounds  
1 Parathion  
1/2 gallon

- \*Technical Chlorinated Camphene
- \*75% DDT Chlorine
- \*Inert known as Methyl Parathion

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

MANUFACTURED BY  
**HELENA CHEMICAL COMPANY**  
MEMPHIS, TENNESSEE

DIRECTIONS FOR USE

This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton and soybeans.

DIRECTIONS FOR USE ON COTTON

For early season control of Aphids, Thrips, and Fleahoppers, use 1 quart per acre of this material in sufficient water to give good coverage.

For mid and late season control of Boll weevil, Bollworm, Thrips, Fleahoppers, Lygus and other Plant bugs, and Cotton leafworm, use 1 1/2 to 2 quarts per acre of this material in sufficient water to give good coverage.

Mix with water, 10 gallons per acre for ground application; 1 to 3 gallons per acre for aerial application. Mix with water by agitation; agitate the mixture while spraying. If allowed to stand, reagitate before use.

Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.

USAGE CAUTION: Cotton which has received applications of this insecticide should not be grazed by dairy animals being finished for slaughter.

Do not feed trash from treated cotton to such animals. Do not apply within 7 days of hand picking or harvest. Workers entering field within 24 hours after application should wear protective clothing.


DIRECTIONS FOR USE ON SOYBEANS

Apply 1 to 1 1/3 quarts of this product per acre to control Aphids, Armyworm, Bean leaf beetle, Corn earworm, Grasshoppers, Green cloverworm, Stink bugs, and Velvetbean caterpillar. For aircraft application, use with 1 to 3 gallons of water per acre consistent with crop growth and good coverage. For ground equipment, use with 10 to 20 gallons of water per acre.

CAUTION: Avoid spray drift. Do not apply less than 3 weeks before harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry. Do not apply more than twice per growing season.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY

NOT FOR HOME USE.



USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear water proof pants, coat, hat, rubber boots, and gloves.
2. Wear safety goggles.
3. Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
4. Wear heavy duty natural rubber boots.

WORK SAFETY RULES

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor if you are ill or hospitalized immediately. Explain that you have been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment section and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower with soap and water. Wear only clean clothes when leaving treated area. Do not wear contaminated clothing. Wash protective equipment with soap and water after use. Working clothes should be cleaned and filter replaced according to instructions included with respirator.

**POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body through the skin surfaces and eyes. Clothing wet with parathion must be removed immediately. Exposed persons should receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: muscle tremors, vomiting, cramps, weakness, blurred vision, dizziness, tightness in chest, labored breathing, difficulty in breathing, watering of eyes, drooling, or convulsions, and in severe cases, coma.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is satisfactory for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or MERCHANTABILITY, and it is agreed that the user assumes all liability for any damage or loss resulting from the use of this material. Any use of this material not specified in this warranty shall be considered a deviation from the intended use and shall void the warranty.

EPA Reg. No. 5905-183

HELENA

U.S. GALLONS