



POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1-100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish, shrimp, crabs, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where a toll is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DANGER

DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1-100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME


✦ FIRST AID TREATMENT ✦

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.


In case of contact immediately flush eye, or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.



ACCEPTED
APR 04 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No.

CAUTION: Do not use in or near areas where people, livestock, or poultry are present.



ACCEPTED
MAY 15 1975

NOTE TO PHYSICIAN:

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1-100 grain tablets from your physician. Keep on hand.

STOP - READ LABEL BEFORE USING!

POISON
See Side Panels for Antidote & Precautions



DANGER
Keep Out of Reach of Children



DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statements.

CONTAINS 1 LB. TOXAPHEN
3 LB. METHYL PARATHION
AND 1 LB. ICPN PER GALLON

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

MANUFACTURED BY
HELENA CHEMICAL COMPANY
MEMPHIS, TENNESSEE

RECOMMENDATIONS

Application should be made only by experienced personnel using approved protection equipment.

This product is an emulsifiable concentrate that mixes with water for use in the control of certain insects of cotton and soybeans.

DIRECTIONS FOR USE ON COTTON

For early season control of Aphids, Thrips, and Fleahoppers, use 1 quart per acre of this material in sufficient water to give good coverage.

For mid and late season control of Boll weevil, Bollworm, Thrips, Fleahoppers, Lygus and other Plant Bugs, and Cotton leafhoppers, use 1 1/2 quarts per acre of this material in sufficient water to give good coverage. Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.

For aircraft application, use with 1 to 3 gallons of water per acre consistent with crop growth and good coverage. For ground spray application, apply with 10 to 15 gallons of water per acre.

CAUTION: Do not apply within 7 days of hand picking or mechanical harvesting. Do not apply within 24 hours of other insecticide applications. Do not apply to plants or animals being raised for human consumption.

DIRECTIONS FOR USE ON SOYBEANS

Apply 1 1/2 to 1 3/4 quarts of this material per acre to control Aphids, Army Bean leaf beetle, Corn earworm, Grasshoppers, Green cloverworm, Stink bugs, and Velvetbean caterpillars. For aerial application apply diluted insecticide at 1 to 3 gallons per acre. For ground applications, apply with 10 to 15 gallons of water per acre. Do not apply more than twice per growing season.

CAUTION: Avoid spray drift. Do not apply less than 24 hours before harvest. Do not feed treated plants or animals. Do not feed soybean mill trash to livestock.

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

HELENA

TRIPLE KILL

DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statements.

CONTAINS 4 LB. TOXAPHEN
4 LB. METHYL PARATHION
AND 1 LB. TPS PER GALLON

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

MANUFACTURED BY
HELENA CHEMICAL COMPANY

MEMPHIS, TENNESSEE

RECOMMENDATIONS

Application should be made only by experienced personnel using approved protection equipment.

This product is an emulsifiable concentrate that mixes readily with water or use in the control of certain insects attacking cotton and soybeans.

DIRECTIONS FOR USE ON COTTON

For early season control of Aphids, Thrips, and Fleahoppers, use 1 quart per acre of this material in sufficient water to give good coverage.

For mid and late season control of Boll weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other Plant Bugs, and Cotton leafhoppers, use 1 to 1½ quarts per acre of this material in sufficient water to give good coverage. Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.

For aircraft application, use with 1 to 3 gallons of water per acre consistent with crop growth and good coverage. For ground spray application, apply with 10 to 15 gallons of water per acre.

CAUTION: Do not apply within 7 days of hand picking or harvest (Workers entering fields within 24 hours after application should wear protective clothing). Do not graze dairy animals or animals being finished for slaughter on treated fields.

DIRECTIONS FOR USE ON SOYBEANS

Apply 1½ to 1½ quarts of this material per acre to control Aphids, Armyworm, Bean leaf beetle, Corn earworm, Grasshoppers, Green cloverworm, Stink bugs, and Velvetbean caterpillars. For aerial applications, apply diluted insecticide at 1 to 3 gallons per acre. For ground applications, apply with 10 to 15 gallons of water per acre. Do not apply more than twice per growing season.

CAUTION: Avoid spray drift. Do not apply less than 3 weeks before harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter.

Do not feed soybean mill trash to livestock, poultry.

DEALERS SHOULD SEE...

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur.

POISON SIGNS (Symptoms)

Persons who have been exposed to this material should be kept under observation for 24 hours. If symptoms of poisoning develop, medical attention should be sought immediately.

Persons who have been exposed to this material should be kept under observation for 24 hours. If symptoms of poisoning develop, medical attention should be sought immediately.

NOTICE OF DEFICIENCY

This material is a restricted use pesticide. It is not to be used by anyone who is not registered with the EPA as a restricted use pesticide applicator.

This material is a restricted use pesticide. It is not to be used by anyone who is not registered with the EPA as a restricted use pesticide applicator.

DO NOT USE POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME

NOT FOR HOME USE

EPA REG. NO. 5905-125

NET CONTENTS

TRIPLE KILL

DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statements.

(CONTAINS 4 LB. TOXAPHENE
3 LB. METHYL PARATHION
AND 1 LB. EPN PER GALLON)

ACTIVE INGREDIENTS	
• Toxaphene	4.00
• Methyl parathion	3.00
• Ethion	1.00
INERT INGREDIENTS	
Xylene	6.33
TOTAL	
	14.33

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

1 to 3 gallons of consistent with cr good coverage. For application, apply gallons of water p

CAUTION: Do not apply within 7 (Workers entering field tion should wear protect animals or animals b treated fields.

DIRECTIONS FOR USE ON SOY

Apply 1¼ to 1½ qua per acre to contro Bean leaf beetle, Grasshoppers, Gree Stink bugs, and Ve pillars. For aeri apply diluted inse 3 gallons per acre applications, appl gallons of water p apply more than t

ustic soda
thoroughly
deep in an
th extreme
Read and
ch holes in
y deeply
ED
5,1975
1975
icide,
e Act,
USED icide
fire until all
ainers are
away from
ore than 5

thion is the
ike effects:
ous system.
ith atropine
ptoms and