UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



J

WASHINGTON, D.C. 20460

AUG 05 1993 5445372

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Judy Oldham Manager, Registration Services Helena Chemical Company 5100 Popular Avenue, Suite 3200 Memphis, TN 38137

Dear Ms. Oldham:

Subject: Helena Brand Cythion EPA Registration No. 5905-196 Supplemental Labeling Submitted July 26, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, and Rodenticide Act, as amended, is acceptable and a stamped copy is enclosed for your records.

It is understood, as agreed in your phone conversation of August 5, 1993, that the following statement which appeared on your submitted labeling in the directions for use on "grain crops" is to be deleted and the enclosed stamped label reflects this deletion.

"(Postharvest storage treatment only)"

Acceptance of the subject supplemental labeling is for the purpose of documenting the additional, current registered uses for your subject product and does not relieve you of your obligation to comply with our letter dated June 15, 1993.

Note that this acceptance of your label does not relieve you of your obligation to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR 156, published in the Federal Register on August 21, 1992 (57 FR 38102).

For advice or instruction regarding your compliance with PR Notice 93-7, you may contact the special WPS Label Information Line at 1-800-777-2185.

Sincerely yours,

Robert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7504C)




HELENA CHEMICAL COMPANY

コーコ



ACCEPTED M CONDENTS in EPA Letter Duted



the Federal Insecticide, the and Bulanticide Ast as amended, for the pestis registered under EPA Reg. Ne. 5905-196

CORPORATE OFFICE

Sullin 500 6075 Poplar Avenue Memphis, Tennessee 38119 Telephone: 901/761-0050 Telex: 12424

....

SUPPLEMENTAL LABELING

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE PACKAGE LABEL ARE TO BE FOLLOWED.

CYTHION, THE PREMIUM GRADE MALATHION 5905-196

CAUTION

DIRECTIONS FOR USE: It is a violation of Federal law to use this product inconsistent with its labeling.

CLOVER: Aphids, Mites - 1-1/2 - 2 pts. Grasshoppers, Clover Leaf Weevil - 1-1/2 pts. (Do not apply within 7 days of harvest.)

GRASS CROPS

Grass & Grass Hay: Grasshoppers, Aphids, Leafhoppers -1-1/2 - 2pts or 1-1/2 pts. in 1 gal. diesel fuel oil*. Armyworms - 2 pts. OR 1-1/2 pts. in 1 ga. diesel fuel cil*. *Apply by aircraft or turbine-blower sprayer.

Pasture & Range Grass: Grasshoppers, Aphids, Leafhoppers - 1-1/2 - 2 pts. OR 1-1/2 pts. in 1 gal. diesel fuel oil*. *Apply by aircraft or turbine-blower sprayers.

Barn Grass, Canary Grass, Fescue, Orchard Grass, Red Top, Timothy, Yellow Foxtail: Cereal Leaf Beetle - 1 - 1-1/2 pts.

GRAIN CROPS

Barley, Corn, Wheat: Cereal leaf Beetle - 1 - 1-1/2 pts. · (Postharvest-storage-treatment-only.)-

Barley, Rye, Wheat: English Grain Aphids, Greenbugs, Grasshoppers* - 1-1/2 pts. *Makes full coverage to hatching areas when nymphs are young. Armyworms - 2 pts. - (Post-harvest storage treatment only.) -

NON-AGRICULTURAL LANDS (Wasteland, Roadsides, Soil Bank, Land not to be grased): Grasshoppers - 1-1/2 - 3 pts. OR 1-1/2 - 3 pts. in 1 gal. diesel fuel oil*. *Apply by aircraft or turbine-blower Repeat applications may be needed after hatching and sprayer. before movements to crops to take place. ... ••

STORED GRAIN


Wheat, Oats, Rice, Corn, Rye, Barley, Grain Sorghim, Field or Garden Seeds: Confused Flour Beetle, Rice Weevil, Granary Weevil, Saw-toothed Grain Beetle, Flat Grain Beetle, Red Flour Beetle, •••••

Supplemental Labeling Cythion, The Premium Grade Malathion, 5905-196 Page 2.

Lesser Grain Borer, Indian Meal Moth - 1 pt. per 1000 bu. in 2-5 gals. water.

Apply CYTHION, The Premium Grade Malathion 56.44% Emulsifiable liquid as follows:

Residual Warehouse Spray - Before Storing Peanuts: Clean warehouse thoroughly of trash and old remains of peanuts 1 to 2 weeks before new peanut crop is stored. Thoroughly spray with sufficient pressure interior of empty warehouse (including cracks and protected places) outside walls to height of 6 to 8 ft., and the ground to a distance of about 6 ft. from warehouse by diluting 1 pt. of CYTHION, The Premium Grade Malathion in sufficient water to make 2-1/2 gals. of spray or 1 gal. with 19 gals. of water. Apply finished spray at the rate of 2 gals. per 1000 sq. ft. or to runoff.



3.53