


CAUTION: KEEP OUT OF REACH OF CHILDREN.

DANGER: Liquid causes eye injuries and skin burns. Do not get on skin, in eyes, or on clothing. Breathing of vapors may be harmful. Avoid breathing vapors or mist. Harmful if swallowed. In case of contact with eyes or skin, immediately flush with plenty of water for at least 15 minutes. For eyes, get medical attention. Remove contaminated clothing and shoes at once. Wash thoroughly before re-use.

Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.



HELENA

BRAND

GRAIN PRESERVER

AN INHIBITOR FOR CONTROL OF MOLDS AND FUNGI IN HIGH-MOISTURE STORED CORN, OATS, BARLEY, WHEAT OR SORGHUM TO BE USED AS LIVESTOCK FEED.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

ACTIVE INGREDIENTS:

Acetic Acid	60%
Propionic Acid	40%
TOTAL	100%

DIRECTIONS

1. Determine moisture wheat or sorghum.
2. Apply HELENA PRESERVER to freshly harvested grain according to moisture content according to

MOISTURE CONTENT OF GRAIN BY WEIGHT	U.S. GALLONS HELENA PRESERVER PER 100 LBS. GRAIN MOIS
15-20	
21-25	
26-30	
31-35	

3. Apply in manner and coverage of grain.
4. Use of auger is recommended for storage.

WARRANTY AND LIABILITY: Helena Chemical Company conforms to the chemical industry standard of being reasonably fit for the purposes for which it is used. Helena Chemical Company makes no other express or implied warranties, MERCHANTABILITY, or fitness for use. Helena Chemical Company is authorized to make a specific reference to the product arising from a breach of contract and shall not be liable for direct damages, and shall not be liable for commercial damages such as lost profits.

RINSE EMPTY CONTAINER WITH WATER.

DO NOT REUSE CONTAINER

HELENA

BRAND

GRAIN PRESERVER

AN INHIBITOR FOR CONTROL OF MOLDS AND FUNGI IN HIGH-MOISTURE STORED CORN, OATS, BARLEY, WHEAT OR SORGHUM TO BE USED AS LIVESTOCK FEED.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

ACTIVE INGREDIENTS:

Acetic Acid 60%
Propionic Acid 40%

TOTAL 100%

DIRECTIONS FOR USE

1. Determine moisture content of corn, oats, barley, wheat or sorghum.
2. Apply HELENA BRAND GRAIN PRESERVER to freshly harvested grain based on moisture content according to the following table:

MOISTURE CONTENT OF GRAIN BY WEIGHT	U.S. GALLONS OF HELENA BRAND GRAIN PRESER- VER PER TON OF MOIST GRAIN	POUNDS OF HELENA BRAND GRAIN PRESER- VER PER TON OF MOIST GRAIN
15-20	2.3	18
21-25	3.0	24
26-30	3.8	30
31-35	4.4	35

3. Apply in manner to achieve thorough mixing and coverage of grain.
4. Use of auger is recommended to convey grain to storage.

WARRANTY AND LIMITATION OF DAMAGES. Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Descriptions for Use and Conditions of Sale, subject to the inherent risks referred to therein. Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER.

DO NOT REUSE CONTAINER DESTROY WHEN