




DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product is highly poisonous if swallowed even in small amounts. Spray must be kept away from food and water.



POISONOUS BY SKIN CONTACT

Poisonous if the body is touched, sprayed or splashed on skin. In eyes, it causes blinding. Liquid goes through clothes.



POISONOUS IF BREATHED

Breathing vapors, spray mist, or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is highly poisonous to fish and birds. Do not use in areas where they may be present. Keep out of any body of water. Do not apply when weather is such that it may drift into treated areas. Do not apply where there is a heavy concentration of birds. Do not apply when crops are in bloom. Remove water from all applications immediately following use.

This product is highly poisonous to bees. Do not use in areas where they are present. Do not use in areas where they are present. Do not use in areas where they are present.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin!

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1-100 grain tablets from physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

FIRST AID TREATMENT

Call doctor, physician, clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor appears.

If swallowed and victim is awake, conscious, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, remove clothing. Wash skin with plenty of water for at least 15 minutes. Wash eyes with clean, unperfumed water and clean contact lenses if possible.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment.

FOR ALL EMPTY CONTAINERS

DO NOT re-use the container to completely empty the container. If they are used, clean thoroughly with detergent.

GLASS CONTAINERS: Break the container into small pieces and bury the pieces in a deep hole in a well-ventilated area away from water supplies.

METAL CONTAINERS:

1-GALLON CANS: Pour 1 pint of water into empty can and add 2 tablespoons of household detergent. Shake and carefully to wet all inner surfaces with the solution. Rinse this section at least 18 inches deep in a well-ventilated area away from water supplies. Pour the rinse liquid into a well-ventilated area and bury deep in a well-ventilated area.

5-GALLON, 30-GALLON or 55-GALLON DRUMS: Pour the following mixture into empty containers.

5-GALLON DRUMS: 2 quarts water, 1 cup household bleach, 2 household lye, 2 tablespoons of detergent.

30-GALLON DRUMS: 3 gallons water, 1 1/2 cups household bleach, 3 cups detergent.

55-GALLON DRUMS: 5 gallons water, 2 1/2 cups household bleach, 5 cups detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in a well-ventilated area away from water supplies.

CAUTION: Handle caustic soda, household lye, with care. Do not get on skin or eyes. Avoid breathing. Read and carefully follow the precautions on package. Pour the rinse liquid into a well-ventilated area. Bury deep in a well-ventilated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Each hole on TOP of container and bottom of container must have been completely covered. If not, you must use a plug. The container should be examined to ensure that all holes are completely empty and that persons handling are away from the container. Do not attempt to use the container for any other purpose.

NOTE TO PHYSICIAN

ANTIDOTE: Atropine 1-100 grain tablets. Give TWO to FOUR tablets immediately. Repeat every 15 to 30 minutes until symptoms are relieved. Repeat every 2 P.M. until symptoms are relieved. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong anticholinergic agent. It blocks the action of acetylcholine at the neuromuscular junction. It also blocks the action of acetylcholine at the autonomic ganglia. It also blocks the action of acetylcholine at the parasympathetic nervous system. It also blocks the action of acetylcholine at the sympathetic nervous system. It also blocks the action of acetylcholine at the central nervous system. It also blocks the action of acetylcholine at the peripheral nervous system. It also blocks the action of acetylcholine at the neuromuscular junction. It also blocks the action of acetylcholine at the autonomic ganglia. It also blocks the action of acetylcholine at the parasympathetic nervous system. It also blocks the action of acetylcholine at the sympathetic nervous system. It also blocks the action of acetylcholine at the central nervous system. It also blocks the action of acetylcholine at the peripheral nervous system. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

STOP-READ LABEL BEFORE USING

POISON
See Side Panels
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

**HELENA
BRAND**

**CHLORDANE 4-
METHYL PARATHION 2
COTTON INSECTICIDE**

ACTIVE INGREDIENTS

INERT INGREDIENTS
TOTAL

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

MANUFACTURED BY
HELENA CHEMICAL COMPANY
MEMPHIS, TENNESSEE


DIRECTIONS FOR USE

HELENA CHLORDANE 4-METHYL PARATHION 2

CHLORDANE

HELENA CHEMICAL COMPANY
MEMPHIS, TENNESSEE

OBSEVE THE FOLLOWING PRECAUTIONS



...ED AREA
 ...ural Exh
 ...osting
 ...CONTAINERS
 ...omplete
 ...least
 ...ater
 ...contaminated
 ...use
 ...of water
 ...old
 ...aces
 ...deep
 ...ch
 ...ply
 ...55-GALLON DRUMS
 ...water
 ...of detergent
 ...water
 ...gent
 ...water
 ...gent
 ...her
 ...of
 ...ater
 ...DANGER
 ...55
 ...rest
 ...METHOD CANNOT BE USED
 ...er
 ...b
 ...to
 ...pu
 ...PHYSICIAN
 ...TWO
 ...2 PAM
 ...MORPHINE OR TRANQUILIZERS
 ...VER
 ...IT IS INDICATED FOR AT LEAST

STOP - READ LABEL BEFORE USING!

POISON
 See Side Panels
 for Antidote &
 Precautions



DANGER
 Keep Out of
 Reach of
 Children

HELENA
BRAND
CHLORDANE 4 -
METHYL PARATHION 2
COTTON INSECTICIDE

ACTIVE INGREDIENTS
 INERT INGREDIENT TOTAL


DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

MANUFACTURED BY
HELENA CHEMICAL COMPANY
 MEMPHIS TENNESSEE

DIRECTIONS FOR USE
 HELENA CHLORDANE 4 - METHYL PARATHION 2

COTTON INSECTS Amount CHLORDANE 4 METHYL PARATHION 2

OBSERVE THE FOLLOWING PRECAUTIONS



USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear water proof pants, coat, hat, rubber boots, gloves, and goggles. Wear mask and goggles if you are spraying. Wear shoes to protect feet. Do not wear jewelry.

WORK SAFETY RULES

Do not use in enclosed areas and do not spray into wind. Do not use in large areas.

Do not use in areas with water. If you see sick or dying plants STOP work and get help right away. Do not take food or drink until you are completely clean. Explain that the insecticide has been applied to parathion and describe his condition. After treatment is given, see First Aid Treatment section and follow directions. Do not take any food or drink.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK Take off all work clothes and shoes. Shower with soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

This material is a very dangerous poison. It rapidly enters the body through skin surfaces and eyes. Clothing wet with this material should be removed immediately. Exposed areas should be washed promptly. Treatment of them may be necessary.

Signs of the acute and symptoms of poisoning are: headache, dizziness, vomiting, weakness, blurred vision, loss of appetite, nervousness, chest labored breathing, sweating, salivation, watering of eyes, burning or itching of the skin, and a metallic taste in the mouth.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the brand description on the label and is available for the purposes referred to in the Directions for use and the label, subject to the inherent risks attendant thereon.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS FOR MERCHANTABILITY. This product is sold as is, with all faults and defects, and the user assumes all responsibility for its use. The user agrees to indemnify and hold Helena Chemical Company harmless from all claims, damages, and expenses, including reasonable attorneys' fees, arising out of or from the use of this product.

CONTENTS 55 GALLONS

Accepted With Comments