



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.




POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Inhaling vapors, spray mist or dust may be fatal.



POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wild birds and other wildlife in treated areas. It may be washed deep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. To protect bees, do not apply when bees are in bloom. Remove or cover bees if application is necessary during bloom.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

FOR ALL EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies. **GLASS CONTAINERS**-Break the container and bury the pieces at least 18 inches deep in a isolated location away from water supplies.

METAL CONTAINERS:

1-GALLON CANS- Pour 1 qt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of cans, crush can, and bury deeply in an isolated location.

5-GALLON, 30-GALLON and 55-GALLON DRUMS-Pour the following mixture into empty containers:

5-GALLON DRUMS-2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons of detergent.

30-GALLON DRUMS-3 qts. water, 1 lb. caustic soda (household lye), 1/2 cup detergent.

55-GALLON DRUMS-5 qts. water, 2 lb. caustic soda (household lye), 1 cup detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, clothes or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in TOP of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

NOTE TO PHYSICIAN

ANTIDOTE-Administer atropine sulfate in large doses, TWO to FOUR times intravenously or intramuscularly as soon as cyanosis or atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

Toxaphene produces central nervous system stimulation which ordinarily responds to the barbituric and derivatives, but this drug should only be used if complete atropinization fails to relieve symptoms.

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions




DANGER

Keep Out of Reach of Children

HELENA BRAND

6 Tox - 3 Ethyl

Emulsifiable Insecticide Concentrate



1 gallon of 6 TOX — 3 ETHYL contains 6 pounds Toxaphene and 3 pounds Ethyl Parathion per gallon

ACTIVE INGREDIENTS:	
Toxaphene	52.55%
Parathion	26.27%
Xylene	8.96%
INERT INGREDIENTS:	
TOTAL	12.22%
TOTAL	100.00%

Directions For Use

This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton.

For early season control of: Aphids, Thrips and Fleahoppers - 2/3 pts. per acre. Use this material in sufficient water to give good coverage.

For mid and late season control of: Boll Weevil - 1 1/2 pts. per acre. Bollworm - 3 pts. per acre. Thrips, Fleahoppers and Leafworm - 2/3 pts. per acre. Lygus bugs and other plant bugs - 1 1/2 pts. per acre.

Dealers should sell in original packages only.

USAGE CAUTION: Do not allow this material to drift onto neighboring crop or non-crop areas or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur. Cotton which has received application of this insecticide should not be grazed by dairy animals or animals being finished for slaughter.

Do not feed trash from treated cotton to such animals. Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours after application should wear protective clothing.

WARNING - FLAMMABLE:

Keep away from heat and open flame. Keep container closed. Leaking packages should be removed to a safe place. Do not store below 20 degrees F. This product is toxic to fish and wildlife.

Birds feeding on treated areas may be killed. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment.

READ LABEL BEFORE USING



DANGER

Keep Out of Reach of Children

LENA

BRAND

X-3 Ethyl Insecticide Concentrate

ACCEPTED

Sep 12, 1973

(with comment)

ACTIVE INGREDIENTS: (NET WT)	
*Toxaphene	52.55%
*Parathion	26.27%
Xylene	8.96%
INERT INGREDIENTS: 12.22%	
TOTAL	100.00%

Directions For Use

This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton.

For early season control of: Aphids, Thrips and Fleahoppers - 2/3 pts. per acre. Use this material in sufficient water to give good coverage.

For mid and late season control of: Boll Weevil - 1 1/2 pts. per acre. Bollworm - 3 pts. per acre. Thrips, Fleahoppers and Leafworm - 2/3 pts. per acre. Lygus bugs and other plant bugs - 1 1/2 pts. per acre.

Dealers should sell in original packages only.

USAGE CAUTION: Do not allow this material to drift onto neighboring crop or non-crop areas or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur. Cotton which has received applications of this insecticide should not be grazed by dairy animals or animals being finished for slaughter.

Do not feed trash from treated cotton to such animals. Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours after application should wear protective clothing.

WARNING - FLAMMABLE:

Keep away from heat and open flame. Keep container closed. Leaking packages should be removed to a safe place. Do not store below 20 degrees F. This product is toxic to fish and wildlife.

Birds feeding on treated areas may be killed. Keep out of lakes, streams, and ponds. Do not contaminate...

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- 1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- 2) Wear safety goggles.
- 3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion and endrin protection.
- 4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, dizziness, weakness, drowsiness, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTICE OF WARRANTY

Lena Chemical Company warrants that this material conforms to the chemical description on the label and is responsible for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Lena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Lena Chemical Company is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and not include consequential or incidental damages such as loss of profit or value, etc.

Camerman's Note
Poor Copy

ACCEPTED WITH COMMENTS

FORM NO. 100-1 (REV. 1-1-68)
EPA Reg. No. 33-58214