



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin or eyes or on clothing. Liquid goes through clothes.



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife treated or sprayed may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. To protect bees, do not apply when crops are in bloom. Remove or cover bees if application is necessary during bloom.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1-100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

+ FIRST AID TREATMENT +

Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake and conscious, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soap or strong salt water to drink. Repeat until

RINSE TREATED AREA

... ..

FOR ALL EMPTY CONTAINERS

DO NOT reuse the container. Completely empty the container and bury (dispose) in a hole at least 18 inches deep in an isolated location away from water supplies. **GLASS CONTAINERS** Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS

1 GALLON CANS: Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of cans, crush can, and bury deeply in an isolated location.

5-GALLON, 30-GALLON and 55-GALLON DRUMS: Pour the following mixture into empty containers:

5-GALLON DRUMS: 2 qts. water, 1 cup household household lye, 2 tablespoons of detergent.

30-GALLON DRUMS: 3 gallons water, 1 1/2 cups household household lye, 3 cup detergent.

55-GALLON DRUMS: 5 gallons water, 2 1/2 cups household household lye, 5 cup detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

CAUTION: Handle caustic soda, household lye, with extreme care. Do not get on skin or eyes or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in **TOP** of container and burn or hot fire until all paint has been completely burned off container. Exercise care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 10 containers at one time.

NOTE TO PHYSICIAN

ANTIDOTE: In water at the site of large spillage, **TWO to FOUR** mg. atropine (1/400 grain) is given orally every 15 minutes until signs of atropine action appear. **2 PAM** (2 mg. per lb. body weight) and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing local and respiratory depression. At the onset of pulmonary edema, the patient should be given oxygen and treated symptomatically. If the patient is unconscious, do not attempt to give oral fluids. **VERY CLOSE**

STOP - READ LABEL BEFORE USING

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

HELENA

BRAND

4 TOX - 4 ETHYL

Emulsifiable Insecticide Concentrate

1 gallon of Helena 4 Tox - 4 Ethyl contains 4 pounds Toxaphene and 4 pounds Ethyl Parathion per gallon

ACTIVE INGREDIENTS

Toxaphene
Parathion

INERT INGREDIENTS

TOTAL

... ..

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

... ..

DIRECTIONS FOR USE

... ..

WHEAT, OATS AND BARLEY

... ..

COTTON EARLY SEASON CONTROL PRO

... ..

... ..

... ..

... ..

MID AND LATE SEASON CONTROL PRO

... ..

... ..

... ..

... ..

... ..

... ..

ACCEPTED

MAR 11 1974

UNDER THE FEDERAL PESTICIDE
FUNGICIDE AND HERBICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. SUBJ
TO ATTACHED COMMENTS.

5905-21

POST TREATED AREA
 Ag...
 reqd...

ALL EMPTY CONTAINERS
 ontaine...
 emical...
 ay from...
 Break...
 deep...

Pour 1 pt. of water in empty can of
 ul household detergent. Rub inside
 inner surfaces with this solution. Rinse
 at 18 inches deep. Repeat until all
 applies. Pour in bucket and bottom of
 bury deeply in an isolated location.

1-2 qts. water...
 15-3 gallons water...
 15-5 gallons water...

untill all inner surfaces are thoroughly
 solution at least 18 inches deep. Rinse
 y from water supplies.

ustic soda household use with extreme
 skin or eyes is an irritant. Read and
 precautions on package. Pour into glass
 container, wash container. Bury deeply in
 isolated location.

NOTE TO PHYSICIAN
 er atropine sulfate in large doses. TWO
 onously or intravenously. Large doses should
 Repeat at 5 to 10 minute intervals until
 inization appear. 2 PAM (2-Pyridylmethyl
 be administered in conjunction with
 GIVE MORPHINE OR TRANQUILIZERS
 ing shall not be used until after the
 neural mechanisms are functioning
 ratory depression. At first signs of
 the patient should be given appropriate
 symptoms of respiratory depression
 symptoms of respiratory depression.

STOP - READ LABEL BEFORE USING!

POISON
 See Side Panels
 for Antidote &
 Precautions



DANGER
 Keep Out of
 Reach of
 Children

HELENA

BRAND

4 TOX - 4 ETHYL

Emulsifiable Insecticide Concentrate

1 gallon of
 Helena 4 Tox - 4 Ethyl
 contains 4 pounds
 Toxaphene and 4 pounds
 Ethyl Parathion per gallon

| | |
|--------------------|-------|
| ACTIVE INGREDIENTS | 4.00 |
| Toxaphene | 4.00 |
| Parathion | 4.00 |
| None | 0.00 |
| INERT INGREDIENTS | 16.00 |
| TOTAL | 20.00 |

To be used in accordance with the directions on the label.
 4.00 Toxaphene, 4.00 Parathion, 16.00 Inert ingredients.

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

FLAMMABLE - COMBUSTIBLE LIQUID
 PROTECT FROM TEMPERATURE BELOW 40 °F


DIRECTIONS FOR USE
 Apply...
 Apply...
 Apply...

WHEAT, OATS AND BARLEY
 Apply...
 Apply...
 Apply...

COTTON EARLY SEASON CONTROL PROGRAM
 Apply...
 Apply...
 Apply...

MID AND LATE SEASON CONTROL PROGRAM
 Apply...
 Apply...
 Apply...

Apply...
 Apply...
 Apply...



USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear waterproof pants, coat, hat, rubber boots or
 2 deep safety goggles. Wear mask
 approved by the U.S. Bureau of Mines for
 protection against parathion. 4. Wear heavy duty
 protective gloves.

WORK SAFETY RULES
 Keep all work-related persons and children away from
 treated areas where there is danger of drift.

Do not eat, drink, or smoke with hands if you feel sick in any
 way. STOP work and get help right away. Call a doctor
 physician, clinic, or hospital immediately. Explain that the
 victim has been exposed to parathion and describe his
 condition. After first aid is given, see First Aid Treatment
 Section and if doctor cannot come, take victim to clinic or
 hospital.

IMPORTANT! Before removing gloves, wash them with soap
 and water. Always wash hands, face and arms with soap and
 water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower
 in soap and water. Wear only clean clothes when leaving
 treated area. Do not wear contaminated clothing. Wash protective
 clothing and protective equipment with soap and water after
 use. Respirator should be cleaned and filter replaced
 according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the
 body by contact with all skin surfaces and eyes. Clothing wet
 with this material must be removed immediately. Exposed
 persons should receive prompt medical treatment or they may
 die.

Some of the signs and symptoms of poisoning are:
 headache, nausea, vomiting, cramps, weakness, blurred
 vision, pupils, tightness in chest, labored breathing,
 dizziness, sweating, watering of eyes, drooling or
 foaming at mouth, and nose, muscle spasms and coma.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material
 conforms to the chemical description on the label and is
 reasonably fit for the purposes referred to in the Directions
 for Use and Conditions of Sale, subject to the inherent risks
 referred to therein.

Helena Chemical Company makes no other express or
 implied warranty, including any other express or implied
 warranty of FITNESS FOR MERCHANTABILITY, and the
 Helena Chemical Company is authorized to extend or
 modify this warranty. For reference to this warranty, see
 Helena Chemical Company's terms of this warranty at its
 principal office, Helena, Montana. This warranty is void if
 the product is used for purposes not intended by the
 Helena Chemical Company.