

GENERAL DIRECTIONS FOR USE:

This product can be used in the spring when weeds begin to appear and temperature rises above 50 degrees. Agitate container and while standing erect invert can from 2 to 3 feet above target weed and activate valve, directing spray to center of weed. Use light bursts. Do not saturate. Weeds will gradually die. Repeat application in 3 or 4 weeks if weeds persist.

See also: Joe on Dichandra, St. Augustine Lawns or Bentgrass.

Black Leaf Lawn Weed Killer will control all of these weeds:

- | | | |
|------------------------|------------------------|-------------------------|
| <u>Black meric,</u> | <u>Filaree,</u> | <u>Pennywort,</u> |
| <u>Buckhorn,</u> | <u>Flaxseed,</u> | <u>Pepperweed,</u> |
| <u>Canada thistle,</u> | <u>Florida pusley,</u> | <u>Flaxweed,</u> |
| <u>Chickweed,</u> | <u>Ground ivy,</u> | <u>Plantain,</u> |
| <u>Clover,</u> | <u>Heart-all,</u> | <u>Polygonum,</u> |
| <u>Cut weed,</u> | <u>Henbit,</u> | <u>Prickly lettuce,</u> |
| <u>Curly dock,</u> | <u>Knotted,</u> | <u>Purslane,</u> |
| <u>Dandelion,</u> | <u>Lambsquarters,</u> | <u>Sheep sorrel,</u> |
| <u>Dollarweed,</u> | <u>Matchweed,</u> | <u>Shepherds purse,</u> |
| <u>English daisy,</u> | <u>Mustard,</u> | <u>Yarrow.</u> |

WARNING:

Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water; for eyes get medical attention. Wash after each use.

Avoid drift or application to nearby garden plants, flowers or shrubs. Do not apply within dripline of trees and shrubs. Do not contaminate water used for irrigational or domestic purposes. Do not store near fertilizer, seeds, insecticides or fungicides.

Contents under pressure. Do not use near fire or open flame. Store in cool place (not over 120° F) but protect against freezing. Never throw in fire or puncture this container.

NOTICE:

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given here-with.



Distributed by
BLACK LEAF PRODUCTS CO.
CHICAGO, ILL.

U.S.D.A. Reg. #5887

CONTENTS: 1 LB. 7 OZ.



LAWN
weed killer
SPRAY BOMB

PEST

KILLS DANDELIONS

READY TO USE

WARNING
Contents under pressure. Keep out of reach of children. See back panel for other cautions.



KILLS POISON IVY

Just aim and shoot. No tank. No pump. No fuss.

Controls many undesirable weeds such as:
Dandelions, Curly Dock, Plantain, Clover, Chickweed, Sheepshead, Knotweed, Ground Ivy, Polygonum, Prickly Lettuce, Purslane, Sheep Sorrel, Shepherd's Purse, Yarrow.

Active ingredients:
2,4-Dichlorophenoxyacetic acid (of the ethane) and isopropyl ester of 2,4-Dichlorophenoxyacetic acid 1.65%
2-Methoxy-Dichlorophenoxyacetic acid 0.21%
Inert ingredients 81.14%
Total 100.00%

*equivalent to 1.0% 2,4-Dichlorophenoxyacetic acid.
**equivalent to 0.25% Dicamba (2-methoxy-Dichlorophenoxyacetic acid).

GENERAL DIRECTIONS FOR USE:

This product can be used in the spring when weeds begin to appear and temperature rises above 50 degrees. Agitate container and while standing erect invert can from 2 to 3 feet above target weed and activate valve, directing spray to center of weed. Use light bursts. Do not saturate. Weeds will gradually die. Repeat application in 3 or 4 weeks if weeds persist.

Do not use on Dichondra, St. Augustine Lawns or Bentgrass.

Black Leaf Lawn Weed Killer will control all of these weeds:

- | | | |
|-----------------|-----------------|------------------|
| Black meric, | Filaree, | Pennywort, |
| Buckhorn, | Fleabane, | Pepperweed, |
| Canada thistle, | Florida pusley, | Pigweed, |
| Chickweed, | Ground ivy, | Plantain, |
| Clover, | Heal-all, | Poison ivy, |
| Cudweed, | Henbit, | Prickly lettuce, |
| Curly dock, | Knotweed, | Purslane, |
| Dandelion, | Lambsquarters, | Sheep sorrel, |
| Dollarweed, | Matchweed, | Shepherds purse, |
| English daisy, | Mustard, | Yarrow. |

WARNING:

Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water; for eyes get medical attention. Wash after each use.

Avoid drift or application to nearby garden plants, flowers or shrubs. Do not apply within dripline of trees and shrubs. Do not contaminate water used for irrigational or domestic purposes. Do not store near fertilizer, seeds, insecticides or fungicides.

Contents under pressure. Do not use near fire or open flame. Store in cool place (not over 120° F) but protect against freezing. Never throw in fire or puncture this container.

NOTICE:

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given here-with.



Distributed by
BLACK LEAF PRODUCTS CO.
CHICAGO, ILL.




CONTENTS: 1 LB. 7 OZ.

PEST

KILLS DANDELIONS

READY TO USE

WARNING
Contents under pressure. Keep out of reach of children. See back panel for other cautions.



KILLS POISON IVY

Just aim and shoot. Foam Tracer Guides You.

- Controls many undesirable weeds such as
- | | | |
|------------|------------|------------|
| Dandelions | Curly Dock | Bindweed |
| Plantains | Clover | Wild Onion |
| Thistle | Poison Oak | Pennywort |

Active Ingredients:

Alkanolamine salts (of the ethanol and isopropyl series) of 2,4-Dichlorophenoxyacetic acid*	1.66%
Dimethylamine salt of Dicamba (2-methoxy-3,6-dichlorobenzoic acid)**	0.31%
Inert Ingredients:	98.03%
Total	100.00%

*equivalent to 1.0% 2,4-Dichlorophenoxyacetic acid.
**equivalent to 0.25% Dicamba (2-methoxy-3,6-dichlorobenzoic acid).

