

# HELENA

## BRAND

### TOXAPHENE

### SPRAY 8-E

This product contains 8 pounds of Toxaphene per gallon

**WARNING** KEEP OUT OF REACH OF CHILDREN  
SEE OTHER WARNINGS ON SIDE PANEL

ACTIVE INGREDIENTS 8.00% Toxaphene

INERT INGREDIENTS 92.00%

TOTAL 100.00%

BEST DOCUMENT AVAILABLE

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE 82374

MANUFACTURED BY  
**HELENA CHEMICAL COMPANY**

MEMPHIS TENNESSEE

**PARSNIPS** - Apply 2 1/2 qts. per acre. Do not use on leafy tops.

**PEACHES, NECTARINES** - Apply 2 1/2 qts. per acre. Do not use on fruit.

**PEAS** - Apply 2 1/2 qts. per acre. Do not use on seed.

**PIMENTOS** - Apply 2 1/2 qts. per acre. Do not use on fruit.

**PINEAPPLES** - Apply 2 1/2 qts. per acre. Do not use on fruit.

**QUINCE** - Apply 2 1/2 qts. per acre. Do not use on fruit.

**RICE** - Apply 2 1/2 qts. per acre. Do not use on grain.

**RUTABAGA** - Apply 2 1/2 qts. per acre. Do not use on root.

**SORGHUM** - Apply 2 1/2 qts. per acre. Do not use on grain.

**SOYBEANS** - Apply 2 1/2 qts. per acre. Do not use on seed.

**SPINACH** - Apply 2 1/2 qts. per acre. Do not use on leafy tops.

**STRAWBERRIES** - Apply 2 1/2 qts. per acre. Do not use on fruit.

**TOMATOES** - Apply 2 1/2 qts. per acre. Do not use on fruit.

**GRASS, LAWN AND TURF** - Apply 2 1/2 qts. per acre.

**TURF GROWN FOR SOD OR DICHONDRA GROWN FOR SOD OR SEED** - Apply 2 1/2 qts. per acre.

**ORNAMENTALS** - Apply 2 1/2 qts. per acre. Do not use on fruit.

**LIVESTOCK** - Do not treat Beef Cattle, Goats, Sheep or Swine with 28 days of slaughter. Do not use on dairy animals or in dairy barns. Do not treat calves under 3 months of age.

**SHEEP TICKS** - Sheep as a Dip 1 1/2 qts. in 100 gals. water. As a Spray 2 1/2 qts. in 100 gals. water, spraying thoroughly during warm weather when wool is only a few inches long.

**LICE** - Beef Cattle, Swine as a Spray 2 1/2 qts. in 100 gals. water. Do not use on Dairy Cattle, Sheep, Goats. As a Dip 1 1/2 qts. in 100 gals. of water. Do not use on Dairy Goats.

**HORN FLIES** - Beef Cattle as a Spray 2 1/2 qts. in 100 gals. water, applying about 2 qts. per mature animal. Do not use on Dairy Cattle.

**TICKS** - Beef Cattle, Swine as a Spray 2 1/2 qts. in 100 gals. of water. Beef Cattle as a Dip 1 1/2 qts. in 100 gal. water. Do not dip heavy fat Cattle in hot weather. Do not use on Dairy Cattle.

**USE PRECAUTIONS:**

Do not allow spray to drift onto adjacent crops. Destroy empty containers by puncturing and burying to prevent reuse.

NOV 20 1979  
EPA REG. NO. 5905-234

BEST DOCUMENT AVAILABLE

**NOTICE OF WARRANTY**

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein. Helena Chemical Company makes no other expressed or implied warranty of FITNESS or MERCHANTABILITY and no agent of Helena Chemical Company is authorized to do so except in writing with specific reference to this warranty. Any damages arising from use of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits, etc.

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

NON-RETURNABLE

NET CONTENTS

EPA EST. NO. 5905-CA-1  
EPA REG. NO. 5905-234-AA