

Stop -- Read the Label Before Use



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.


POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.




**2 1/2% METHYL PARATHION
-10% SEVIN* DUST**

An Agricultural Insecticide Dust



See this panel for antidote and precautions



DANGER
Keep out of reach of children

CAN KILL YOU

ACTIVE INGREDIENTS:	
O, O-dimethyl O-p-nitrophenyl phosphorothioate*	2.5%
Carbaryl (1-naphthyl N-methylcarbamate)**	10.0%
INERT INGREDIENTS:	
	87.5%
	100.00%

- *Methyl Parathion
- **Sevin - U. S. Patent No. 2,903,478
- ©Trade Mark of Union Carbide Corp. for the active ingredient carbaryl (1-naphthyl N-methylcarbamate).

NOT FOR HOME USE

**MANUFACTURED BY
HELENA CHEMICAL COMPANY**

MEMPHIS, TENNESSEE

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately if exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately.

If swallowed and victim is awake (conscious) make him vomit by sticking finger down throat or by giving soap or salt water until vomit is clear. Never give anything by mouth to a victim who is unconscious. If victim lies down and keeps quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with water for 15 minutes while removing contaminated clothing and shoes.

NOTE TO PHYSICIAN

Antidote - Administer atropine sulfate in large doses. If not effective, administer 100 mg. of sodium cyanide intravenously. If cyanide is given, atropine should be administered in conjunction with atropine. DO NOT GIVE Methyl Parathion. Methyl Parathion is a strong cholinesterase inhibitor in peripheral nervous systems and producing cardiac and respiratory depression. In case of pulmonary edema, the patient should be given symptomatic treatment. Continued absorption of the poison may be reported after initial improvement. VERY CLOSE SURVEILLANCE IS INDICATED FOR AT LEAST 48 HOURS.

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER - Completely empty the container and dispose of chemical at least 18 inches deep in an isolated location. Empty container immediately. Exercise extreme caution and smoke.

DIRECTIONS FOR USE

COTTON: Boll Weevils, Bollworms, Aphids, Fleahopper, Webworms, Southern Green Stink Bugs, Spider Mites, etc. Apply at the rate of 20 lbs. per acre.

DO NOT GRAZE DAIRY ANIMALS OR ANIMALS BEARING YOUNG IN TREATED FIELDS. WORKERS ENTERING THE FIELD AFTER APPLICATION OF METHYL PARATHION SHOULD WEAR PROTECTIVE CLOTHING WITHIN 7 DAYS OF HANDPACKING.

Soy Beans: Mexican Bean Beetle, Bean Leaf Beetle, Velvetbean Weevil, Corn Earworm, Stink Bugs - Apply at the rate of 10 lbs. per acre.

Other Insects: Thrips, Blister Beetles, Climbing Cutworm, etc. The insecticides listed for the major pests should give satisfactory control. DO NOT apply within 20 days of harvest. Do not apply during growing season.

Apply this product only as specified on label.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this product conforms to the chemical description and is reasonably fit for the purposes referred to in the label for Use and Conditions of Sale, subject to the limitations referred to therein.

Helena Chemical Company makes no implied warranty, including any other implied warranty of FITNESS or of MERCHANTABILITY. Helena Chemical Company is authorized to issue a written warranty with a specific reference to the product and the damages arising from a breach of this warranty are limited to direct damages and not including consequential damages such as loss of profits.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:

- (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U. S. Bureau of Mines for methyl parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. - Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital - immediately. Explain that the victim has been exposed to methyl parathion and guthion and describe his condition. After first aid is given (see First Aid Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooping or twitching of mouth and nose muscle.