

BEST AVAILABLE COPY

BEST AVAILABLE COPY

DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

DISPOSAL OF EMPTY CONTAINER - Do not reuse this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse out the inside of the container with water to which has been added detergent and caustic soda. Carefully discard the rinse solution by burying at least 18 inches deep in an isolated area away from water supplies. Puncture and crush empty metal container and bury at least 18 inches deep in a supervised public or private dump.

DO NOT STORE BELOW 32° F

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water while removing contaminating clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote - Administer atropine sulfate in large doses TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision before using this product.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children



3/4-3

Emulsifiable Insecticide Concentrate

FOR EFFECTIVE CONTROL OF INSECTS ON COTTON AND SOYBEANS

This product contains 1/2 Guthion® and 3 lb. Methyl Parathion per gallon.

ACTIVE INGREDIENTS	By Wt
O,O-dimethyl s-[(4-oxo-1,2,3-benzotriazin-3(4H)-yl)methyl] phosphorodithioate	8.1%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	3.0%
Related compounds	1.3%
Xylene	24.4%
Aromatic Petroleum Distillates	27.3%
INERT INGREDIENTS	6.9%
TOTAL	100.00%

*Guthion®
Methyl Parathion
GUTHION® is a Reg. TM of the German trademark proprietor, Leverkusen.

MIXING: 3 forms are suitable for use in all aircraft sprayers. To mix of product into full amount.

DOSAGE: Use specified amount of water necessary. The type of equipment required.

SPRAY: For best results when leaves are dry. Operator from drift or applied complete cover essential for most effective accordance with local conditions. Experiment Station or information.

CROP	INSECT
COTTON	Cotton leafworm Cotton leafhopper Lemon bug Pink grass bug Red plant bug Thrips
	Aphids Mites
	Brown weevil Cotton fleas Cotton bollworm Fall armyworm
	Cabbage looper Stink bugs
SOYBEANS	Brown cotton leaf worm Cotton leaf miner Cotton bollworm Yellow striped armyworm
	Bollworm Cutworm
	Pink bollworm
	Aphids Green cloverworm Stink bugs Cabbage looper Bollworm

DO NOT REUSE THIS CONTAINER FOR ANY PURPOSE.

