



**DANGER—POISON—PRECAUTIONS**

**POISONOUS IF SWALLOWED**

This product can be fatal if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.



**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DANGER**

**DANGER:** Poisonous if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin.

**POISONING SYMPTOMS:** Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

**ANTIDOTE:** Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

**CALL A PHYSICIAN IMMEDIATELY** if persons handling or working with Parathion develop poisoning symptoms.

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME**

**✦ FIRST AID TREATMENT ✦**

If a doctor, physician, clinic, or hospital, immediately explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and transport to a doctor's office.

If swallowed and victim is awake, conscious, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**FOR ALL EMPTY CONTAINERS**

**DO NOT** re-use the container. Completely empty the container and bury or incinerate in a hole at least 18 inches deep in an isolated location away from water supplies.

**GLASS CONTAINERS** Break the container and bury the pieces at least 18 inches deep in a isolated location away from water supplies.

**METAL CONTAINERS**

**1-GALLON CANS** Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of cans, crush can, and bury deeply in an isolated location.

**5-GALLON, 30-GALLON and 55-GALLON DRUMS**—Pour the following mixture into empty containers:

**5-GALLON DRUMS**—2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons of detergent.

**30-GALLON DRUMS**—3 gallons water, 1 lb. caustic soda (household lye), 1/2 cup detergent.

**55-GALLON DRUMS**—5 gallons water, 2 lb. caustic soda (household lye), 1 cup detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

**CAUTION:** Handle caustic soda, household lye, with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

**IF THE ABOVE RINSE METHOD CANNOT BE USED**

Punch holes in **TOP** of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

**NOTE TO PHYSICIAN**

**ANTIDOTE** administer atropine sulfate in large doses, **TWO** to **FOUR** mg. intravenously or intramuscularly, as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. **2-PAM** (chloride) is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

Toxaphene produces central nervous system stimulation which ordinarily responds to the barbituric and derivatives, but this drug should only be used if complete atropinization fails to relieve symptoms.

**STOP-READ LABEL BEFORE USING!**

**POISON**

See Side Panels for Antidote & Precautions



**DANGER**

Keep Out of Reach of Children

# HELENA BRAND SLAYER III

## Emulsifiable Insecticide Concentrate

Each gallon of Slayer 3 contains 6 pounds of toxaphene, 2 1/2 pounds of methoxychlor, and 3.8 pound of Methyl Parathion.

**ACTIVE INGREDIENTS:**

Toxaphene	52.4%
Methoxychlor	21.8%
O,O Dimethyl O-p-Nitrophenyl thiophosphate	3.3%
Xylene	9.8%

**INERT INGREDIENTS**

12.7%

**TOTAL**

100.0%

1. Technical Chlorinated Camphene, Chlorine Content 67% to 69%

\*\*Equivalent to 19% 2,2 bis (p-methoxyphenyl) 1,1,1 trichloroethane, and 2.8% other isomers and related compounds.

1. Methyl Parathion

**DO NOT RE-USE THE CONTAINER FOR ANY PURPOSE**

MANUFACTURED BY  
**HELENA CHEMICAL COMPANY**

**GENERAL DIRECTION**


Prepare a spray mixture of Slayer III as follows:

1. Add about half the total amount of the spray tank.
2. Start agitator or pump bypass and add Slayer III.
3. Continue mixing and add remainder.

**DIRECTIONS FOR USE ON SEED**

Apply 3 to 4 pints of Slayer III per acre to weevil (larvae), fall armyworm, soybean velvet bean caterpillar. Apply suitably. For aerial applications apply diluted 1 gallon per acre.

**CAUTION:** Do not contaminate feed, spray drift. Do not apply less than 10 days before harvest. Do not feed soybean mill to poultry. Do not apply more than 4 lbs. per application. Do not apply more than once per season. Do not feed treated plants or treated plants to poultry, dairy animals finished for slaughter.



EATED AREA

cultural Extension Service for  
posting treated areas

TY CONTAINERS

Completely empty the contents  
at least 18 inches deep in an  
water supplies  
the container and bury the pieces  
an isolated location away from

st of water into empty can and  
hold detergent. Rotate can  
surfaces with the solution. Bury  
holes deep in an isolated location  
hch holes in top and bottom of  
eely in an isolated location

nd 55-GALLON DRUMS-Pour the  
y containers

water 1/2 cup caustic soda  
ons of detergent

lons water 1 lb caustic soda  
ergent

lons water 2 lb caustic soda  
rgent

inner surfaces are thoroughly  
in at least 18 inches deep in an  
water supplies

do household dye with extreme  
eyes or on clothing. Read and  
ons on package. Punch holes in  
crush container. Bury deeply in

METHOD CANNOT BE USED

inner and burn in hot fire until all  
burned off container. Extreme  
to insure that containers are  
t persons stay well away from  
attempt to burn more than 5

PHYSICIAN

ne sulfate in large doses. TWO  
or intramuscularly as soon as  
at at 5 to 10 minute intervals  
n appear. 2-PAM has to be  
administered in conjunction with  
**MORPHINE OR TRANQUILIZERS.**  
nesterase inhibitor affecting the  
erous systems and producing  
depression. At first sign of  
ent should be given supplemental  
omatically. Continued atropine  
and fatal responses have been  
mprovement. **VERY CLOSE**  
**MONITORING IS INDICATED FOR AT LEAST**

fractions system. Refer to  
to the product literature  
be used if complete sterilization

**STOP-READ LABEL BEFORE USING!**

**POISON**

See Side Panels  
for Antidote &  
Precautions



**DANGER**

Keep Out of  
Reach of  
Children

# HELENA BRAND SLAYER III

## Emulsifiable Insecticide Concentrate

Each gallon of Slayer 3 contains 6 pounds of toxaphene, 2 1/2 pounds of methoxychlor and 3.8 pound of Methyl Parathion.

**ACTIVE INGREDIENTS:**

Toxaphene	52.4%
Methoxychlor	21.8%
O,O-Dimethyl O-p-N-trophenyl thiophosphate	3.3%
Xylene	9.8%

**INERT INGREDIENTS**

12.7%

**TOTAL**

100.0%

1. Toxaphene: 100% active  
2. Methoxychlor: 100% active

\*\*Equivalent to 19% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 2.8% other isomers and related compounds

1. Methyl Parathion

**DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE**

MANUFACTURED BY

## HELENA CHEMICAL COMPANY

MEMPHIS, TENNESSEE

**GENERAL DIRECTIONS**


Prepare a spray mixture of Slayer III as follows:

1. Add about half the total amount of water to be used to the spray tank.
2. Start agitator or pump bypass and add proper amount of Slayer III.
3. Continue mixing and add remaining water.

**DIRECTIONS FOR USE ON SOYBEANS**

Apply 3 to 4 pints of Slayer III per acre to control alfalfa weevil (larvae), fall armyworm, soybean caterpillar and velvet bean caterpillar. Apply suitably diluted with water. For aerial applications apply diluted insecticide at 1 to 3 gallons per acre.

**CAUTION:** Do not contaminate feed or foodstuffs. Avoid spray drift. Do not apply less than three weeks before harvest. Do not feed soybean mill trash to livestock or poultry. Do not apply more than 4 lbs. Toxaphene per acre per application. Do not apply more than twice per growing season. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter.



**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. 2) Wear safety goggles. 3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion and protection. 4) Wear heavy duty natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK** take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash work clothes and protective equipment with soap and water after each use. Respirator should be cleaned and filtered according to instructions included with respirator.

**POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**NOTICE OF WARRANTY**

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of **FITNESS** or of **MERCHANTABILITY**, and no agent of Helena Chemical Company is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and not include consequential or commerial damages such as loss of profit or value, etc.

EPA Reg. No. 5905-249

NET CONTENTS

U.S. GALLONS

1, 2 10. CAUSTIC SODA

faces are thoroughly  
18 inches deep in an  
plies.

old lye) with extreme  
n clothing. Read and  
kage. Punch holes in  
ainer. Bury deeply in

**CANNOT BE USED**

urn in hot fire until all  
off container. Extreme  
e that containers are  
stay well away from  
to burn more than 5

**IN**

e in large doses. **TWO**  
muscularly as soon as  
to 10 minute intervals  
**2-PAM** chloride is also  
d in conjunction with  
**E OR TRANQUILIZERS.**  
inhibitor affecting the  
stems and producing  
1. At first sign of  
be given supplemental  
Continued absorption  
l relapses have been  
ent: **VERY CLOSE**  
**ICATED FOR AT LEAST**

ous system stimulation  
rbitoric and derivatives,  
complete atropinization

# Emulsifiable Insecticide Concentrate

Each gallon of Slayer 3 contains 6 pounds of toxaphene, 2½ pounds of methoxychlor, and 3/8 pound of Methyl Parathion.

**ACTIVE INGREDIENTS:**

*Toxaphene .....	52.4%
**Methoxychlor .....	21.8%
***O,O-Dimethyl O-p-Nitrophenyl thiophosphate .....	3.3%
Xylene .....	9.8%

**INERT INGREDIENTS** ..... 12.7%

**TOTAL** ..... 100.0%

\* Technical chlorinated Camphene (Chlorine Content 67% to 69%)

\*\*Equivalent to 19% 2-2-bis(p-methoxyphenyl)-1,1,1-trichloroethane, and 2.8% other isomers and related compounds

\*\*\* Methyl Parathion

**DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE**

MANUFACTURED BY

**HELENA CHEMICAL COMPANY**

MEMPHIS, TENNESSEE

**AC**

**UNDER 2**  
**FUNGICID**  
**FOR ECO**  
**ED UNDE**