### **United States**

 Registration
Amendmen

OPP Identifier Number

<b>SEPA</b>	W1: DO 20460			Amendm Other	ent				
	/	Applicati	on for Pesticide - S	ection l					_
1. Company/Product Number 5905-289		2. EPA Product Manager			3. Proposed Classification			_	
4. Company/Product (Name) Helena Wettable Sulphur			PM#				None	Restricte	a
5. Name and Address of Applicant (Include ZIP Code) Helena Chemical Company 225 Schilling Boulevard, Suite 300 Collierville, Tennessee 38017  Check if this is a new address			(b)(i), my produ to:	EPA Reg. No.					
		·	Section - II				<del></del>		=
Notification - Explain  Explanation: Use addition  Other Revisions  Notification of Other Revision 152.46, and no other change U.S.C. Sec. 1001 to willfully	below.  helpage(s) if necessary his per PR Notice 98-10. his have been made to the make any false statemer	This notification of the total	Agency "Me To	letter date o" Applicat  Explain believes  sions of PR  mula of this tification is	Notice 98-10 as product. I un not consistent	TIPKS R 1 1 and EPA derstance with the	regulations I that it is a terms of Pl	s at 40 CFR violation of 18 R Notice 98-10	_
			Section - III						_
1. Material This Product Will	Be Packaged In:								
Child-Resistant Packaging Yes No * Certification must	Yes Yes No. per			Water Soluble Packaging  Yes  ✓ No  If "Yes"  No. per  2. Type of Contain  Meta  ✓ Rast  Pape			c		
be submitted	Unit Packaging wgt.	container	Package wgt conta	iner	<u> </u>	Other (S	pecify)		_
3. Location of Net Contents Information  4. Size(s) Reta  Container  6. Manner in Which Label is Affixed to Product				5. Location of Label Directions On Label					
Self Adhe		Lithog Paper Stenc	glued		<del></del>				
			Section - IV						_
1. Contact Point (Complete	items directly below fo	r identificatio	n of individual to be contact	ed, if neces	sary, to proc	ess this	application	1.)	
Name Mandy K. Styles		Title Product Registration Supervisor			Telephone No. (include Area Code) (901) 752-4420				
	y knowlinglly false or π		ition all attachments thereto are itement may be punishable b				6. Letu A Reseive (St		
2. Signature		3. Title Product Registration Supervi	Title						
1. Typed Name  Mandy K. Styles		3/1/2005							

## **WETTABLE SULPHUR**

For Use in Water As An Agricultural Fungicide

ACTIVE INGREDIENT: BY WT.

Sulphur 90%

INERT INGREDIENTS: 10%

TOTAL: 100%

KEEP OUT OF REACH OF CHILDREN CAUTION FIRST AID IF IN EYES: Hold eyelid open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor immediately for treatment advice. IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything to an unconscious or convulsing person. IF ON SKIN Take off contaminated clothing. OR CLOTHING: Rinse skin immediate with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice.

**HOT LINE NUMBER** 

Have the product container or label with you when calling a poison control center or doctor or going for treatment

EPA REG. NO.: 5905-289 EPA EST. NO. 51036-GA-1 NET CONTENTS: SN 1101H/1202

MANUFACTURED FOR
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TENNESSEE 38017

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap after handling.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

Long-sleeved shirt and long pants

Chemical resistant gloves made of a waterproof material

(such as Nitrile, Neoprene, and/or Barrier Laminate)

Shoes plus socks

NOTIFICATION

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

## USER SAFETY RECOMMENDATIONS Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of rinsate or equipment washwater.

#### **CHEMIGATION PROHIBITION**

Do not apply this product through any type or irrigation system

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Coveralls

Chemical resistant gloves made of a waterproof material (such as Nitrile, Neoprene, and/or Barrier Laminate)
Shoes plus socks

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be exposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

#### PRODUCT INFORMATION

Some fruits and other plants are susceptible to injury from sulphur under certain climatic conditions. The user is advised not to use sulphur on any crop unless local use has proved that sulphur does not damage crops in that locality. Sulphur may burn foliage when the temperature is high (90° or above). Do not make sulphur applications on Eastern American type grapes, spinach, apricots, or other sulphur susceptible plants. Do not make applications within two weeks before or after an oil spray.

For light to moderate infestations use lower amount recommended. For moderate to heavy infestations use higher of recommended amounts. Use enough water to insure adequate coverage.

WHEN GROWING CROPS FOR PROCESSING, CONSULT PROCESSOR BEFORE APPLYING SULPHUR. DO NOT USE WITHIN FOUR (4) WEEKS OF AN OIL SPRAYING.

#### APPLICATION RATES

Pour needed amount into tank under agitation. If necessary, add a few drops of oil to avoid foaming.

#### **DIRECTIONS FOR DILUTION:**

**DILUTE APPLICATION:** Ground application - Apply specified rate in 20 to 100 gallons of water per acre. Orchard Application - Apply specified rate in 100 to 1500 gallons of water per acre.

concentrate APPLICATION: Ground Application - Apply specified rate in not less than 5 gallons of water per acre. Orchard Application - Apply specified rate in 20 to 100 gallons of water per acre. Special concentrate equipment is necessary for these areas.

AIR APPLICATION: Apply specified rate in 5 to 20 gallons of water per acre. Orchard rates should not be applied in less than 10 gallons of water per acre. FOR BEST RESULTS use sufficient water per acre to give thorough coverage of all plant parts.

#### ALMONDS, CHERRIES, PLUMS, PRUNES:

Brown Rot, Leaf Spot, Powdery Mildew, Silver Mite, Red Spider Mite - Apply 10 to 30 lbs. per acre. Apply at bloom or early petal fall and repeat at 10 -14 day intervals as necessary or after period of wet weather.

#### APPLES, PEARS (Except D'Anjou):

Powdery Mildew, Scab, Red Spider Mite - Apply 10 - 30 lbs. per acre at pre bloom and petal fall and apply with cover sprays throughout the season.

#### PEACHES, NECTARINE:

Brown Rot Blossom Blight, Powdery Mildew, Silver Mite, Red Spider Mite - Apply 10 to 30 lbs. per acre at bloom or early petal fall and repeat at 10 -14 day intervals as necessary or after period of wet weather.

CITRUS (GRAPEFRUITS, KUMQUATS, LEMONS, LIMES, ORANGES, TANGERINES, TANGELOS):

Flat Mite, Red Spider Mite - Apply 8 to 20 lbs. per acre. Apply in any spray NOT CONTAINING OIL or following oil by 14 days. Apply when infestation threatens.

#### WALNUTS:

European Red Mite, Almond Mite, Two-Spotted Mite, Red Spider Mite - Apply 10 to 20 lbs. per acre. Apply with mite sprays to increase effectiveness. CAUTION: Do not apply unless variety is known to be tolerant to sulphur.

#### GRAPES:

Powdery Mildew, Red Spider Mite - Apply 5 lbs. per acre. Apply in late dormancy, with cutworm spray, early shoot period and every 14 days through season.

#### **BLACKBERRY (Rubus spp.):**

**Powdery Mildew** - Apply 6 to 15 lbs. per acre. Apply when new shoots are 6" long and before blossoms open. Repeat at 10 day intervals as necessary.

#### RASPBERRY (Rubus spp.):

**Powdery Mildew (Sphaerotheca humuli)** - Apply 6 to 15 lbs. per acre. Apply each week starting at first bloom color, until fruit is set, then repeat as weather requires.

#### STRAWBERRIES:

Powdery Mildew, Red Spider Mite - Apply 5 to 10 lbs. per acre. Apply at early leaf stage. For powdery mildew, at first signs of disease and repeat as needed.

BEANS, PEAS, BROCCOLI, BRUSSEL SPROUTS, CABBAGE, CAULIFLOWER, COLLARD, KALE, PEPPERS, POTATOES: Powdery Mildew, Red Spider Mite - Apply 5 lbs. per acre. Apply at early leaf stage and repeat every 10 to 14 days.

#### TOMATOES:

Russet Mite - Apply 5 lbs. per acre as needed. Thorough coverage required.

#### COTTON. SEED ALFALFA:

Red Spider Mite - Apply 5 lbs. per acre as needed.

#### **PEANUTS:**

**Powdery Mildew, Leaf Spot, Red Spider Mite** - Apply 8 lbs. per acre. Start at early leaf stage and repeat as necessary, usually 10 - 24 days.

#### SUGAR BEETS:

Red Spider Mite - Apply 5 lbs. per acre as needed.

#### **ROSES:**

Black Spot, Powdery Mildew - Apply 6 to 8 lbs. per 100 gallons of water. Apply at first sign of disease and repeat as needed.

## CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop

to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

- Refund of the purchase price paid by buyer or user for product bought, or
- 2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2005.



#### **HELENA CHEMICAL COMPANY**

225 Schilling Blvd., Suite 300 Collierville, Tennessee 38017 Telephone: 901/761-0050

March 1, 2005

U.S. Environmental Protection Agency Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) 1801 South Bell Street Crystal Mall #2, Room 266A Arlington, VA 22202-4501

RE: Notification to Add Other Revisions

To Whom It May Concern,

Enclosed, you will find Helena Chemical Company's Notification for numerous products. Helena has updated the copyright company name, all trademarks, and registered trademarks from Helena Chemical Company to Helena Holding Company. This has been done on the following products:

tonowing products.	
Helena Wettable Sulphur	5905-289-
Fyfanon 25WP	5905-293
Sol Oil 97	5905-294
Sol Oil Plus	5905-302
Helena Citrusperse Sulfur	5905-350
Omni Supreme Spray	5905-368
Helena 90% Sulfur Dust	5905-422
Helena Liquid Sulfur Six	5905-437
6lb. Sodium Chlorate Defoliant Desiccant	5905-461
Atrazine 4L	5905-470
Helena Bravo S	5905-472
Helena 4.8lb. Diuron Flowable Herbicide	5905-482
Helena 35lb. Liquid Copper Concentrate	5905-483
Copper Z 4/4 Algicide/Herbicide	5905-486
Dimethoate 4EC	5905-493
Setre Fluometuron 80WP Herbicide	5905-494
Setre Prowl Herbicide + Propanil	5905-495
Setre 1.5lb. Benfluralin EC	5905-496
5lb. Dimethoate Systemic Insecticide	5905-497
Brush Rhap Low Volatile 4-D Herbicide	5905-498

This should also be noted on all alternate brand names of the master labels.

In support of these Notifications, you will find the following:

EPA Form 8570-1

1 copy of the revised label highlighted

If you have any questions, do not hesitate to call me at (901) 752-4420 or by fax at (901) 758-1694. Thank you for your assistance in this matter.

Sincerely,

Mandy K. Styles

**Product Registration Supervisor**