

**ACCEPTED**  
 JULY 13 1972  
 UNDER THE FEDERAL INSECTICIDE  
 ACT AND RODENTICIDE  
 ACT  
 ECONOMIC POISON REVIEW  
 NO. 2292-57308

[5905-294]

**Company's Note**  
 Full Copy

**CAUTION**

**Keep Out of Reach of Children**

Harmful if swallowed. Avoid breathing spray mist as it may cause irritation of the nose, throat or skin, and avoid contact with eyes.

Do not contaminate water by cleaning of equipment or disposal of wastes.

To prevent skin irritation, wash exposed parts thoroughly with soap and warm water. Do not apply oil sprays when trees are wilting or near wilting. In general, a period of 3 or more weeks should elapse between an application of sulphur or lime sulphur and an oil spray. Oil sprays applied after October 1 increase the susceptibility of trees to cold injury and may reduce the crop the following year.

Oil sprays should not be applied on bearing trees during August and September, since during this period they will seriously reduce the solids content of the juice and retard coloring. Oil sprays applied when the fruit is between 3/4" and 1 1/2" inches in diameter may result in oil blotch.

Avoid spraying with oil during periods of excessively high temperature (over 90° F). Do not spray with this material if weather reports indicate freezing temperatures.

Do not use this material if it does not mix with water. Do not use in undiluted form.

**FOR ALL EMPTY CONTAINERS**

Do NOT re-use the container. Completely empty contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies.

Punch holes in top of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

**NOTICE**

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither the warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



Contents -- 55 Gallons

<b>ACTIVE INGREDIENTS:</b>	<b>BY WEIGHT</b>
Petroleum Oils*	97.2%
INERT INGREDIENTS	2.8%
<b>TOTAL</b>	<b>100.0%</b>

\*Unalloyated Residue 96-98%

**DIRECTIONS FOR USE**

Pour recommended amount into nearly filled spray tank. Keep agitator running during filling, mixing and spraying operations. Do not allow mixture to stand. For scabicides to be effective, complete coverage is essential, necessitating a thorough inside and outside tree application.

**SOL-OIL 97**

**A SOLUBLE OIL FOR USE IN WATER ON CITRUS!**

**RECOMMENDATIONS**

**CITRUS:** Florida Red Scale, Purple Scale, Salt Brown Scale, Citrus Greening, White Fly.  
 Use 5 to 6 1/2 gallons of SOL-OIL 97 per 500 gallons of water for approximately 1.0 to 1.5% oil strength. For RED SPIDER, Citrus Greening, and White Fly, strength may be reduced to 2 1/2 to 3 gallons per 500 gallons of water for approximately 0.5% oil strength.

USE ONLY AS RECOMMENDED

EPA Reg. No. 2299-01