



POISON DANGER



Keep Out of Reach of Children

WARNING: Poisonous if swallowed. Avoid contact with skin and eyes. Wash thoroughly with soap and water if contact occurs. Avoid breathing dust.

DO NOT GET IN EYES OR ON SKIN OR CLOTHING.

DO NOT BREATHE DUST.

DO NOT CONTAMINATE FEED AND FEEDING AREAS.

Toxic to fish and wildlife. Do not contaminate any body of water nor apply to any areas not specified on the label. Do not use where runoff is a frequent problem.

Completely empty container and bury unused chemicals at least 18 inches deep in an isolated location away from water supplies. Burn empty container immediately. Exercise extreme caution and stay well away from the smoke. Bury ashes and residue.

FIRST AID TREATMENT

IF SWALLOWED: Give first aid as directed on label. Do not induce vomiting unless directed to do so by a physician. Do not give anything by mouth to an unconscious person.

INHALATION: Remove person to fresh air. If breathing is difficult, give oxygen.

SKIN: Wash with soap and water. Remove contaminated clothing and shoes.

EYES: Flush eyes with water for at least 15 minutes. Get medical attention.

INFORMATION FOR PHYSICIAN: Name of chemical, amount, and time of exposure. State whether person is conscious and breathing.

OBSERVE THE FOLLOWING USE PRECAUTIONS

Do not use in residential areas. Do not use on lawns, lawns, or ornamental plants. Do not use on crops or plants to be harvested within 1 day of application. Do not use on crops or plants to be harvested within 2 days of application.

RECOMMENDATIONS

LEGUMES, PEAS - Aphids, Grasshoppers, Leafhoppers and Mites. Use 25 lb. per acre. Do not apply within 1 day of harvest.



An Agricultural Insecticide Dust

DAANGER



KEEP OUT OF REACH OF CHILDREN. SEE ANTIDOTE AND OTHER WARNINGS ON SIDE LABEL.

POISON

ACTIVE INGREDIENTS: BY WEIGHT


*Alpha Isomer of 2-Carbomethoxy-1-Methylvinyl Dimethyl Phosphate..... 1.2%

*Related Compounds..... 0.8%

INERT INGREDIENTS:..... 98.0%

TOTAL..... 100.0%

NET WEIGHT 5 POUNDS EPA Reg. No. 5905-297




CELERY, CANTALOUPE, WATERMELONS - Aphids, Cabbage Loopers, Mites, Leafhoppers, Salt-marsh Caterpillars, Lygus Bugs and Dipterous Leafminers (adults). Use 25 lb. per acre. Do not apply within 3 days of harvest on Celery. Do not apply within 1 day of harvest on Cantaloupes and Watermelons.

BEANS, PEAS, TOMATOES, CUCUMBERS, CORN (Field Sweet, Pop, Forage and Grain) - Aphids, Grasshoppers, Leafhoppers and Mites. Use 25 lb. per acre. Do not apply within 1 day of harvest.

MUSTARD GREENS, BRUSSELS SPROUTS, CAULIFLOWER, COLLARDS, KALE, SPINACH - Aphids, Cabbage Loopers, Imported Cabbage Worms, Grasshoppers, Leafhoppers, Mites, Cutworms (climbing), Lygus Bugs and Dipterous Leaf Miners (adults). Use 25 lb. per acre. Do not apply within 3 days of harvest on these crops except for Spinach. Do not apply within 4 days of harvest on Spinach.

BRCCCOLI, CABBAGE, LETTUCE - Aphids, Cabbage Loopers, Imported Cabbage Worms, Grasshoppers, Leafhoppers, Mites, Cutworms (climbing), Dipterous Leafminers (adult), and Lygus Bugs. Use 25 lb. per acre. Do not apply within 1 day of harvest on Broccoli and Cabbage. Do not apply within 2 days of harvest on Lettuce.



This product is sold under contract to the State of California. The use of this product is restricted to the uses specified on the label. The user must read and understand the label before using this product. The user must also read and understand the label of any other product used in conjunction with this product. Any other use of this product is prohibited.