



**POISON
DANGER!**



Keep Out of Reach of Children

IF SWALLOWED: SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN: RAPIDLY ABSORBED THROUGH SKIN.

Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Do not use where runoff is a frequent problem.

Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Do not use where runoff is a frequent problem.

Do not contaminate feed and foodstuffs.

Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Do not use where runoff is a frequent problem.

FIRST AID TREATMENT

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of atropine 1/100 grain tablets from your physician and keep on hand. If persons handling or working with parathion develop poisoning symptoms, **CALL A PHYSICIAN IMMEDIATELY.** Poisoning symptoms include headache, blurred vision, weakness, nausea, cramps, diarrhea, and discomfort in the chest.

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet.

INHALATION: Remove the patient from the contaminated atmosphere.

SKIN: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES: In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN (Treatment): Give atropine, preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient for 48 hours.

Flag

NET WEIGHT

50 POUNDS

ACTIVE INGREDIENTS:	BY WEIGHT
*Parathion	1.0%
**Zineb	6.5%
INERT INGREDIENTS	92.5%
TOTAL	100.0%

*O, O-diethyl O-p-nitrophenyl phosphorothioate.
**Zinc Ethylene Bisdithiocarbamate (Zinc as metallic 1.54%).

NOTICE: The statements made on this label, or by any of our agents concerning this material are given for information only. They are believed to be true and accurate, but because conditions of use which are of critical importance are beyond our control, Flag Sulphur & Chemical Co. does not make, nor does it authorize any agent or representative to make any warranty, guarantee or representation, express or implied, concerning this material, except that it conforms to the chemical description on the label. Neither Flag Sulphur & Chemical Co. nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting to the buyer or to any other person from the handling, storage or use of this material, whether or not in accordance with directions. The buyer assumes all risk and liability resulting from such handling, storage or use and accepts and uses this material on these conditions.

1% PARATHION — 6 1/2% ZINEB DUST

For Use as an Agricultural Insecticide and Fungicide Dust

RECOMMENDATIONS

WATERMELONS: 1/2 to 2 1/2 lbs. per acre. Apply 2 to 3 times during the growing season. Apply 1/2 lb. per acre 10 to 14 days before harvest. Mildew, Anthracnose, and other diseases can be controlled by spraying with 2 lbs. of dust per acre.

USE ONLY AS RECOMMENDED!

Completely empty container and bury unused chemicals at least 18 inches deep in isolated location away from water supplies. Burn empty container immediately. Exercise extreme caution. Stay well away from smoke. Bury ashes.



**POISON
DANGER!**



Keep Out of Reach of Children

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN.

When used as directed, Flag is safe on all crops, including corn, cotton, soybeans, sorghum, and tobacco. It is also safe on all fruits and vegetables. Aerial application is safe on all crops. Flag is registered with the U.S. Department of Agriculture for use on all crops.

When used as directed, Flag is safe on all crops, including corn, cotton, soybeans, sorghum, and tobacco. It is also safe on all fruits and vegetables. Aerial application is safe on all crops. Flag is registered with the U.S. Department of Agriculture for use on all crops.

When used as directed, Flag is safe on all crops, including corn, cotton, soybeans, sorghum, and tobacco. It is also safe on all fruits and vegetables. Aerial application is safe on all crops. Flag is registered with the U.S. Department of Agriculture for use on all crops.

When used as directed, Flag is safe on all crops, including corn, cotton, soybeans, sorghum, and tobacco. It is also safe on all fruits and vegetables. Aerial application is safe on all crops. Flag is registered with the U.S. Department of Agriculture for use on all crops.



NET WEIGHT

50 POUNDS

ACTIVE INGREDIENTS

1% Parathion
6.5% Zineb

INERT INGREDIENTS

BY WEIGHT

1.0%
6.5%

92.5%

TOTAL

100.0%

*0, O-diethyl O-p-nitrophenyl phosphorothioate.
**Zinc Ethylene Bisdithiocarbamate (Zinc as metallic 1.54%).

NOTICE: The statements made on this label, or by any of our agents concerning this material are given for information only. They are believed to be true and accurate, but because conditions of use which are of critical importance are beyond our control, Flag Sulphur & Chemical Co. does not make, nor does it authorize any agent or representative to make any warranty, guarantee or representation, express or implied, concerning this material, except that it conforms to the chemical description on the label. Neither Flag Sulphur & Chemical Co. nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting to the buyer or to any other person from the handling, storage or use of this material, whether or not in accordance with directions. The buyer assumes all risk and liability resulting from such handling, storage or use and accepts and uses this material on these conditions.

FIRST AID TREATMENT

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of atropine 1-100 grain tablets from your physician and keep on hand. If persons handling or working with parathion develop poisoning symptoms, **CALL A PHYSICIAN IMMEDIATELY.** Poisoning symptoms include headache, blurred vision, weakness, nausea, cramps, diarrhea, and difficulty in the chest.

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. Have patient lie down and rest.

INHALATION: Remove the patient from the contaminated atmosphere.

SKIN: In case of contact, remove and discard clothing and immediately wash skin thoroughly with soap and water.

EYES: In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN (Treatment): Give atropine, preferably by injection (grains 1-30 to 1-15 = 2 to 4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient for 48 hours.

1% PARATHION — 6 1/2% ZINEB DUST

For Use as an Insecticide

WATERBURY, CONNECTICUT

REGISTERED TRADEMARK

© 1954

REGISTERED TRADEMARK