

WARNING

Keep Out of Reach of Children


HAZARDOUS BY SWALLOWING, INHALATION, OR
SKIN CONTACT. RAPIDLY ABSORBED THROUGH SKIN!
DO NOT BREATHE DUST.

Do not get in eyes, on skin or on clothing. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing.

Wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U. S. Bureau of Mines for Endrin protection. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

Do not contaminate feed and foodstuffs.



ACCEPTED

Oct-1-1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON. REGISTERED
ED UNDER NO. 5905-13. OBJECT
TO ATTACHED COMMENTS.

NET WEIGHT 50 POUNDS

5905-304

ACTIVE INGREDIENT:

*Endrin 2.0%
INERT INGREDIENTS 98.0%

TOTAL 100.0%

*Hexachlorocyclopentadiene, endo-
dimethanonaphthalene.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is toxic to bees and should not be applied when bees are actively visiting the area.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of such use.

2% ENDRIN GRANULAR

RECOMMENDATIONS

SUGAR CANE: Sugar Cane Borer—Apply at the rate of 12 pounds per acre. Make four to eight applications at 14 day intervals. Do not apply within 45 days of harvest. Do not feed bagasse or field trimmings to livestock.

USE ONLY AS RECOMMENDED

EPA Reg. No. 2299-113

Completely empty container and bury unused chemical 18 inches deep in an isolated location well away from water supplies. Burn empty container completely. Exercise extreme caution and stay well away from the smoke.

another premium product by **HELENA CHEMICAL COMPANY** — **SOUTHEAST** — Tampa, Florida