



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops.

Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

FOR ALL EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies. **GLASS CONTAINERS:** Break the container and bury the pieces at least 18 inches deep in a isolated location away from water supplies.

METAL CONTAINERS:

1-GALLON CANS: Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of cans, crush can, and bury deeply in an isolated location.

3-GALLON, 30-GALLON AND 55-GALLON DRUMS: Pour the following mixture into empty containers.

3-GALLON DRUMS: 2 qts water, 1/2 cup caustic soda (household lye), 2 tablespoons of detergent.

30-GALLON DRUMS: 3 gallons water, 1 lb caustic soda (household lye), 1/2 cup detergent.

55-GALLON DRUMS: 5 gallons water, 2 lb caustic soda (household lye), 1 cup detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on face, eyes or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in TOP of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

NOTE TO PHYSICIAN

ANTIDOTE: administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 68 HOURS.** Treat symptomatically.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children



METHYL PARATHION 2-E *BEST DODG*

An Emulsifiable Liquid

ACTIVE INGREDIENTS

Methyl Parathion	23.40%
phosphorothioic acid	1.46%
Related compounds	
None Registered	64.86%

INERT INGREDIENTS

Methyl Parathion	10.28%
TOTAL	100.0%

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

NOT FOR HOME USE

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE



Manufactured by
HELENA CHEMICAL COMPANY
Memphis, TN 38137

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

DO NOT READ LABEL BEFORE USING

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children



METHYL PARATHION 2-E

An Emulsifiable Liquid

ACTIVE INGREDIENTS

Methyl Parathion	1.4
Other active ingredients	1.6
Total Active Ingredients	3.0

INERT INGREDIENTS

Inert ingredients	1.0
Total	4.0

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

NOT FOR HOME USE

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

DIRECTIONS FOR USE

Application should be made only by experienced personnel using approved safety equipment

COTTON: Aphids, Boll Weevils, Cotton Leaf Perforators, Cotton Leafworms, Fleahoppers, Red Spider Mites, and Thrips

Early Season Control: Apply 1 pt per acre in sufficient water for thorough coverage. Begin at the 4-leaf stage or earlier. Make 2 to 4 applications at 7 to 10 day intervals.

Mid and Late Season Control: Apply 1 to 2 1/2 pts per acre in sufficient water for thorough coverage. Repeat at 4 to 5 day intervals until infestation is brought under control.

USAGE CAUTION

Cotton which has received applications of this insecticide should not be grazed by dairy animals or animals being finished for slaughter. Do not feed trash from treated cotton to these animals. Do not apply within 7 days of hand picking or harvest.


Do not allow this material to drift onto neighboring crop or non-crop areas or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur.

*Workers entering the fields within 24 hours after application of Methyl Parathion should wear protective clothing.

USE ONLY AS RECOMMENDED

For aircraft application: Use with 3 to 10 gallons of water per acre consistent with crop growth and good coverage. For ground spray equipment: Use with 10 to 25 gallons of water per acre.

BEST DOCUMENT AVAILABLE



USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots, or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

WARRANTY AND LIMITATIONS OF DAMAGES. Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein. Helena Chemical Company makes no other expressed or implied warranty, including any other expressed or implied warranty of FITNESS or MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or value, etc.

EPA Reg. No. 5905-306

SN 110979-4M

METHYL PARATHION MIXTURE LIQUID

NET CONTENTS

U.S. GALLONS



Manufactured by
HELENA CHEMICAL COMPANY
Memphis, TN 38137