



POISONOUS IF SWALLOWED

This product can kill you if swallowed and even in small amounts. Spray, mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.



POISONOUS IF BREATHED

Breathing vapors, spray, mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wild life. Do not use near water. Do not use in areas where water is used for drinking, watering, irrigation, etc. Do not use near treated areas. Do not use near water. Do not use near water. Do not use near water.

This product is highly toxic to humans. Exposed to dust treatment. Do not use near water. Do not use near water. Do not use near water.

Apply this product only as specified on this label.

DANGER

DANGER - Poisonous if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, dizziness, difficulty in breathing.

ANTIDOTE: Administer the specific antidote, if known. Refer to product literature for more information.

CALL A PHYSICIAN IMMEDIATELY if persons handling this product develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

NOTE TO APPLICATOR

Apply this product only as specified on this label. Do not use near water. Do not use near water. Do not use near water.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- 1. Wear water-proof pants, coat, hat, rubber boots, or rubber overshoes.
- 2. Wear safety goggles.
- 3. Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion protection.
- 4. Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not touch eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before eating, drinking or smoking.

AFTER WORK take off all work clothes and shoes. Shower and wash with water. Wear only clean clothes when leaving. Do not use contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body and acts on all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Signs of the signs and symptoms of poisoning are: headache, blurred vision, weakness, blurred vision, dizziness, lightness in chest, labored breathing, nausea, sweating, watering of eyes, drooling or foaming at mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until a doctor sees victim.

If swallowed and victim is awake, give 1-2 glasses of water. Do not induce vomiting. If unconscious, do not give anything by mouth. If inhaled, get victim to fresh air immediately. If in eyes, flush with water for 15 minutes. If on clothing, remove clothing and wash with soap and water.

Do not use near water. Do not use near water. Do not use near water.



**2% METHYL PARATHION
-10% SEVIN DUST**

An Agricultural Insecticide Dust

STOP - READ LABEL BEFORE USING!

POISON
See Side Panels
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

Reg. TM of Union Carbide Corporation.

ACTIVE INGREDIENTS:

- *Carbaryl (1-naphthyl N-methylcarbamate) .. 10.00
- **O,O-dimethyl O-p-nitrophenyl phosphorothioate 1.00

INERT INGREDIENTS

- *Sevin
- **Methyl Parathion

TOTAL 11.00

ACCEPTED

Accepted for use

Accepted for use

Accepted for use

Accepted for use

COTTON: Bollworms, Fleahoppers, Garden worms, Green Stink Bugs, Tarnished Plant Bug. Apply at the rate of 100 lbs. per acre. Worker should wear protective clothing. Do not handpick for 7 days of application.

SOYBEANS: Mexican Bean Leaf Beetle, Caterpillar, Corn Earworm. Apply at the rate of 100 lbs. per acre but not more than 2 applications per acre. Other Insects:

cutworms, Cutworms, listed for the control of these also. Do not use with Parathion with harvest or grain. U.S. Patent 2,715,000

NOTICE

Do not use near water. Do not use near water. Do not use near water.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots, or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section, and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower, shampoo, and wash. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: dizziness, nausea, vomiting, cramps, weakness, blurred vision, difficulty in breathing, tightness in chest, labored breathing, sweating, watering of eyes, drooling or foaming at the mouth, and nose, muscle spasms and coma.

FIRST AID TREATMENT

If on face, remove clothing, wash face with soap and water. If in eyes, flush with water. If on skin, wash with soap and water. If inhaled, get fresh air. If inhaled, get fresh air. If inhaled, get fresh air.

If breathing has stopped, start artificial respiration. If breathing has stopped, start artificial respiration.

If swallowed, do not induce vomiting. Give water. If swallowed, do not induce vomiting. Give water.

If inhaled, get fresh air. If inhaled, get fresh air.



2% METHYL PARATHION -10% SEVIN DUST

An Agricultural Insecticide Dust

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

Reg. TM of Union Carbide Corporation.

ACTIVE INGREDIENTS:

*Carbaryl (1-naphthyl N-methylcarbamate) .. 10.0%
 **O,O-dimethyl O-p-nitrophenyl phosphorothioate 2.0%

INERT INGREDIENTS 88.0%

TOTAL 100.0%

*Sevin
 **Methyl Parathion

RECOMMENDATIONS

COTTON: Boll Weevils, Bollworms, Aphids, Fleahoppers, Cotton Leafworms, Garden Webworms, Southern Green Stink Bugs, Spider Mites, Tarnished Plant Bugs, Thrips - Apply at the rate of 20 lbs. per acre. Workers entering fields within 24 hours after application should wear protective clothing. Do not handpick or harvest within 7 days of application.

SOYBEANS: Mexican Bean Beetle, Bean Leaf Beetle, Velvetbean Caterpillar, Fall Armyworm, Corn Earworm, Stink Bugs - Apply at the rate of 20 lbs. per acre but not more than two applications per season.

Other Insects - Thrips, Blister Beetles, Cutworms sometimes attack soybeans. The insecticides listed for the major pests should give adequate control of these also. Do not use Methyl Parathion within 20 days of harvest or grazing.

ACCEPTED
 August 11, 1970
 SUBJECT: 573
 *U.S. Patent 2,903,478

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or MERCHANTABILITY, and the only authorized person authorized to accept or reject this warranty is the person who purchases this material. This warranty does not include consequential damages or profits.