



POISONOUS IF SWALLOWED

This product can be fatal if swallowed and even a small amount of dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin or eyes or on clothing. Liquid goes through clothes.



POISONOUS IF BREATHED

Breathing vapors, spray, mist, dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds and other wildlife. Birds or other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DANGER

DANGER: If swallowed, fatal. If spilled, wash thoroughly. Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, dizziness, weakness, nausea, vomiting, diarrhea, etc.

ANTIDOTE: Atropine is the specific antidote for poisoning by organophosphorus compounds. Keep at hand.

CALL A PHYSICIAN IMMEDIATELY. If person is breathing with difficulty, give artificial respiration.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until a doctor sees victim.

If swallowed and victim is awake, pour water into mouth and let him swallow. If unconscious, pour water into mouth and let him swallow. If breathing is weak, give strong salt water. If still unconscious, give strong salt water. Never give anything by mouth to unconscious person. Have a doctor see victim immediately.

If inhaled, take victim to fresh air. If eyes are irritated, flush with water. If on skin, wash with soap and water. If on clothing, remove clothing and wash with soap and water.

POST TREATED AREA

Do not allow children or pets to enter treated areas until the dust has settled. Do not allow livestock to enter treated areas until the dust has settled.

CONTAINER DISPOSAL

Do not reuse this container for any purpose. Do not use for storage of other chemicals. Do not use for storage of food or feed. Do not use for storage of other liquids or solids.


NOTE TO PHYSICIAN

ANTIDOTE: Administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as diagnosis is made. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM (2,2,6,6-tetramethyl-3-pyridinecarboxaldehyde) is also an antidote and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

USE ONLY AS RECOMMENDED

RECOMMENDATIONS

COTTON: For weevils, bollworms, and other pests. Apply as a dust to the foliage and fruit. Do not apply within 7 days of handpicking. Do not graze dairy animals or animals being finished for slaughter in treated fields. Persons working in fields within 7 days after treatment should be protected.



RESTRICTED USE PESTICIDE

For use only by certified applicators or persons under their direct supervision and only for those uses covered by the label.

STOP! READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children



1.5% METHYL PARATHION 7.5% SEVIN DUST

An Agricultural Insecticide Dust

Manufactured by Helena Chemical Company

ACTIVE INGREDIENTS

Methyl parathion 1.5%
Carbamate 7.5%

Sevin 7.5%
Organophosphate 7.5%

INERT INGREDIENTS

91.0%

TOTAL 100.0%

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

MANUFACTURED BY
HELENA CHEMICAL COMPANY

MEMPHIS, TENNESSEE

RESTRICTED USE PESTICIDE

STOP READ LABEL BEFORE USING

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children



**1.5% METHHYL PARATHION
7.5% SEVIN DUST**

An Agricultural Insecticide

ACTIVE INGREDIENTS

Methoxychlor 1.5%

Disulfoton 7.5%

INERT INGREDIENTS

TOTAL

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

MANUFACTURED BY
HELENA CHEMICAL COMPANY
MEMPHIS, TENNESSEE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots, or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK Take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

★ POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, excessive sweating, watering of eyes, drooling or foaming at mouth and nose, muscle spasms and coma.

WARRANTY AND LIMITATIONS OF DAMAGES. Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Limitations of Sale, subject to the inherent risks referred to therein. Helena Chemical Company makes no other expressed or implied warranty, including any other expressed or implied warranty of **FITNESS** or of **MERCHANTABILITY**, and no agent of Helena Chemical Company is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from the use of this warranty shall be limited to direct damages and shall not include consequential, commercial damages or loss of profits or value, etc.

METHYL PARATHION MIXTURE DRY

EPA Reg. No. 5905-314

NET WEIGHT - POUNDS