

Helena

2099-211

NOV 29 1972

NOV 29 1972

1990) and the fact that the *in vitro* and *in vivo* results are in good agreement, we conclude that the *in vitro* results are representative of the *in vivo* situation.

50 POUNDS

ACTIVE INGREDIENT:

Carbaryl (1 naphthyl N-methycarbamate)

7.5%

INERT INGREDIENTS

92.5%

TOTAL	100.0%
-------	--------

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such

7.5% SEVIN* DUST

*Trade Mark of Union Carbide Corp. for the active ingredient carbaryl (1-naphthyl N-methylcarbamate)

U.S. Patent No. 2,903,477

RECOMMENDATIONS

and repeat at 5 to 7 day intervals or roots fed to multiple plants.

[illegible]

PEANUTS: Corn Earworm, Fall Armyworms, Potato Leafhopper, Velvet Bean Caterpillars. Apply when larvae are young on Corn Earworm and Fall Armyworm. Apply when the caterpillars are small on Velvet Bean Caterpillars. Apply about July 15 and later at the same intervals as for corn.

TOBACCO: Monitor Tobacco Flea Beetles; Green June beetle pupae (*Polyphaga*) are common pests of tobacco plants in spring. Repeat irrigation at 10- to 14-day intervals and at bud break transplanting.

TOBACCO (Seed) Hornworms, Budworms, Flea Beetles, Colorado Beetles, Japanese Beetles, etc. 23 to 40 lb. per acre, depending upon size of plants. Good coverage. Extent of coverage the best dosage only. Repeat as needed. Allow 2 days before pruning or cutting.

USE ONLY AS RECOMMENDED I

Burn Empty Container Completely Exercise Extreme Caution and Stay Well Away from the Smoke.

11-29-72

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PEST CONTROL
REGISTERED UNDER 2379-21

CAUTION

Keep Out of Reach of Children

HARMFUL IF INHALED OR SWALLOWED

Do Not Take Internally.

Avoid Breathing of Dust.

Skin Contact May Be Harmful.

Avoid Contact with Skin.

Wash Hands Thoroughly After Handling and Before Eating or Smoking. Take Shower or Bath After Work.

Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily.

Note for Physicians: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

DIRECTIONS FOR USE

Apply when air is calm, using ground equipment, aircraft or hand duster. Unless otherwise specified, apply at first sign of infestation and repeat at 7 to 10 day intervals when needed to maintain control. Observe use limitations given for specific crops.

OBSERVE FOLLOWING USE PRECAUTIONS

1. Avoid use near water or in areas where it may contaminate other highly alkaline materials.

2. Do not use in areas where it may contaminate food or feed.

3. Do not use in areas where it may contaminate food or feed.

4. Do not use in areas where it may contaminate food or feed.

5. Do not use in areas where it may contaminate food or feed.

6. Do not use in areas where it may contaminate food or feed.

7. Do not use in areas where it may contaminate food or feed.

8. Do not use in areas where it may contaminate food or feed.