



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wild life, if treated, may be killed. Keep out of water. Do not apply when water is being used for drinking or irrigation. Do not apply to water used for domestic purposes. Do not apply to water used for irrigation. Do not apply to water used for drinking or irrigation.

FOR CONTROL OF WIREWORMS

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear safety goggles, gloves, and a respirator. Wear a long-sleeved shirt and long pants. Wear shoes that cover the feet.

WORK SAFETY RULES

Do not eat, drink, or smoke while using this product. Wash hands and face thoroughly after use. Do not use this product in a confined space. Do not use this product in a poorly ventilated area.

IMPORTANT: Do not use this product near water. Do not use this product near children or pets.

AFTER WORK: Wash hands and face thoroughly with soap and water. Wash clothes and work clothes separately.

POISONOUS Symptoms

Swallowing: Nausea, vomiting, diarrhea, abdominal pain, dizziness, headache, weakness, loss of consciousness. Skin contact: Redness, irritation, blisters. Breathing: Coughing, wheezing, chest pain, difficulty breathing, loss of consciousness.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

STOP—READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children



2 1/2% Methyl Parathion -10% SEVIN DUST

An Agricultural Insecticide Dust

ACTIVE INGREDIENTS

Methyl Parathion 2.5%
Sevin 10.0%

INERT INGREDIENTS

87.5%

Other Insecticides

0.5%

See Side Panel for Directions

NOT FOR HOME USE

MANUFACTURED BY
HELENA CHEMICAL COMPANY
MEMPHIS, TENNESSEE

... if breathe ... if swallow ... In case of ...

... MORPHINE ...

DO NOT REUSE ...

COTTON, B Garden Weeds ...

DO NOT GI IN TREATED APPLICATIONS ...

SOYBEANS ...

Other Insecticides ...

DO NOT apply ...

Apply this ...

...

...

...

NET WEIGHT ...

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR OPERATORS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATORS CERTIFICATION.

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children



**2 1/2% Methyl Parathion
-10% SEVIN DUST**

An Agricultural Insecticide Dust

ACTIVE INGREDIENTS

2,4,5-Trichloro-p-Tolyl Methyl Sulfonate 2.5%
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane 10%

INERT INGREDIENTS

Diatomaceous Earth 87.5%

Net Weight 100 lbs.

Net Weight 50 lbs.

Net Weight 25 lbs.

Net Weight 10 lbs.

NOT FOR HOME USE

MANUFACTURED BY
HELENA CHEMICAL COMPANY
MEMPHIS, TENNESSEE

FIRST AID TREATMENT

If inhaled: Remove patient to fresh air. If breathing has stopped, give artificial respiration. If swallowed: Do not induce vomiting. Give plenty of water to drink. If on skin: Wash with plenty of water. In case of contact with eyes: Wash with plenty of water for at least 15 minutes.

NOTE TO PHYSICIAN

Antidote: Atropine. Symptoms: Two to four mg. of atropine may be given every 30 minutes. Repeat until the patient is fully atropinized. DO NOT GIVE MORPHINE OR TRANQUILIZERS. In case of severe poisoning, give 1 mg. of atropine every 15 minutes until the patient is fully atropinized. Atropine is given by the route of administration of the poison. In case of severe poisoning, very close supervision of the patient is indicated for at least 24 hours.

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER. Completely empty the container and bury the residue in a deep well away from water. Do not empty into water. Exercise extreme caution and stay away from the residue.

DIRECTIONS FOR USE

COTTON: Apply to the leaves of the cotton plant. Do not graze dairy animals or animals being finished for slaughter in treated fields. Workers entering the fields within 24 hours after application of methyl parathion should wear protective clothing. Do not apply within 14 days of harvest.

SOYBEANS: Apply to the leaves of the soybean plant. Do not graze dairy animals or animals being finished for slaughter in treated fields. Workers entering the fields within 24 hours after application of methyl parathion should wear protective clothing. Do not apply within 14 days of harvest.

PEACHES: Apply to the leaves of the peach tree. Do not graze dairy animals or animals being finished for slaughter in treated fields. Workers entering the fields within 24 hours after application of methyl parathion should wear protective clothing. Do not apply within 14 days of harvest.

DO NOT: Use in residential areas. Use on lawns, gardens, or ornamental plants. Use on food crops intended for human consumption.

DO NOT: Use in residential areas. Use on lawns, gardens, or ornamental plants. Use on food crops intended for human consumption.

NOTE

HELENA CHEMICAL COMPANY warrants the fitness of this product for the uses stated on the label. It is sold as a general purpose insecticide and is not intended for use on any specific crop or pest. The user assumes all responsibility for the proper use of this product. HELIX, the Helix logo, and the Helix design are trademarks of Helena Chemical Company.

DO NOT USE THIS CONTAINER FOR ANY PURPOSE

NET WEIGHT 100 LBS.

EPA Reg No. 100-100