

Stop - Read the Label Before Use



DANGER-POISON-PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.


POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.



2 1/2% METHYL PARATHION
-10% SEVIN* DUST

An Agricultural Insecticide Dust



DANGER
Keep out of reach of children

ACTIVE INGREDIENTS:	
O, O-dimethyl O-p-nitrophenyl phosphorothioate*	2.5%
Carbaryl (1-naphthyl N-methylcarbamate)**	10.0%
INERT INGREDIENTS: 87.5%	
	100.00%

*Methyl Parathion
**Sevin - U. S. Patent No. 2,903,478
©Trade Mark of Union Carbide Corp. for the active ingredient carbaryl (1-naphthyl N-methylcarbamate).

NOT FOR HOME USE

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately if exposed to parathion and describe his condition. If breathing has stopped, start artificial respiration immediately. If swallowed and victim is awake (conscious) make him vomit by sticking finger down throat or by giving soap or salt water until vomit is clear. Never give anything by mouth to a victim who is unconscious. In case of contact, immediately flush eyes or skin with fresh water for 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote - Administer atropine sulfate in large doses. TWO or intramuscularly as soon as cyanosis is overtaken. Eupnea until signs of atropinization appear. Atropine should be administered in conjunction with atropine. DO NOT GIVE MORPHINE. Methyl Parathion is a strong cholinesterase inhibitor of peripheral nervous systems and producing cardiac and respiratory pulmonary edema, the patient should be given supportive symptomatic. Continued absorption of the poison may have been reported after initial improvement. VERY CLOSE SUPERVISION IS INDICATED FOR AT LEAST 48 HOURS

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER - Completely empty the container at least 18 inches deep in an isolated location away from buildings. Exercise extreme caution and do not smoke.

DIRECTIONS FOR USE

COTTON: Boll Weevils, Bollworms, Aphids, Fleahoppers, Webworms, Southern Green Stink Bugs, Spider Mites, Tarn. Apply at the rate of 20 lbs. per acre.

DO NOT GRAZE DAIRY ANIMALS OR ANIMALS BEING FED IN TREATED FIELDS. WORKERS ENTERING THE FIELD AFTER APPLICATION OF METHYL PARATHION SHOULD WEAR PROTECTIVE CLOTHING WITHIN 7 DAYS OF HANDPICKING OR

Soy Beans: Mexican Bean Beetle, Bean Leaf Beetle, Vele worm, Corn Earworm, Stink Bugs - Apply at the rate of 15 lbs. per acre. Other Insects: Thrips, Blister Beetles, Climbing Cutworms. The insecticides listed for the major pests should give adequate control. DO NOT apply within 20 days of harvest. Do not apply in the growing season.

Apply this product only as specified

NOTICE OF WARRANTY

Helena Chemical Company warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Use and Conditions of Sale, subject to the limitations referred to therein.

Helena Chemical Company makes no other implied warranty, including any other express or implied warranty.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:

- (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. - Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital - immediately. Explain that the victim has been exposed to methyl parathion and guition and describe his condition. After first aid is given (see First Aid Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective equipment with soap and water after each use. Respirator should be cleaned and stored properly.


Stop -- Read the Label Before Use



2 1/2% METHYL PARATHION -10% SEVIN* DUST

An Agricultural Insecticide Dust

ACCEPTED
7/29/74
POISON
UNDER THE FEDERAL INSECTICIDE
FUNCTIONAL AND ADJUTANT
FOR ECONOMIC INSECTICIDE
ED UNDER THE
TO ATTENTION OF USERS.



DANGER

Keep out of reach
of children

CAN KILL YOU

ACTIVE INGREDIENTS:

O, O-dimethyl O-p-nitrophenyl phosphorothioate*	2.5%
Carbaryl (1-naphthyl N-methylcarbamate)**	10.0%
INERT INGREDIENTS:	87.5%
	100.00%

- *Methyl Parathion
- **Sevin - U. S. Patent No. 2,903,478
- ©Trade Mark of Union Carbide Corp. for the active ingredient carbaryl (1-naphthyl N-methylcarbamate).

NOT FOR HOME USE

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soap or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote - Administer atropine sulfate in large doses - TWO to FOUR mg. intravenous or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS.

Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER - Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Bury empty container immediately. Exercise extreme caution and stay well away from ash and smoke.

DIRECTIONS FOR USE

COTTON: Boll Weevils, Bollworms, Aphids, Fleahoppers, Cotton Leafworms, Garden Webworms, Southern Green Stink Bugs, Spider Mites, Tarnished Plant Bugs, Thrips. Apply at the rate of 20 lbs. per acre.

DO NOT GRAZE DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER IN TREATED FIELDS. WORKERS ENTERING THE FIELDS WITHIN 24 HOURS AFTER APPLICATION OF METHYL PARATHION SHOULD WEAR PROTECTIVE CLOTHING. Do not apply within 7 days of handpicking or harvest.

Soy Beans: Mexican Bean Beetle, Bean Leaf Beetle, Velvetbean Caterpillar, Fall Armyworm, Corn Earworm, Stink Bugs - Apply at the rate of 15 lbs. per acre.

Other Insects: Thrips, Blister Beetles, Climbing Cutworms sometimes attack soy beans. The insecticides listed for the major pests should give adequate control of these pests. DO NOT apply within 20 days of harvest. Do not apply more than two applications per growing season.

Apply this product only as specified on this label.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied




2 1/2% METHYL PARATHION -10% SEVIN* DUST

An Agricultural Insecticide Dust

ACCEPTED
7/29/74
POISON
UNDER THE FEDERAL INSECTICIDE
FUNCTION AND ROBERT C. BEACON
FOR ECONOMIC POISON CONTROL
ED UNNECESSARY SUBSTITUTION
TO ATTENTION COMMENTS.

See side panels
for antidote
and precautions



DANGER
Keep out of reach
of children

ACTIVE INGREDIENTS:	
O, O-dimethyl O-p-nitrophenyl phosphorothioate*	2.5%
Carbaryl (1-naphthyl N-methylcarbamate)**	10.0%
INERT INGREDIENTS:	
	87.5%
	<hr/>
	100.00%

- *Methyl Parathion
- **Sevin - U. S. Patent No. 2,903,478
- Trade Mark of Union Carbide Corp. for the active ingredient carbaryl (1-naphthyl N-methylcarbamate).

NOT FOR HOME USE

MANUFACTURED BY
HELENA CHEMICAL COMPANY
MEMPHIS, TENNESSEE

FIRST AID TREATMENT
Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.
If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.
If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by pouring soap or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.
In case of contact, immediately flush eyes or skin with plenty of water for at least minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote - Administer atropine sulfate in large doses - TWO to FOUR mg intravenous or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. Atropine is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.**
Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER - Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Bury empty container immediately. Exercise extreme caution and stay well away from ash and smoke.

DIRECTIONS FOR USE

COTTON: Boll Weevils, Bollworms, Aphids, Fleahoppers, Cotton Leafworms, Garden Webworms, Southern Green Stink Bugs, Spider Mites, Tarnished Plant Bugs, Thrips. Apply at the rate of 20 lbs. per acre.

DO NOT GRAZE DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER IN TREATED FIELDS. WORKERS ENTERING THE FIELDS WITHIN 24 HOURS AFTER APPLICATION OF METHYL PARATHION SHOULD WEAR PROTECTIVE CLOTHING. Do not apply within 7 days of handpicking or harvest.

Soy Beans: Mexican Bean Beetle, Bean Leaf Beetle, Velvetbean Caterpillar, Fall Armyworm, Corn Earworm, Stink Bugs - Apply at the rate of 15 lbs. per acre.

Other Insects: Thrips, Blister Beetles, Climbing Cutworms sometimes attack soy beans. The insecticides listed for the major pests should give adequate control of these and **DO NOT** apply within 20 days of harvest. Do not apply more than two applications per growing season.

Apply this product only as specified on this label.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty including any other express or implied warranty of **FITNESS** or of **MERCHANTABILITY** and no agent of Helena Chemical Company is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and not include consequential or commercial damages such as loss of profit or value, etc.

NET WEIGHT 50 POUNDS

EPA Reg. No. 1005-327

Cameraman's Note
Poor Copy