

CAUTION

Keep Out of Reach of Children

HARMFUL IF INHALED OR SWALLOWED

Do Not Breathe Dust. Do Not Take Internally.

Avoid Prolonged or Repeated Breathing of Dust.

Skin Contact May Be Harmful. Avoid unnecessary contact.

Wash Hands Thoroughly After Handling and Before Eating or Smoking. Take Shower or Bath After Work.

Wear Regular Long Sleeve Work Clothing. Change to Clean Clothing Daily.

Note for Physicians: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.



NET WEIGHT 50 POUNDS

ACTIVE INGREDIENTS:

Copper, expressed as metallic	3.4%
Carbaryl (1-naphthyl N-methylcarbamate)	5.0%
Sulphur	70.0%

INERT INGREDIENTS 21.6%

TOTAL 100.0%

The copper is in the form of copper oxide.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

DIRECTIONS FOR USE

Apply when air is calm, using ground equipment, aircraft or hand duster. Unless otherwise specified, apply at first sign of infestation and repeat at 7 to 10 day intervals when needed to maintain control. Observe use limitations given for specific crops.

OBSERVE FOLLOWING USE PRECAUTIONS

Sevin insecticide will not control insects if used with lime or other highly alkaline material.

For protection of honey bees, avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

Do not contaminate food and feed.

Avoid drift to food and forage crops.

Consult State Agricultural Experiment Stations or State Agricultural Extension service for additional information, as timing, number and rate of applications needed will vary with local conditions.

**5% SEVIN* - 3.4% COPPER
- 70% SULPHUR DUST**

ACCEPTED Date of Union Carbide Corp. for the active ingredient carbaryl (1-naphthyl N-methylcarbamate).

U.S. Patent No. 2,903,478

RECOMMENDATIONS

PEANUTS: Potato Leafhopper, Thrips, Velvetbean Caterpillar, Corn Earworm, Armyworms, Leafspot - Use 20 to 30 pounds per acre when disease or insects first appear. If a heavy rain occurs within 24 hours of the first application repeat the application within three days. Repeat applications at 10 to 12 day intervals.

USE ONLY AS RECOMMENDED.

EPA Reg. No. 5905-328

Completely empty container and bury unused chemicals at least 18 inches deep in isolated location away from water supplies. Burn empty container completely. Exercise extreme caution. Stay away from smoke. Bury ashes, residue.