

**CAUTION**

Harmful if inhaled or swallowed. Do not take internally. Avoid breathing of dust. Skin contact may be harmful. Avoid contact. Wash hands before eating. Take shower or bath after work. Wear regular long-sleeved work clothes. Change to clean clothing daily. Keep out of reach of children and animals.

**Note for Physician:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

**OBSERVE FOLLOWING USE PRECAUTIONS**

Sevin Insecticide will not control insects if used with lime or other highly alkaline material.

Do not contaminate food and feed.

Avoid drift to food and forage crops.


Sulfur may burn foliage when temperatures are high. Do not use within 2 weeks of an oil spray treatment.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY AS RECOMMENDED



7.5% SEVIN\* - 3.4% COPPER  
- 70% SULPHUR DUST

\*Reg. TM of Union Carbide Corp.

**ACCEPTED**

MAY 23 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5905-329

**CAUTION** KEEP OUT OF REACH OF CHILDREN. SEE OTHER CAUTION STATEMENTS ON SIDE PANEL.

**ACTIVE INGREDIENTS:**

Copper, expressed as metallic..... 3.4%  
Carbaryl (1-naphthyl N-methyl-carbamate)..... 7.5%  
Sulphur..... 70.0%


**INERT INGREDIENTS:..... 19.1%**

**TOTAL.....100.0%**

The copper is in the form of copper oxide.

NET WEIGHT 50 POUNDS

EPA Reg. No. 5905-329



The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates and intervals.

Consult State Agricultural Experiment Stations or State Agricultural Extension service for additional information, as timing and number of applications needed will vary with local conditions.

**RECOMMENDATIONS**

**PEANUTS:** Potato Leafhopper, Thrips, Velvet Bean Caterpillar, Corn Earworm, Armyworms, Cercospora Leaf Spot - Apply at the rate of 14 pounds per acre when disease or insects first appear. If a heavy rain occurs within 24 hours of the first application repeat the application. Repeat applications at 7-to 14-day intervals.

To avoid injury to tender foliage, do not apply when foliage is wet or when rain or excessive humidity is expected during the next 2 days.

Completely empty container and bury unused chemicals at least 18 inches deep in isolated location away from water supplies. Burn empty container completely. Exercise extreme caution. Stay away from smoke. Bury ashes, residue.

**NOTICE OF WARRANTY**

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY and no agent of Helena Chemical Company is authorized to do so except in