



DANGER—POISON—PRECAUTIONS ☠

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff

is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1:100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

✚ FIRST AID TREATMENT ✚

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

Do not reuse or refill this container. Do not burn or incinerate. Do not pour contents into water, soil, or any other body of water. Do not dump into any drainage system.

NOTE TO PHYSICIAN

ANTIDOTE: administer atropine sulfate in large doses. **TWO** to **FOUR** mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. **2-PAM** chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been known to occur after initial improvement. **VERY CLOSE**

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children



2% PARATHION - 8% SEVIN® DUST

® Reg. TM of Union Carbide

ACTIVE INGREDIENTS:	BY WEIGHT
*Parathion	2.0%
Carbaryl (1-naphthyl N-methylcarbamate)	8.0%
INERT INGREDIENTS:	90.0%
TOTAL	100.0%

*0,0-diethyl 0-p-nitrophenyl thiophosphate

NOT FOR USE OR STORAGE IN OR AROUND THE HOME
DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

RECOMMENDATION

TOBACCO: For the control of Budworms, Flea Beetles, Tobacco Hornworms - Use of 15 lb. per acre. Do not apply within 5 days of priming or 15 days of cutting.

CORN: Use at the rate of 15 pounds per acre for Corn Rootworms (adults), Corn Borers, Fall Armyworms, Beetles, Leafhoppers. For the whorl (Budworm damage) foliage feeders apply to plant. Repeat as necessary at 2 to 5 day intervals, when the first silks appear. Continue until the silks are dry. Do not apply within 15 days of harvest or cutting for silage.

USE ONLY AS RECOMMENDED

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children



2% PARATHION - 8%
SEVIN® DUST

® Reg. TM of Union Carbide

ACTIVE INGREDIENTS:	BY WEIGHT
*Parathion	2.0%
Carbaryl (1-naphthyl N-methylcarbamate)	8.0%
INERT INGREDIENTS:	90.0%
TOTAL	100.0%

*O,O-diethyl O-p-nitrophenyl thiophosphate

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

RECOMMENDATIONS

TOBACCO: For the control of Aphids, Budworms, Flea Beetles, Suckflies, Tobacco Hornworms - Use at the rate of 15 lb. per acre. Do not apply within 5 days of priming (pruning) or 15 days of cutting.

CORN: Use at the rate of 15 to 25 pounds per acre for Corn Earworms, Corn Rootworms (adults), European Corn Borers, Fall Armyworms, Flea Beetles, Leafhoppers. For larvae in the whorl (Budworm damage) and foliage feeders apply to the entire plant. Repeat as necessary. For insects attacking silk and ears, apply at 2 to 5 day intervals, starting when the first silks appear and continue until the silks begin to dry. Do not apply within 12 days of harvest or cutting for forage.

USE ONLY AS RECOMMENDED!

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots, or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital-immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so. Any writing with a specific reference to this warranty and damages arising from a breach of this warranty is limited to direct damages, and not include consequential or commercial damages such as loss of profit or value.