



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1-100 grain tablets from your physician. Keep on hand.

CALL PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

+ FIRST AID TREATMENT +

Call a doctor, physician, clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake, force vomit, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soap or strong salt water to drink. Repeat until

CONTAINER DISPOSAL

Burn or bury empty containers, never reuse. Stay out of smoke or fumes when burning containers.

Bury spillage, clean area with strong lye solution.

NOTE TO PHYSICIAN

ANTIDOTE: Administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. **2 PAM** (diacetyl phosphate) is also an antidote and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE**

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children



25% ETHYL PARATHION -
DUST BASE

FOR MANUFACTURING USE ONLY

ACCEPTED

AUG 2 1964

ACTIVE INGREDIENTS:

Ethyl Parathion 25.0%

INERT INGREDIENTS: 75.0%

TOTAL 100.0%

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTH

1. Wear water proof pants, coat, hat, rubber over shoes. 2. Wear safety goggles, or respirator approved by the U. S. Bureau of Parathion protection. 4. Wear heavy duty gloves.

WORK SAFETY RULES

Keep all unprotected persons and children out of treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel any way STOP work and get help right away. (physician), clinic or hospital immediately. If victim has been exposed to parathion in any condition. After first aid is given (see First Aid Section) and if a doctor cannot come, take victim to hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with water before smoking, eating or drinking.

AFTER WORK take off all work clothes and wash them using soap and water. Wear only clean clothes for job. Do not wear contaminated clothing. Wash clothing and protective equipment with soap and water after each use. Respirator should be cleaned and according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly kills by contact with all skin surfaces and eyes. With this material must be removed immediately. Persons must receive prompt medical treatment.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weak vision, pinpoint pupils, tightness in chest, labored breathing, sweating, watering of eyes, frothing of mouth and nose, muscle spasms.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this product conforms to the chemical description on the label and is fit for the purposes referred to in the label and Conditions of Sale, subject to the limitations therein.

Helena Chemical Company makes no other implied warranty, including any other express warranty of **FITNESS** or **MERCHANTABILITY**. If this product is used for any purpose not authorized by the label, the user assumes all liability for damages, injury, loss of life or property, or any other loss, including loss of profit or other consequential damages.



ED
allowed
mist or
d.
FACT
or spilled
s or on
clothes
D
c dust

CONTAINER DISPOSAL

Burn or bury empty containers, never reuse. Stay out of smoke or fumes when burning containers.
Bury spillage, clean area with strong lye solution.

urbed
sion
est
tain
your
g or
OPEN
tely
and
ation
him
reat
until

NOTE TO PHYSICIAN

ANTIDOTE administer atropine sulfate 1 mg. i.d. in TWO to FOUR mg. increments by intramuscular route as soon as cyanosis is reversed. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal outcomes have been reported after initial improvement. VERY CLOSE

STOP - READ LABEL BEFORE USING!

POISON
See Side Panels
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children



25% ETHYL PARATHION -
DUST-BASE

FOR MANUFACTURING USE ONLY
ACCEPTED

AUG 2 1966

ACTIVE INGREDIENTS:

Ethyl Parathion 25.0%

INERT INGREDIENTS:

75.0%

TOTAL 100.0%

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with a skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and not include consequential commercial damages such as loss of profit or value, etc.