

Use this material with care it is a cholinterase inhibitor. Do not get in eyes or an skin or clothing. Use a respirator approved by the U. S. Bureau of Mines. Wear clean protective clothing and wash skin thoroughly with soap and water. Wash hands and face before exiting or smaking. After use bathe thoroughly and change to clean clothing.

Wash all contaminated clothing with soap and hot water before recuse

During application keep unprotected persons away from areas being treated or where there may be danger of drift. Do not contaminate feed or foodstuffs. May be fatal if swallowed inhaled or absorbed through skin. Do not breathe vapor or spray mist. Wear clean protective clothing, rubber gloves and goggles.

in case of spillage cover with an absorbent, such as soda, ash time clay or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

This product is toxic to fish and wildlife. Keep out of anybody of water. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Never re-use empty containers. Bury or burn. If burned, stay out of smoke.

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water Repeat until vomit fluid is clear. Have patient lie down and keep quiet

INHALATION: Remove patient from contaminated atmosphere.

SKIN: In case of contact remove contaminated clothing and immediately wash skin thoroughly with soap and water. EYES: In case of contact, flush immediately with water for at least 15 minutes.


NOT FOR USE OR STORAGE IN OR AROUND THE HOME

## FIRST AID TREATMENT

If symptoms or signs of poisoning include lors of appetite, nausea, vomiting, abdominal cramp, diarrhea, excessive sweating constriction of pupils, blurred vision, giddiness, and restlessness, give two Atropine tablets (1/100 grain each) at once. Remove patient immediately from the area where Delnav is present. Have patient lie down and keep

quiet.
PHYSICIAN'S NOTE: Atropine is antidotal - 2 PAM is also antidotal and may be administered in conjunction with atropine. Warning symptoms include loss of appetite, nausea, vomiting, abdominal cramps, excessive sweating, constriction of pupils, blurred vision, giddiness and restlessness. TREATMENT: Give 1/30 to 1/40 grains Atropine, preferably by injection, or two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until the pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for chalinesterase regeneration has been allowed. as determined by blood test.

ANTIDOTE: If Swallowed - Give a tablespoon of salt in a glass of warm water and repeat until the vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately. If on Skin - In case of contact, remove contaminated clothing and immediately wash with soap and water. If Inhaled - Remove victim to fresh air. Atropine is antidotal.




Keep Out of Reach of Children
SEE SIDE PANEL FOR ADDITIONAL WARNING STATEMENTS

U. S. Patent No. 2,725,328

HELENA CHEMICAL COMPANY

100.0%



Keep Out of Reach of Children

SEE SIDE PANEL FOR ADDITIONAL WARNING STATEMENTS

ACTIVE INGREDIENTS:	
(Dioxathion) 2,3 p-dioxanedithiol, S,S-bis (O.O-diethyl phosphorodithioate)	33.0%
Related Compounds	14.0%
Aromatic Petroleum Solvent	45.5%
INERT INGREDIENTS	

U. S. Patent No. 2,725,328

HELENA CHEMICAL COMPANY

100.0%

# RECOMMENDATIONS

CITRUS (including crange, arabetruit, lemon, lime, tangelo, and tangerine): For control of citrus thrips, citrus red mite, six-spatted mite, Yuma mite, rust mite, and Texas citrus mite — Use 1/2 to 1 pint of Delnav Emulsifiable Concentrate in 100 gallons of wate. One application will usually bring mite infestations under control. Do not make reapplication to oranges, grapefruit, tangelos and tangerines within 3 months if fruit is present during first application.

Do not apply more than twice in any year to lemons and limes. Do not make a second application to lemons and limes within 4 months after first application.

### **USE ONLY AS RECOMMENDED!**

#### NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and not include consequential commercial damages such as loss of profit or value, etc.

EPA Reg. No. 5905-343

#### FOR ALL EMPTY CONTAINERS

Do NOT recuse the container. Completely empty contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS

3 reak container and bury pieces at least 18 inches deep in isolated location away from water supplies.

METAL CONTAINERS: 1-Gallon Cans — Pour 1 pt. of water into empty can aid add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of can, crush can, and bury deeply in an isolated location.

5-GALLON, 30-GALLON and 55-GALLON DRUMS — Pour the following mixture into empty containers

5-Gal. Drums - 2 ats. water, 1, 2 cup caustic soda (household lye) 2 tablespoons of detergent

30-Gal. Divins - 3 gallons water, 1 lb caustic soda (horisehold lye) 1 2 cup detergent

55-Gal. Divm - 5 gallons water. 2 lb. caustic soda i house-hold lye). 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

DANGER: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED Punch holes in TOP of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn in one than 5 containers at one time.

Contents

Gallons

MEMPHIS TENNESSEE