HELENA LCF-6

(LIQUID COPPER FUNGICIDE)

NET CONTENTS

ACTIVE INGREDIENTS

*Copper salts of rosin and fatty acids. . . . . (as copper oleate, linoleate, and abietate)	72%
INERT INGREDIENTS	28%
Total	100%
*Total copper as metallic	6%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing spray mist as it may cause irritation of the nose, throat or skin, and avoid contact with eyes.

This product is toxic to fish. Keep out of lakes, streams and ponds.

Do not contaminate water by cleaning of equipment or disposal of wastes.

COMBUSTIBLE

Keep away from heat and open flame.

DIRECTIONS FOR USE

PEANUTS: For the control of cercospora leaf spot on peanuts apply as soon as there is evidence of leaf spotting Mix 1/3 to 1/2 Gal of LCF 6 in 10 to 25 gallons of water for one acre coverage The amount of water required will depend upon the type of spray equipment used Apply at 14 day intervals

ACCEPTED

October 22, 1974

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISONS REGISTERED UNDER NO. 5905-345 SUBJECT TO ATTACHED COMMENTS.

[illegible] FITNESS [illegible] MERCHANTABILITY [illegible] warranty. Any damages arising [illegible]

EPA Reg. No. 5905-345

NET CONTENTS

MANUFACTURED BY

HELENA CHEMICAL COMPANY

MEMPHIS TENNESSEE