

## WARNING

DO NOT BREATHE SPRAY MIST!  
MAY BE ABSORBED THROUGH SKIN.  
DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.  
IN CASE OF SKIN CONTACT, WASH WITH SOAP AND WATER.  
AVOID CONTAMINATION OF FEED AND FOODSTUFFS.  
WASH THOROUGHLY AFTER USING AND BEFORE EATING OR SMOKING.

### OBSERVE FOLLOWING USE PRECAUTIONS

Do not spray directly on honey bees.  
Do not spray directly on water.  
Do not spray on birds, fish, and fowl.  
Do not spray on plants to be eaten.  
Do not spray on plants to be used for seed.

### POISONOUS TO FISH AND WILDLIFE.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

### NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or when abnormal conditions or other conditions not covered and foreseeable to seller and buyer exist, or the risk of any such use.

DESTROY EMPTY CONTAINER — Never RE-USE



# TOXAPHENE 6-E

AN EMULSIFIABLE LIQUID

Contains 6 lbs. Toxaphene per Gallon

**WARNING** Keep Out of Reach of Children

See side panel for additional required warning statements.

MAY BE FATAL IF SWALLOWED

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

#### ACTIVE INGREDIENTS

Toxaphene  
Cibac-Paque Anionic Emulsifier-Solvent

#### INERT INGREDIENTS

\* Total w. Oil-soluble Inert Ingredients 100.00%

#### BY WEIGHT

58.8%

36.0%

5.2%

100.00%

West Helena, Ark.

Des Moines, Iowa

West Columbia, South Carolina

another premium product by H



# TOXAPHENE 6-E

AN EMULSIFIABLE LIQUID  
Contains 6 lbs. Toxaphene per Gallon

**WARNING** Keep Out of Reach of Children  
See side panel for additional required warning statements

MAY BE FATAL IF SWALLOWED

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

ACTIVE INGREDIENTS	By WEIGHT
Toxaphene	58.8%
Xylene Range Aromatic Hydrocarbons Solvent	36.0%
INERT INGREDIENTS	5.2%
Technical Content of Toxaphene 6-E (67.1% TOXAPHENE)	100.00%

### RECOMMENDATIONS

Unless otherwise indicated, dosage rates are given in terms of pints per acre of TOXAPHENE 6-E in sufficient water to thoroughly cover the plants.

**CELERY** - Apply to cutworms - Use 1 to 2 pints per acre. Do not apply after the plant is full grown or after it starts to bunch. Apply to soil surface before planting if cutworms are known to be present. Do not rotate the soil for 3 to 5 days.


**CORN** - Apply to cutworms, Corn Earworm - Use 1 to 2 pints per acre. Do not feed treated forage to livestock. Do not use on any other crop.

**CROPS OF BEANS, PEA SPROUTS, CABBAGE FLOWERS, CABBAGE** - Apply to cutworms and cutworms - Use 1 to 2 pints per acre. Do not apply to Cabbages after the plants are 10 inches high. Do not apply to beans after the plants are 10 inches high.

**TOWNSHIP** - Apply to cutworms and cutworms - Use 1 to 2 pints per acre. Do not apply to any other crop.

DO NOT FEED TO LIVESTOCK. DO NOT GRAZE DAIRY ANIMALS ON TREATED CROPS. DO NOT GRAZE DAIRY ANIMALS ON TREATED CROPS. DO NOT GRAZE DAIRY ANIMALS ON TREATED CROPS.

FOR WINTER APPLICATION - Use with sufficient water to thoroughly cover the plants.



CONTENTS \_\_\_\_\_ GALLONS

South Carolina another premium product by **HELENA CHEMICAL COMPANY**