

ANIMAL HEALTH
HELENA

**HEL-DUST
CATTLE**

HEL-DUST CATTLE DUSTER

(Contains 1% ^oCO-RAL, brand of coumaphos)

**FOR CONTROL OF LICE AND HORN FLIES
AND AS AN AID IN REDUCING FACE FLY
POPULATIONS ON BEEF AND DAIRY CATTLE**

CAUTION:
KEEP OUT OF REACH OF CHILDREN
See additional precautions on back panel

ACTIVE INGREDIENT:

*0,0-Diethyl 0-[3-chloro-4-
methyl-2-oxo-(2H)-1-benzopyran-
7-yl] phosphorothioate 1%

INERT INGREDIENTS: 99%

TOTAL 100%

*coumaphos

CO-RAL is a Reg. TM of the parent company
of Farbenfabriken Bayer GmbH, Leverkusen.

U. S. Patent No. 2,748,146; Canadian Patent No. 523,206

**HEL-DUST
CATTLE DUSTER**

Harmful if inhaled
eyes or on skin.
and warm water
Do not contaminate
Destroy damaged
Stay away from
If poisoning occurs

To Physician:
This product is
taminate water
Apply this product

Read entire label
tionary statements

**Louse and Horn
Populations:**
Suspend Hel-D
in gateways or
feed or mineral
in front of prod
Hel-Dust Cattle
which cows lea
be adjusted so
inches below t

**Louse and Horn
Populations:**
Suspend Hel-D
scribed under
(1) The bottom
ground to insu
(2) The bags
use them daily
As face flies ar
results in red



Hel-Dust Cattle Duster may be suspended in the exit through which cows leave the milking barn. In all cases, the bags should be adjusted so that the bottom of the bag will hang four to six inches below the topline of the cattle.

Louse and Horn Fly Control and as an Aid in Reducing Face Fly Populations:

Suspend Hel-Dust Cattle Duster in the same manner as described under "Louse and Horn Fly Control" except as follows:

(1) The bottom of the bags should be 18 to 24 inches from the ground to insure that the faces of the cattle will be dusted.

(2) The bags must be located so the animals will be forced to use them daily.

As face flies are able to travel over an area of several miles, best results in reducing face fly populations are achieved when Hel-Dust Cattle Duster is used on an area wide basis.

INSTALLATION OF HEL-DUST CATTLE DUSTER:

Suspend the bags by inserting rope, chain, or wire through the grommets at the top of the bag and attaching to an overhead structure or by hooking the grommets into hooks fixed to a stationary overhead 2 x 4 at the heights recommended for louse and horn fly or face fly control. In areas of frequent or heavy rainfall, Hel-Dust Cattle Duster should be protected from the weather. Install as many Hel-Dust Cattle Dusters as necessary in lanes or other openings to assure proper dusting of the animals. After the bags are in place, pull the rip cord to allow the insecticide to fall into the bottom of the bag. When dust bags are provided on a free choice basis, allow one 10-pound Hel-Dust Cattle Duster bag per 10 to 20 animals.

RESTRICTIONS:

Do not hang duster over feed, mineral, or water troughs.

Manufactured by
HELENA CHEMICAL COMPANY
Memphis, TN 38137

ANIMAL HEALTH



HEL-DOST
CATTLE DUSTER

Jan 2, 1963
1-1-63

HEL-DOST CATTLE DUSTER

(Contains 1% CO-RAL brand of coumaphos)

FOR CONTROL OF LICE AND HORN FLIES
AND AS AN AID IN REDUCING FACE FLY
POPULATIONS ON BEEF AND DAIRY CATTLE

CAUTION:
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT

INERT INGREDIENTS



HEL-DOST
HELENA