

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

HELENA

4-2-1

Emulsifiable Insecticide Concentrate

This product contains 4 lbs. of **TOXAPHENE**, 2 lbs. of **METHOXYCHLOR**, and 1 lb. of **METHYL PARATHION** per gallon.

ACTIVE INGREDIENTS:

Leafhopper, spittlebug Alfalfa caterpillar, flea beetle	2 qts. per acre
Alfalfa weevil (larvae), alfalfa webworm, fall armyworm, Mexican bean beetle, pea weevil, soybean caterpillar, velvet bean caterpillar	2 to 3 qts. per acre
Japanese beetle	3 qts. per acre
Armyworm	3 to 4 qts. per acre

VEGETABLES: For control of the following insects apply 2 to 4 quarts (except Collards and Kale) of this product in sufficient water per acre. Thoroughly spray upper and lower foliage surfaces, as well as the fruit. Begin treatment at first sign of insect infestation and repeat at 7 to 10 day intervals as infestation warrants.

CROP	INSECTS	INTERVAL TO HARVEST
Beans	Bean leaf beetle, corn earworm, fall armyworm, Japanese beetle, leaf hopper, rose chafer, Mexican bean beetle	Do not apply within 15 days of harvest for dry beans and 21 days of harvest for green and limas
Cabbage	Cabbage curculio, imported cabbage worm, cross-striped cabbage worm, flea beetle	3 days
Carrots	Leafhopper	15 days Do not use treated tops for food or feed
Cauliflower	Imported cabbage worm, cross-striped cabbage worm, flea beetle	Do not apply after edible parts begin to form or within 30 days of harvest
Cucumber	Cucumber beetle	Do not apply after edible parts start to form; may be injurious to plant growth
Peas	Flea beetle	Do not apply after edible parts begin to form or within 30 days of harvest
Peas	Pea weevil	Do not apply after pods begin to form; if pods are to be used as food, do not use within 7 days of harvest; if pods are not to be used as food, do not feed peas to dairy animals until pods have been completely dried

USE OF PRO

(1) Wear w rubber oversh or respirator parathion prot gloves.

Keep all unp treated area a

Do not rub eye way, **STOP** wa (physician), cli victim has bee condition. Afte Section) and if hospital.

IMPORTANT! B and water. Al and water befo

AFTER WORK, using soap and job. Do not w clothing and pre each use. Resp according to in

Parathion is a v body by contac wet with this Exposed person they may die.

Some of the Headache, nau vision pin-point nervousness s frothing of mou

