

CAUTION!

Keep out of reach of children. Harmful if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not store or transport near feed or food. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

Toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not contaminate any body of water nor apply to any area not specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Read entire label. Use strictly in accordance with cautions and directions, and with applicable state and federal regulations.

Keep pesticide in original container. Burn bag immediately when empty. Stay out of smoke.

This product is formulated for application by ground or air equipment.

DIRECTIONS

CANTALOUPE, MUSKMELONS, WATERMELONS, WINTER SQUASH, SUMMER SQUASH: Aphids, Leafhoppers, Mites, Thrips, Cucumber Beetles - Apply 30 lbs. per acre. Do not apply to Cantaloupes, Muskmelons and Winter Squash within 3 days of harvest and to Summer Squash within 7 days of harvest.

COLLARDS, KALE, PARSLEY, SWISS CHARD AND TURNIP TOPS: Aphids, Imported Cabbage Worm, Diamond Back Moths, Harlequin Cabbage Bugs, Corn Earworms - 20 to 25 lbs. per acre. Do not apply to Collards, Kale or Turnip Tops within 10 days of harvest or to Parsley or Swiss Chard within 12 days of harvest.



DIAZINON® 4 DUST (Insecticide)

WARNING KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

© Diazinon is a Reg. TM of Ciba-Geigy Corporation

ACTIVE INGREDIENT:	BY WT.
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	4%
INERT INGREDIENTS:	96%
TOTAL	100%

MANUFACTURED BY
HELENA CHEMICAL COMPANY

MEMPHIS TENNESSEE

GRAPES: Grape Leaf Folders - Use 25 lbs. per acre when insects first appear. Repeat as necessary. Do not apply within 10 days of harvest.


LETTUCE: Aphids, Dipterous Leaf Miners - Use 12.5 lbs. per acre when insects first appear. Repeat as necessary. Do not apply within 10 days of harvest.

PEPPERS: Aphids, Thrips - Use 35 lbs. per acre when insects first appear. Repeat as necessary. Do not apply within 5 days of harvest.

STRAWBERRIES: Aphids, Two-Spotted Mites - Use 20 to 30 lbs. per acre when pests are first noted. Repeat as necessary. Dust should be directed into the crowns of the plants and the plants sufficiently agitated to insure thorough coverage. Do not apply within 5 days of harvest.

TOMATOES: Aphids, Thrips, Dipterous Leaf Miners, Vinegar Flies (*Drosophila* sp.) - Use 35 lbs. per acre when insects first appear. Repeat as necessary. For Leaf Miners and Vinegar Flies - Apply at weekly intervals. Do not apply within 3 days of harvest.

WALNUTS: Aphids - 40 lbs. per acre. Do not apply after husks open.



WARRANTY AND LIMITATION OF DAMAGES. Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of sale, subject to the inherent risks referred to therein. Helena Chemical Company makes no other expressed or implied warranty, including any other expressed or implied warranty of **FITNESS** or of **MERCHANTABILITY**, and no agent of Helena Chemical Company is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value etc.

NET WEIGHT

EPA REG. NO. 5905-425