




10% SEVIN[®] DUST

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Remainder of CAUTION Statement on this Label

INGREDIENTS

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) . . . 10%

INERT INGREDIENTS 90%

TOTAL 100%

*Trademark Union Carbide Corp. for 1-naphthyl
N-methylcarbamate.

10%
DUST

10%
DUST



THE UNIVERSITY OF CHICAGO PRESS

Nonna, il tuo latte non è più solo latte. È un'idea.

APPLY TO THE SKIN NOT ONLY AS SPECIFIED ON THIS LABEL.

NET WT. _____



ACCEPTED
MAR 3 1975

10% SEVIN[®] DUST



DIRECTIONS FOR USE

VEGETABLES AND SMALL FRUITS

ASPARAGUS. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Apply with a backpack sprayer.

BEANS. Mix 10% Sevin[®] Dust with 1000 lb. of water. Spray beans at 1000 lb. per acre. Repeat application 10 days later.

BLACKBERRIES, BOYSENBERRIES, LOGAN BERRIES AND RASPBERRIES. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

BLUEBERRIES. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

CABBAGE, BROCCOLI AND CAULIFLOWER. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

CORN, Sweet. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

CUCUMBERS. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

PEPPERS. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

POTATOES. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

TOMATOES. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WATERMELONS. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

ZUCCHINI. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

ORNAMENTAL PLANTS

FLOWERS, SHRUBS AND SHADE TREES. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

POULTRY

CHICKENS, DUCKS, PHEASANTS AND GOOSE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

QUACKING. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WATERFOWL. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILD BIRDS. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDFOWL. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDFOWL. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

WILDLIFE. Apply 10% Sevin[®] Dust at 1000 lb. per acre. Do not apply within 10 days of harvest.

10% D



they become dry. Three or more applications may be required. Proper timing and coverage are essential.

APPLICATION OF THIS PRODUCT TO THE GUSSET REGION OF CORN DURING THE POLLEN-SHED PERIOD WILL SERIOUSLY REDUCE YIELD POTENTIALS.

CUCUMBERS, MELONS, PUMPKINS, WATERMELONS, AND SQUASHES. Apply 1/2 ounce per 100 square feet of foliage. Repeat applications at 7-10 day intervals. Do not apply to fruit. Do not apply to plants that are stressed or have been treated with other pesticides. Do not apply to plants that are in bloom.

GARDEN BEETS, LETTUCE, RADISHES, SPINACH, TURNIPS AND CARROTS. Apply 1/2 ounce per 100 square feet of foliage. Repeat applications at 7-10 day intervals. Do not apply to fruit. Do not apply to plants that are stressed or have been treated with other pesticides. Do not apply to plants that are in bloom. Do not apply to garden beets, lettuce, radishes, spinach, turnips and carrots within 3 days of harvest. Do not apply to leafy vegetables used for feed and stock. Do not apply to plants that are in bloom. Do not apply to plants that are stressed or have been treated with other pesticides. Do not apply to plants that are in bloom.

GRAPES. Apply 1/2 ounce per 100 square feet of foliage. Repeat applications at 7-10 day intervals. Do not apply to fruit. Do not apply to plants that are stressed or have been treated with other pesticides. Do not apply to plants that are in bloom.

POTATOES, TOMATOES, EGGPLANT AND PEPPERS. Apply 1/2 ounce per 100 square feet of foliage. Repeat applications at 7-10 day intervals. Do not apply to fruit. Do not apply to plants that are stressed or have been treated with other pesticides. Do not apply to plants that are in bloom.

PET ANIMALS

DOGS AND CATS. Apply 1/2 ounce per 100 square feet of foliage. Repeat applications at 7-10 day intervals. Do not apply to fruit. Do not apply to plants that are stressed or have been treated with other pesticides. Do not apply to plants that are in bloom.

BIRDS. Apply 1/2 ounce per 100 square feet of foliage. Repeat applications at 7-10 day intervals. Do not apply to fruit. Do not apply to plants that are stressed or have been treated with other pesticides. Do not apply to plants that are in bloom.

WARRANTY AND LIMITATIONS OF DAMAGES

HELENA CHEMICAL COMPANY warrants that the product is as described on the label and that it is free from adulteration. HELENA CHEMICAL COMPANY does not warrant that the product will be effective against all pests or that it will be effective against all pests in all areas. HELENA CHEMICAL COMPANY does not warrant that the product will be effective against all pests in all areas.

FITNESS OF MERCHANDISABILITY

HELENA CHEMICAL COMPANY warrants that the product is as described on the label and that it is free from adulteration. HELENA CHEMICAL COMPANY does not warrant that the product will be effective against all pests or that it will be effective against all pests in all areas. HELENA CHEMICAL COMPANY does not warrant that the product will be effective against all pests in all areas.

HELENA CHEMICAL COMPANY warrants that the product is as described on the label and that it is free from adulteration. HELENA CHEMICAL COMPANY does not warrant that the product will be effective against all pests or that it will be effective against all pests in all areas. HELENA CHEMICAL COMPANY does not warrant that the product will be effective against all pests in all areas.

Manufactured by
HELENA CHEMICAL COMPANY
 Memphis, TN 38137