


& BY WT



ACTIVE INGREDIENTS:

# NALAM DB

# FOR CONTROL OF CERTAIN BROADLEAF WEEDS IN SOYBEANS

Sodium N-1-naphthylphthalmate
butyric acid
INERTS 77.00%
TOTAL 100.00%
*Equivalent to78% by weight of (2,4-dichlorophenoxy) butyric acid, or not less than .08 lbs of 4-(2,4-DB) acid per gal.
One gallon of Nalam DB contains 2.0 pounds of Naptalam and .08 lbs of 2,4-DB.
KEEP OUT OF REACH OF CHILDREN
CAUTION
See Side panel for additional precautionary statements.
EPA Reg. No. 5905 Net contents
EPA Est. No. 5905
Manufactured by Helena Chemical Company Memphis, Tn. 38137

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Causes eye irritation.

Harmful if inhaled or absorbed through skin.

Avoid contact with eyes, skin, or clothing.

Wash thoroughly after handling.

### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

If in Eyes: Flush with plenty of water for at least 15 minutes. Call a physician.

If on Skin: Wash with plenty of soap and water and get medical attention if irritation persists.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration and get medical attention.

# ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment, or disposal of wastes.

## PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# STORAGE AND DISPOSAL

Storage: Do not store near foodstuffs, feed, seed, fertilizer, pesticides or plants. Store at temperature above 32° F. If allowed to freeze, gentle warming at 60° F and remixing is recommended before using.

Pesticide Disposal: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, state or local procedures under the Resource Conservation and Recovery Act.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other approved state and local procedures.

#### SOYBEANS

Post Emergence (over-the-top) Application

Nalam DB may be applied by ground or air application. BY GROUND, apply 2-3 quarts of Nalam DB in 8 to 10 gallons of water or enough water to provide thorough coverage. The spray boom should be positioned 18-24 inches above the top of the soybeans and be equipped with flat fan or hollow cone type nozzles. Maintain a 40-50 psi spray pressure. BY AIR, apply 2-3 quarts of Nalam DB in a minimum of 5 gallons of water per acre. Use flat fan or hollow cone type nozzles applied at 40-50 psi and fly 10-15 feet above the top of the soybeans. Air application is not recommended in areas where crop susceptible to 2,4-DB injury are grown. Do not apply where conditions favor drift from treated areas.

NOTE: Do not use surfactants with Nalam DB in over-the-top application.

Do not apply herbicide to wet foliage.

Do not apply if rain is expected within 6 hours of application.

Do not apply Nalam DB if crops and weeds are under extreme drought conditions and low humidity.

Do not harvest soybeans within 60 days after application. Do not use on soybeans grown west of the Rocky Mountains. Do not graze or feed forage from treated soybeans to livestock. Do not apply to stressed soybeans.

Make over-the-top application when soybeans are 18-20 inches high (7-10 days before bloom through mid-bloom). For determinate type soybeans, do not apply Nalam DB after flowering begins.

WEEDS CONTROLLED: Cocklebur and giant ragweed.

## NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITTNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of the warranty shall be limited to direct damages, and not include consequential commercial damages such as loss of profit or value, etc.