

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

SEP - 2 2010

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Helena Chemical Company c/o Cheryl Wagner Wagner Regulatory Associates, Inc. P.O. Box 640 Hockessin, DE 19707

Subject: Notification: Revised Container Disposal Instructions per PR Notices 2001-6, 2007-1,

and 2007-4

Pro-Mate Barricade 0.435% Plus Fertilizer

EPA Reg. No. 5905-536

Your Re-Submission, Dated August 20, 2010

Dear Ms. Wagner:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4, 2007-1 and 2001-6 for the subject product.

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4, 2007-1 and 2001-6 and finds that the label changes requested fall within the scope of the PR Notices. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at (703) 305-1243 or Susan Stanton of my staff at (703) 305-5218.

Sincerely,

Kathryn Montague, Product Manager 23

Susan L. Stanton for

Herbicide Branch

Registration Division (7505P) Office of Pesticide Program

2	
-	

Please read instructions on reverse	e before computing form	1	<u></u>	Form Appro	veu. OMB No. 20	070-0060. Approval expires 05-31-98		
-				Х	Registrati	on OPP Identifier Number		
	United	States		├	1	: .		
&EPA ET	nvironmental P		Agonov	[Amendme	ent		
			Agency]			
	Washington	, DC 20460			Other			
Application for Pesticide - Section I								
4.0	Appli	cauon 10				Lo Branco Lobrario II		
Company/Product Number			2. EPA Produ	uct Manag	er	3. Proposed Classification		
5905-536		•	K. Montague					
4. Company/Product (Name)			PM#			1		
' ' ' '	F4 !P		1					
Pro-Mate Barricade 0.435% PI	us Fertilizer		23			<u> </u>		
5. Name and Address of Appli	icant (Include Zip Cod	de)				with FIFRA Section 3(c)(3)		
			(b)(l), my prod		ilar or identical	in composition and labeling		
Helena Chemical Company		•	to:		NOT	IFICATION		
c/o Wagner Regulatory Ass P.O. Box 640	sociates, inc.		EPA Reg. No Product Name			- 7		
Hockessin, DE 19707			Froduct Name	U	SF	P 0 2 2010		
· —	f this is a new addres	^	1		حال.	i AP MAIA		
<u> Спеск п</u>	uns is a new addres		41		_			
		Se	ction - II			·		
Amendment - Explain be	low.				s in response to			
	e to Agency letter deter	ì	Agenc	cy letter date oo" Applicat	ed .			
L-J	- •			- •				
Notification - Explain belo	ow.		☐ Other	- Explain be	elow.			
Explanation: Use additional	page(s) if necessary	(For Section	I and Section II.)				
Notification of label change per PF	R Notices 2007-4, 2007-	1, and 2001-6.	This notification is	consistent	with the provision	ns of PR Notices 2007-4, 20071- and		
2001-6 and EPA Regulations at 40	0 CFR 156.10, 152.46, 1	54.140, 156.1	44, 156.146, and 1	56.156. No	other changes h	ave been made to the labeling or the		
confidential statement of formula of	of this product. I underst	and that it is a	violation of 18 U.S.	.C. Sec. 100	01 to willfully ma	ke any false statement to EPA. I		
and I may be subject to enforcement	ication is not consistent ent action and nanalties	with the terms under Section	of PR Notices 200.	7 -4 , 2007-1, RA.	, and 2001-6 this	product may be in violation of FIFRA		
Sile i may be eabject to emolecine	on action and panalies		ction - III	<u> </u>				
4 Motoriel This Product 1881	I De Deckered Inc	36	- III					
1. Material This Product Will Child-Resistant Packaging		т	Water Saluble D	ackesi	12 Tuna -64	Container		
Yes*	Unit Packaging)	Water Soluble Pa	ackaging	2. Type of C			
l	Yes		Yes			Metal		
X No	X No		X No		X	Plastic		
	If "Yes"	No. per	If "Yes"	No. per		Glass		
* Certification must	Unit Packaging wgt.	container	Package wgt	container		Paper		
1		1	J J-	I		•		
be submitted						Other (Specify) HDPE lined bags		
3. Location of Net Contents in	nformation	4. Size(s)	Retail Container		Location of I	abel Directions		
		1	eramina attibution					
X Label Con	tainer	50 lb. bag		. 1	X On La	_		
1				·	On La	beling accompanying product		
6. Manner in Which Label is Affixed to Product Lithograph Other adhesive backed label								
X Paper glued								
Stenciled								
		6.	ction - IV					
4 Contact Dalat (Constitute III	aman aller athe history		:_:_	h	and Manager	A harmone this and Parties 1		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)								
Name Title Telephone No. (Include Area Code) Cheryl Wagner Agent for Helena Chemical Company (302) 234 8551								
Cheryl Wagner	Cadis		i idicila Chemica	Company	(302) 23			
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received								
acknowledge that any knowing						. 1000:100		
both under applicable law.	· ·					(Stamped)		
2. Signature		3. Title		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
100	_	Agent for	Helena Chemica	I Compan	, I			
Thung W.	agre		- IOICHA OHOIMICA	Company				
4. Typed Name	•	5. Date						
Cheryl Wagner		August 20), 2010					
	Farm 0570 4 /Day 0	Q4) Provious	editions are obs	olete				

Wagner Regulatory Associates, Inc.

7460 Lancaster Pike, Suite 9

Hockessin, Delaware 19707

P.O. Box 640

August 20, 2010

Document Processing Desk (NOTIF) ATTN: Ms. Kathryn Montague, PM 23 Registration Division (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, Virginia 22202-4501

Dear Ms. Montague:

Re: Pro-Mate Barricade 0.435% Plus Fertilizer

EPA Registration Number 5905-536

Notice of Revised Storage & Disposal Label Language

Wagner Regulatory Associates, Inc., on behalf of Helena Chemical Company, hereby notifies the Agency that the storage and disposal section of the subject label as been revised in accordance with PR Notice 2007-4, 2007-1, and 2001-6. Enclosed for the Agency's file is:

- Letter from Helena Chemical Company authorizing Wagner Regulatory to serve as Agent
- EPA Notification form (EPA Form 8570-1)
- One copy of revised labeling

Please feel free to contact me at (302) 234-28551 if you have any questions or require additional information.

Respectfully submitted,

Cheryl Wagner

Agent for Helena Chemical Company

PRO-MATE® BARRICADE® 0.435% PLUS FERTILIZER

ACTIVE INGREDIENT:

1 [CAS No. 29091-21-2]

For selective preemergence control of grass and broadleaf weeds in:

established turf grasses (excluding golf course putting greens) and lawns

EPA Reg. No. 5905-536

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See the following sections, Precautionary Statements, Hazards to Humans and Domestic Animals, for additional information.

MANUFACTURED FOR
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE TENNESSEE 38017

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

FIRST AID

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first
 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor immediately

for advice.

IF INHALED:

- Move victim to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.
- Call a poison control center or doctor immediately

for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment wash waters.

If material is spilled: Contain and sweep up material of spill for disposal or use per label instructions. Wash cleanup equipment to prevent contamination elsewhere. Excess quantities above normal application rates could result in damage to plants subject to spill. Water-in remainder, disc under, cover with layer of soil, or leave exposed to sunlight, as deemed appropriate to the situation.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in original container away from other fertilizer, feed, or food stuffs and separated from other pesticides.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown (1) for sale or other commercial use, (2) for commercial seed production, or (3) for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in parks, golf courses or lawns and grounds.

This product is a selective preemergence herbicide that provides residual control of many grass and broadleaf weeds in:

 Established turf grasses (excluding golf course putting greens) and lawns.

This product controls susceptible weeds by inhibiting weed seed germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days following application.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

APPLICATION DIRECTIONS

Apply uniformly with suitable, calibrated application equipment.

Established Turf

This product is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grasses and lawns. The maximum amount of this product that may be applied per year is given for each turf grass species in the Maximum Annual Rates section of this label.

Most effective weed control in turf grasses will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabgrass seed germination dates.

Crabgrass Seed Germination Dates Approximate Date

14June2010 revised storage & disposal



Use Precautions: The following precautions apply to the use of this product in turf grasses and lawns:

- 1. Do not graze or feed livestock forage cut from areas treated with this product.
- 2. Do not use on food producing plants.
- 3. Do not apply this product through any type of irrigation system.
- 4. Do not apply aerially.
- 5. Do not apply to golf course putting greens.
- Application of this product may thin emerged annual bluegrass and newly overseeded grasses.
- 7. Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.
- Do not cut (harvest) treated sod before 120 days after application. Do not apply to newly set sod until the following year.
- Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.
- Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.
- Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass, or annual bluegrass (Poa annua) are desirable species.

Rates of Application

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds.

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

Maximum Annual Rates

This product is recommended for use on the turf grass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table:

	on Rate of This Pro Lbs. Product/A	duct/Calendar Year by Turf Grass Species Lbs./1000 ft ²
Bermudagrass ² , Bahiagrass, Centipedegrass, Seashore Paspalum, St. Augustinegrass, Tall Fascue (including Zoysia		7.92
Buffalograss, Kentucky Bluegrass, Perennial Ryegrass	230	5.28
Creeping Red Fescu	e 172	3.96
Creeping Bentgrass	150	3.46

¹These are the maximum rates per calendar year by species limitations.

²May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 120 lbs./A. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Foxtail, Goosegrass, and Rescuegrass due to reduced product rates used in sprigging situations.

- Do not apply more than 345 lbs./A (1.5 lb. Al/A) of this product per calendar year.
- Use higher rates of this product to achieve higher levels of weed control for each turf type, but do not exceed the maximum application rates specified in the Maximum Annual Rates Table.

Weeds Controlled

When used in accordance with this label, this product will provide control of the following weeds:

Barnyardgrass

Kochia

Bluegrass, Annual

Lambsquarter, Common

(Poa annua)

Lovegrass

Carpetweed

Panicum (Texas, Fall, Browntop)

Chickweed.

Pigweed

Common Chickweed. Purslane, Common

Pusley, Florida

Mouseear (from

Rescuegrass³ Shepherd's Purse²

seed) Crabgrass (Large,

Signalgrass, Broadleaf

Smooth)

Speedwell, Persian

Crowfootgrass

Sprangletop

Cupgrass, Woolly

Spurge, Prostrate

Foxtails, Annual Goosegrass1

Witchgrass Woodsorrel, Yellow (from seed)

Henbit **Itchgrass**

14June2010 revised storage & disposal

Johnsongrass (from seed) Junglerice Knotweed

¹In many areas a single application of 175-345 lbs./A of this product will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained by making an initial application of 175-230 lbs./A followed after 60-90 days by a second application at doses that would not exceed those given in the Maximum Annual Rates Table. Do not exceed the maximum rate for turf grass species listed in the Maximum Annual Rates Table above.

²Applications for this weed should be made in late summer, fall, or winter prior to germination. ³Suppression only.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of the weed seeds.

When to Apply After Overseeding Turf

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

When to Overseed After Application

This product will inhibit the dermination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

This Product Rate (lbs./A)	Months Before Overseeding				
	North	Transition	South		
115	4	4	4		
151	5	4	4		
172	6	5	5		
184		6	6		
230	-	7	7		
262	-	1 - 1	. 9		
299			10		
345	••		12		

CONDITIONS OF SALE - LIMITED WARRANTY
AND LIMITATIONS OF LIABILITY AND REMEDIES
Read the Conditions of Sale - Warranty and
Limitations of Liability and Remedies before using
this product. If the terms are not acceptable, return
the product, unopened, and the full purchase price
will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

- Refund of the purchase price paid by buyer or user for product bought, or
- 2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2010.

BARRICADE® is a registered trademark of Syngenta.

PRO-MATE® is registration trademark of Helena Holding Company.