5965-540	werze before comole	tina form	03			OMB No. 20	070-00e	0. Approval e		
United States Environmental Protecti Weshington, DC 20		ion Agency			Registration Amendment Other		OPP Identifier Number			
		Applicatio	on for Pestic	ide - Sect	tion I			·····	· · · · · · · · · · · · · · · · · · ·	
1. Company/Product Number 5905-540			2. EPA Product M		t Manager		3. Pr	oposed Classif	d Classification	
4. Company/Product (Name)			PM#							
5. Name and Address of Applicant (Include ZIP Code) Helena Chemical Company 225 Schilling Boulevard, Suite 300 Collierville, Tennessee 38017 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name							
			Section -	11						
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			["Me Too" Application.				MAR 1		
Explanation: Use additional Other Revisions Notification of Other Revisions 152.46, and no other changes U.S.C. Sec. 1001 to willfully m and 40 CFR 152.46, this produ	s per PR Notice 98-10. have been made to th ake any false stateme	. This notification This notification The labeling or the labeling or the labeling of the labe	on is consistent wit le confidential state rther understand th	h the provisions ement of formula at if this notifica	a of this ation is	s product. I ur not consistent	derstand with the	that it is a violation terms of PR No.	ation of 18 ptice 98-10	
			Section -	[]]						
1. Material This Product Will	Be Packaged In:		····		r	<u>.</u>			<u> </u>	
Child-Resistant Packaging Yes V	Unit Packaging Yes V		Water Soluble Packaging 2. Type of the second sec			Container Metal Plastic Glass				
 Certification must be submitted 	lf "Yes" Unit Packaging wgt.	No. per container	lf "Yes" Package wgt	No. per container			Paper Other (S	Specify)		
	ntainer	4. Size(s) Ret			['	ation of Labe	l Directio)N3		
6. Manner in Which Label is A Self Adhes		Lithog Paper Stenci		Other	·				-	
· · · · ·	·····		Section -							
1. Contact Point <i>(Complete i</i>	tems directly below f	or identificatio		be contacted, i	if nace.					
Name Mandy K. Styles			1			elephone No. (include Area Code) (901) 752-4420				
l certify that the statem I acknowledge that any both under applicable is	knowlingly false or		all attachments t					6. Date Appli Received (Stam	· · ·	
2. Signature			3. Title Product Registration Supervisor							
4. Typed Name Mandy K. Styles			5. Date 3/1	/2005				•		
EPA Form 8570-1 (Rev. 3-94)	Previous editions are	obsolete.		Whit	to - EP/	A File Copy (original)	Yellow - A	Applicant Copy	



MAR 1 1 2005

ASSET® PGR

- - -

PLANT GROWTH REGULATOR FOR USE ON **VEGETABLES, FIELD CROPS, TREE CROPS,** SMALL FRUITS AND BERRIES, HERBS, **ORNAMENTALS, SOD FARMS, TURF, AND** SEED TREATMENT APPLICATIONS

ACTIVE INGREDIENTS:

Indole-3-butyric Acid	0.0135%
OTHER INGREDIENTS:	
TOTAL	

Contains 4.26 mgs of indole-3-butyric acid/fluid ounce.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE INSIDE PANEL FOR ADDITIONAL **PRECAUTIONARY STATEMENTS**

EPA REG. NO. 5905-540 **NET CONTENTS:** EPA EST. NO. First letters of batch code indicate

producing establishment: 5905-GA-001=CG . 5905-AR-001=WA . 5905-IA-001=DI . 5905-CA-001=KC

SN

MANUFACTURED BY

HELENA CHEMICAL COMPANY 225 SCHILLING BOULEVARD, SUITE 300 **COLLIERVILLE, TENNESSEE 38017** (901) 761-0050

PRECAUTIONARY STATEMENTS PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks.

USER SAFETY REQUIREMENT

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

For terrestrial uses:

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Do not contaminate water when disposing of equipment washwater or rinsate.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours unless wearing appropriate PPE. PPE and work clothing required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

Coveralls Waterproof gloves Shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Keep unprotected persons out of treated areas until sprays have dried.

3/8

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or Tribe, consult the agency responsible for pesticide regulations.

GENERAL CHEMIGATION INSTRUCTIONS

Apply this product only through sprinkler including center pivot, lateral move, side (wheel) roll, traveler, big gun, solid set or hand move irrigation systems. Do not apply this product through any other type of irrigation system. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

If you have questions about calibration, you should contact State Extension Service Specialists, equipment manufacturers or other experts.

Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

CHEMIGATION SYSTEMS CONNECTED TO PUBLIC WATER SYSTEMS

Public water system means a system for the provision to the public of piped water for human consumption, if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year.

Chemigation systems connected to public water systems must contain a functional, reducedpressure zone, backflow preventer (RPZ) or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the PRZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet and the fill pipe in the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected. Systems must use a metering pump, such as a positive displacement injection pump (e.g. diaphragm pump) effectively designed and constructed of materials that are compatible with the pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment. The pesticide supply tank should be agitated throughout the application of **ASSET® PGR**. **ASSET® PGR** should be applied at the end of the water application.

ASSET® PGR should be applied at the end of the irrigation period in a sufficient amount of water to allow proper coverage of plant or crop but not to exceed 12 fluid ounces of ASSET® PGR per acre per application.

SPRINKLER CHEMIGATION

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to a point where pesticide distribution is adversely affected.

System must use a metering pump, such as a positive displacement injection pump (e.g. diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment. The pesticide supply tank should agitated throughout the application of **ASSET® PGR**. **ASSET® PGR** should be applied at the end of the water application.

ASSET® PGR should be applied at the end of the irrigation period in a sufficient amount of water to allow proper coverage of plant or crop

but not to exceed 11 fluid ounces of ASSET® PGR per acre per application.

IMPORTANT: Read the entire Directions For Use and the Warranty And Disclaimer Statement before using this product. If terms are not acceptable, return the unopened product container at once.

GENERAL INFORMATION

ASSET® PGR, containing Asset Formulation Technology, is a plant growth regulator designed for use with pesticides and/or fertilizers.

ASSET® PGR is effective in increasing the rate of growth and development of plant systems.

ASSET® PGR is compatible with liquid fertilizer and anhydrous ammonia.

SPRAY MIX COMPATIBILITY

ASSET® PGR is compatible with a wide range of fertilizer and pesticide products. Good agitation must be maintained for those applications that contain pesticides.

Always check compatibility prior to mixing and apply any pesticide spray mixes as soon as possible. In the event of pesticide mixing problems, the addition of a compatibility agent is recommended.

If this product is to be tank mixed with fertilizers or with other pesticides, compatibility should be tested prior to mixing. To test for compatibility, use a small container and mix a small amount (0.5 to 1 quart) of spray, combining all ingredients in the same ration as the anticipated use. If any indications of physical incompatibility develop; such as separation, sedimentation, gel formation, etc., do not use this mixture for spraying. Indications of incompatibility usually will appear within 5 to 15 minutes after mixing.

MIXING SEQUENCE

- 1. Water
- 2. Fertilizer
- 3. ASSET® PGR
- 4. Compatibility agent (if needed)
- 5. Pesticides

APPLICATIONS WITH SOIL APPLIED FERTILIZER

For in-furrow, banded, side-dressed and broadcast applications through conventional equipment, apply **ASSET® PGR** in conjunction with and/or following the application of pesticides and/or fertilizers. Best results are obtained when **ASSET® PGR** is incorporated, injected, or applied in a zone or band in the soil at a minimum depth of two (2) to four (4) inches.

APPLICATIONS WITH DRY GRANULAR FERTILIZERS

ASSET® PGR may be directly impregnated on dry granular fertilizers. Apply sufficient ASSET® PGR to provide the recommended label rates per acre when treated fertilizer is applied. Dry granular fertilizers treated with ASSET® PGR have an indefinite shelf life.

TRANSPLANT SOLUTIONS

Mix 6-10 fl. oz. with each 100 gallons of transplant solution.

GENERAL DOSAGE RECOMMENDATIONS Row or Band and Injection Applications: Use ASSET® PGR at the rate of five (5) to six (6) fluid ounces per acre.

Broadcast Applications: Use ASSET® PGR at the rate of ten (10) to eleven (11) fluid ounces per acre.

RECOMMENDED CROPS

The following is a broad listing of crops on which ASSET® PGR is recommended for use. All commodities within an established crop group, as classified under 40 CFR § 180.41, are considered to be appropriate for this product. A brief listing of crops within each grouping is given after the group name as an example of those crops represented. The examples given are not meant to be an exhaustive list of those crops within any grouping, and should not be construed as such.

For application rates for any given crop, use at the general dosage recommendation, unless otherwise indicated.

VEGETABLES:

BRASSICA (COLE) LEAFY VARIETIES: (Broccoli, Brussels Sprouts, Cabbage, Chinese Cabbage, Cauliflower, Chinese Mustard, Collards, Kale, Kohlrabi, Mustard Greens, Rape Greens) **CUCURBITS:** (Cantaloupe, Casaba Melons, Cucumbers, Gherkins, Gourds, Honeydew Melons, Mango Melons, Muskmelons, Pumpkins, Summer Squash, Watermelons, Winter Squash)

LEAFY VEGETABLES (EXCEPT BRASSICA): (Celery, Cress, Endive, Fennel, Lettuce, Orach, Spinach, Swiss Chard)

ROOT, TUBER AND BULB VEGETABLES: (Artichokes, Burdock, Carrots, Cassava, Chicory, Garlic, Ginger, Ginseng, Horseradish, Leek, Onion, Parsley, Parsnip, Potato, Radish, Rutabaga, Salsify, Shallot, Sweet Potato, Turnips, Yarns)

FRUITING VEGETABLES: (Bell Peppers, Chile Peppers, Cooking Peppers, Eggplant, Ground Cherry, Pepinos, Pimentos, Sweet Peppers, Tomatillo, Tomatoes)

LEGUMES: (Beans including *Lupinus spp., Phaseolus spp.,* and *Vigna spp.,* Broad Beans, Chick Peas, Guar, Jackbean, Lablab Beans, Lentils, Peas, Soybeans.

FIELD CROPS:

CEREAL GRAINS: (Barley, Buckwheat, Corn, Millet, Oats, Popcorn, Rice, Rye, Sorghum(milo), Wheat, Wild Rice)

WHEAT: Winter Wheat – Apply 6 fluid ounces prior to or at planting followed by 6-11 fluid ounces applied pregreenup and up to Feekes growth stage 5.

Spring Wheat – Apply 6-11 fluid ounces prior to or at planting. If needed, apply an additional 6-11 fluid ounces at Feekes growth stage 5.

RICE: Apply 6-11 fluid ounces per acre at the 3 leaf to tillering stage of plant growth.

COTTON: Apply 5-6 fluid ounces per acre in the seed furrow at planting or side-dressed shortly after planting.

FORAGE: (Alfalfa, Clovers, Grasses, Timothy, Vetch)

TREE CROPS:

CITRUS: (Calamondin, Grapefruits, Kumquats, Lemons, Limes, Oranges, Tangelos, Tangerines)

NUTS: (Almonds, Beech Nut, Brazil Nut, Butternut, Cashew, Chestnut, Chinquapin, Filberts, Hickory Nut, Macadamia Nut, Pecan, Walnut)

POME FRUIT: (Apple, Crabapple, Mayhaw, Pear, Quince)

STONE FRUIT: (Apricots, Cherries (Sweet and Sour), Nectarines, Peaches, Plums, Prunes)

SMALL FRUITS AND BERRIES:

(Blackberries, Blueberries, Boysenberries, Cranberries, Currants, Dewberries, Elderberries, Gooseberries, Grapes, Huckleberries, Olallieberries, Raspberries, Strawberries, Youngberries)

HERBS

MISCELLENEOUS COMMODITIES (NOT LISTED ELSEWHERE ON THIS LABEL):

AVACADO HOPS, KIWIFRUIT, GRAPES, BANANAS, FIGS, PEANUTS, PINEAPPLE, MANGO, OKRA, MUSHROOMS, PAPAYA, PERSIMMON.

ORNAMENTALS:

(Flowers, shrubs, trees, deciduous nursery stocks (trees, shrubs, and flowers) and greenhouse crops and other ornamentals): Apply 5-6 fluid ozs. in 100 gallons of water as a drench solution for soil and media, or apply 10 ozs. In 100 gallons of water as a directed spray. The applied spray solution should be incorporated into the root zone by irrigation or rainfall.

SOD FARMS:

Apply 6-11 fluid ounces per acre with fertilizer and irrigate to incorporate into the soil profile. Apply 4-8 times per season.

TURF:

(Greens, Tees, Fairways, and Lawns) Apply 10 ozs. In 100 gallons of water per acre and incorporate into the roots zone by irrigation.

SEED TREATMENT APPLICATION

Use ASSET® PGR as a seed treatment that aids in the enhancing germination and early season root development. The application of ¼ to 5.6 fluid ozs. per 100 weight of seed is recommended for the following crops:

Corn	Cotton	Dry Beans
Peanuts	Rice	Sorghum
Soybeans	Sugar Beets	Wheat

Potato Seed Pieces

Use 1/3 to ½ fl. oz. of **ASSET® PGR** per 100 lbs. of cut seed pieces. Seed pieces should be treated immediately after cutting and apply the material in sufficient water to ensure that they are covered thoroughly.

ASSET® PGR can be mixed with other seed treatments and carriers to ensure that uniform coverage is obtained.

Hopper Box Application

Partially fill the hopper box with a portion of the seed to be treated. Apply the appropriate amount of **ASSET® PGR** in sufficient water or other carriers directly on the seed surface. Mix with a stick or a paddle until all seeds are coated. Repeat the procedure until hopper box is full. **DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES.**

Treat only those seeds that are needed for immediate use and planting. Do not store excess treated seed beyond the planting time.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Protect from freezing. Store out of direct sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then, offer for recycling or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IN CASE OF EMERGENCY, CALL CHEMTREC: 1-800-424-9300.

WARRANTY AND DISCLAIMER STATEMENT

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

- 1. Refund of the purchase price paid by buyer or user for product bought, or
- 2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2005.

ASSET® is a registered trademark of Helena Holding Company.

HELENA CHEMICAL COMPANY 225 Schilling Blvd., Suite 300 Collierville, Tennessee 38017 Telephone: 901/761-0050

March 1, 2005

U.S. Environmental Protection Agency Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) 1801 South Bell Street Crystal Mall #2, Room 266A Arlington, VA 22202-4501

RE: Notification to Add Other Revisions

To Whom It May Concern,

Enclosed, you will find Helena Chemical Company's Notification for numerous products. Helena has updated the copyright company name, all trademarks, and registered trademarks from Helena Chemical Company to Helena Holding Company. This has been done on the following products:

	Pro-Mate Barricade 0.435% Plus Fertilizer	5905-536
	Pro-Mate Dimension 0.10% Plus Fertilizer	5905-537
	Pro-Mate Dimension 0.22% Plus Fertilizer	5905-538
	Pro-Mate Dimension 0.26% Plus Fertilizer	5905-539
	Asset PGR	5905-540
	Armicarb 100	5905-541
	HM-2010	5905-542
	Pro-Mate Barricade 0.22% Plus Fertilizer	5905-543
	Extra Value Dusting Sulfur	5905-544
	Sungro Combo Sulfur Dusting & Spraying	5905-545
	Sungro 455 Soluble Oil	5905-546
	435 Soluble Oil	5905-547
	Empower 2 Granular Insecticide	5905-548
	HardBall	5905-549
	WildCard Xtra	5905-550
	Pro-Mate Ronstar 1% Plus Fertilizer	5905-551
•	Double Up B+D	5905-552
	Helena XL2G	5905-556
	This should also be noted on all alternate brand names	of the master labels.

In support of these Notifications, you will find the following:

EPA Form 8570-1 1 copy of the revised label highlighted

If you have any questions, do not hesitate to call me at (901) 752-4420 or by fax at (901) 758-1694. Thank you for your assistance in this matter.

Sincerely,

N. Sh

Mandy K. Styles Product Registration Supervisor