5905-551 03111802 Form Approved. OMB No. 2070-0060. Approval expires OPP Identifier Number Registration **United States Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 5905-551 None Restricted 4. Company/Product (Name) PM# Pro-Mate Ronstar 1% Plus Fertilizer 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) Helena Chemical Company (b)(i), my product is similar or identical in composition and labeling 225 Schilling Boulevard, Suite 300 EPA Reg. No. Collierville, Tennessee 38017 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated **NOTIFICATION** "Me Too" Application. Resubmission in response to Agency letter dated\_ MAR 1 1 2005 Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Other Revisions "Notification of Other Revisions per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Unit Packaging Child-Resistant Packaging Water Soluble Packaging 2. Type of Container Matel Yes Plastic No No Nο Glass Paper if "Yes" No. per \* Certification must Unit Packaging wgt. Package wgt Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Container 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled Self Adhesive Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Title Telephone No. (Include Area Code) Name **Product Registration Supervisor** (901) 752-4420 Mandy K. Styles 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or (Stampad) both under applicable law.

3. Title

5. Date

**Product Registration Supervisor** 

3/1/2005

2. Signature

4. Typed Name
Mandy K. Styles

NOTIFICATION 2/6

	VVV			
	X-X-X	MAR	1 1	200
	GUARANTEED FERTILIZER ANALYSIS		- 1	. 200
TOTAL NITROGEN (N)*	XXX%			
X.XX % Ammoniacal Nitrogen				
AVAILABLE PHOSPHATE (P2O5)	X.XX%			
SOLUBLE POTASH (K2O)	X.XX%			
Derived from: xxxxxxx, xxxxx, xxxx.				
	X.XX%			
*x.xx% Slowly Available Nitrogen from polycoal	ted sulfur coated urea.			
F224				

# PRO-MATE® RONSTAR® 1% PLUS FERTILIZER

50 lb. Bag Treats Up To 11,000 Sq. Ft.

FOR SALE TO, USE AND STORAGE BY: NURSERY, TURF AND LANDSCAPE PERSONNEL ONLY.

FOR USE ON: PARKS, GOLF COURSES, ATHLETIC FIELDS, AND OTHER RECREATIONAL AND ORNAMENTAL TURFGRASS AREAS. NOT FOR USE ON HOME LAWNS.

CONTROLS CRABGRASS, ANNUAL BLUEGRASS, GOOSEGRASS, FLORIDA PUSLEY, OXALIS, STINGING NETTLE, CARPETGRASS, PIGWEED & OTHER WEEDS LISTED.

ACTIV	INIA		ICMT.	
ALIIV	ING	KED	IEN I :	

Oxadiazon: {2-tert-butyl-4-(2,4-dichloro-5-isopropoxyphenyl) delta 2-1,3,4-oxadiazolin-5-one}	1.0%
INERT INGREDIENTS:	<u>99.0%</u>
TOTAL:	100.0%

Contains RONSTAR® Herbicide a Registered Product of Bayer CropScience.

### **KEEP OUT OF REACH OF CHILDREN**

## **WARNING - AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

#### **FIRST AID**

**If Swallowed:** - Call a poison control center or doctor immediately for treatment advice.

 $\boldsymbol{\cdot}$  Have person sip a glass of water if able to swallow.

• Do not induce vomiting unless told to do so by a poison control center or doctor.

- Do not give anything by mouth to an unconscious or convulsing person.

If in Eyes:

· Hold eye open and rinse slowly and gently with water or 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

If on Skin

Take off contaminated clothing.

Or Clothing:

· Rinse skin immediately with plenty of water for 15-20 minutes.

· Call a poison control center or doctor for treatment advice.

#### **HOT LINE NUMBER**

in case of emergency call 1-800-424-9300

**EPA REG. NO.**: 5905-551

**NET WEIGHT:** 

EPA EST. NO.: 5905-NC-018

MANUFACTURED BY
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE TENNESSEE 38017

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Thoroughly wash face and hands with soap and water after exposure and before eating or smoking. Wear protective clothing including long-sleeved shirt and gloves when handling. Launder exposed clothing before reuse. Do not allow domestic animals to graze treated areas. Avoid contamination of feed and foodstuffs.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply only as specified on this label.

#### NON-AGRICULTURAL USES REQUIREMENTS

The requirements of this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170.) The WPS applies when this product is used to produce agricultural plants only on farms, forests, nurseries, sod farms or greenhouses.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store product in its original bag, in a cool, dry, locked place out of reach of children. In case of spill, sweep up, and use according to directions or dispose of as follows.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or, by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

#### **USE PRECAUTIONS**

<u>Do not use on Red Fescue, Bentgrass varieties, Dichondra, or Centipede grass</u> because damage will occur. <u>Do not use on Putting Greens or "Tees"</u> due to varying cultural practices used.

For St. Augustinegrass application rates above the 50 lbs. per 7,350 sq. ft. will temporarily discolor and damage the turf. If a higher rate is necessary (such as 50 lbs./5,550 sq. ft. or 50 lbs./6,450 sq. ft.) in order to control Goosegrass, Spurge, Poa Annua, Florida Pusley or Carpetgrass turf damage can be expected to the St. Augustinegrass, therefore, apply only when that damage can be tolerated and when good cultural practices are planned in order to revive the damaged turf. Avoid product contact with flowers and shrubs except as recommended.



**For Newly Seeded Lawns** - do not apply this product until after the second or third cutting. For best lawn care, place new grass seed in fall of the year. Spring preemergent weed control can then be applied. Reseeding treated areas: Delay new seeding until 4 months after treatment.

#### CONTROLS GRASS WEEDS AND BROADLEAF WEEDS

Annual Bluegrass (Poa Annua), Barnyardgrass, Crabgrass, Fall Panicum, Florida Pusley, Goosegrass, Green Foxtail, Oxalis, Stinging Nettle, Carpetgrass, Pigweed.

#### **HOW TO APPLY**

For best weed control, rake the area free of leaves and thatch and mow if necessary so that granules will reach the soil surface. Measure the area to be treated and uniformly apply the required amount using a fertilizer spreader (see Spreader Settings chart). Do not apply to turf when it is wet. Do not over-lap spreader applications on St. Augustinegrass, since discoloration "streaking" may temporarily occur from "double rate." After applications, if rain is not expected within 24 hours, sprinkle the treated turf with 1/4 to 1/2 inch of water to get maximum weed control.

#### **HOW MUCH TO USE**

#### **CRABGRASS**

Apply 50 lbs./11,000 sq. ft. when turf has been in a yearly maintenance program (equal to 2 lbs. A.l. herbicide per acre.) Apply 50 lbs. to treat 7,350 sq. ft. of lawn if it has been heavily infested with Crabgrass; equal to 3 lb. A.l. herbicide per acre. Apply in early spring 1 to 2 weeks prior to weed seed germination. This product is a preemergent herbicide. It will not control emerged and growing weeds; only germinating weed seeds. Late application will control only those weed seeds that germinate after the application. See "WHEN TO APPLY" chart.

#### **GOOSEGRASS AND PROSTRATE SPURGE**

These weeds do not usually germinate until late spring or early summer. Apply 50 lbs. to treat 5,555 sq. ft. (4 lbs. A.I./acre) and apply 1 to 2 weeks prior to seed germination. See chart for When To Apply. See Use Precautions for St. Augustinegrass.


#### **ANNUAL BLUEGRASS (POA ANNUA)**

Apply 50 lbs. per 5,555 to 6,450 sq. ft. of lawn; equal to 3.5 to 4 lbs. active herbicide per acre. Apply in late summer to fall or in early spring 1 to 2 weeks before expected weed seed germination. Will not control annual bluegrass present at time of application; therefore only germinating seeds. Refer to chart for proper timing in your locale. Annual Barnyardgrass and Prostrate Spurge may also controlled by this same rate. See Use Precautions for St. Augustinegrass.

#### FOR PIGWEED, FLORIDA PUSLEY, OXALIS, STINGING NETTLE AND CARPETGRASS

Where these weeds are a problem, apply 50 lbs. to treat 5,555 to 6,450 sq. ft. of lawn (equal to 3.5 to 4 lbs. Active Herbicide per acre) in early spring or 1 to 2 weeks before expected weed seed germination. Will not control emerged and growing weeds; only effective against germinating weed seeds. See Use Precautions for St. Augustinegrass.

#### WHEN TO APPLY



- 1. For CRABGRASS and other Grasses and Broadleaf Weeds germinating in the Spring in Northern turf.
- 2. For GOOSEGRASS and other Late Germinating Annual Grasses and Broadleaf Weeds, such as PROSTRATE SPURGE. 2a. GOOSEGRASS in Southern Turf.
- 3. For POA ANNUA in Northern Turf. 3a. For POA ANNUA in SouthernTurf.
- 4. For Fall-Winter-Spring control of ANNUAL WEEDS in Southern Turf.

5/6

# CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

- 1. Refund of the purchase price paid by buyer or user for product bought, or
- 2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2005.

**PRO-MATE®** is a registered trademark of Helena Holding Company.

RONSTAR® is a registered trademark of Bayer CropScience.



#### HELENA CHEMICAL COMPANY

225 Schilling Blvd., Suite 300 Collierville, Tennessee 38017 Telephone: 901/761-0050

March 1, 2005

U.S. Environmental Protection Agency Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) 1801 South Bell Street Crystal Mall #2, Room 266A Arlington, VA 22202-4501

RE: Notification to Add Other Revisions

To Whom It May Concern,

Enclosed, you will find Helena Chemical Company's Notification for numerous products. Helena has updated the copyright company name, all trademarks, and registered trademarks from Helena Chemical Company to Helena Holding Company. This has been done on the following products:

ionoming processes.	
Pro-Mate Barricade 0.435% Plus Fertilizer	5905-536
Pro-Mate Dimension 0.10% Plus Fertilizer	5905-537
Pro-Mate Dimension 0.22% Plus Fertilizer	5905-538
Pro-Mate Dimension 0.26% Plus Fertilizer	5905-539
Asset PGR	5905-540
Armicarb 100	5905-541
HM-2010	5905-542
Pro-Mate Barricade 0.22% Plus Fertilizer	5905-543
Extra Value Dusting Sulfur	5905-544
Sungro Combo Sulfur Dusting & Spraying	5905-545
Sungro 455 Soluble Oil	5905-546
435 Soluble Oil	5905-547
Empower 2 Granular Insecticide	5905-548
HardBall	5905-549
WildCard Xtra	5905-550
Pro-Mate Ronstar 1% Plus Fertilizer	5905-551
Double Up B+D	5905-552
Helena XL2G	5905-556

This should also be noted on all alternate brand names of the master labels.

In support of these Notifications, you will find the following:

EPA Form 8570-1

1 copy of the revised label highlighted

If you have any questions, do not hesitate to call me at (901) 752-4420 or by fax at (901) 758-1694. Thank you for your assistance in this matter.

Sincerely,

Mandy K. Styles

**Product Registration Supervisor**