



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP - 3 2010

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Helena Chemical Company
c/o Cheryl Wagner
Wagner Regulatory Associates, Inc.
P.O. Box 640
Hockessin, DE 19707

Subject: Notification - Revised Container Disposal Instructions per PR Notices 2001-6, 2007-1, and 2007-4
Pro-Mate Oxadiazon 1.5% Plus Fertilizer
EPA Reg. No. 5905-569
Your Re-Submission, Dated August 20, 2010

Dear Ms. Wagner:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4, 2007-1 and 2001-6 for the subject product.

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4, 2007-1 and 2001-6 and finds that the label changes requested fall within the scope of the PR Notices. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at (703) 305-1243 or Susan Stanton of my staff at (703) 305-5218.

Sincerely,

A handwritten signature in cursive script that reads "Susan L. Stanton, for".

Kathryn Montague, Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Program

2/0

<p>United States Environmental Protection Agency Washington, DC 20460</p>	<input checked="" type="checkbox"/>	Registration	OPP Identifier Number
		Amendment	
		Other	

Application for Pesticide - Section I

1. Company/Product Number 5905-569	2. EPA Product Manager K. Montague	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Pro-Mate Oxadiazon 1.5% Plus Fertilizer	PM# 23	
5. Name and Address of Applicant (Include Zip Code) Helena Chemical Company c/o Wagner Regulatory Associates, Inc. P.O. Box 640 Hockessin, DE 19707 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical to _____ and labeling to: _____ EPA Reg. No. _____ Product Name _____ <div style="text-align: center; font-weight: bold; font-size: 1.2em;">NOTIFICATION</div> <div style="text-align: center; font-weight: bold; font-size: 1.5em;">SEP 03 2010</div>

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)
 Notification of label change per PR Notices 2007-4, 2007-1, and 2001-6. This notification is consistent with the provisions of PR Notices 2007-4, 2007-1 and 2001-6 and EPA Regulations at 40 CFR 156.10, 152.46, 154.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 2007-4, 2007-1, and 2001-6 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" No. per Unit Packaging wgt. container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" No. per Package wgt container	<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) HDPE lined bags		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lb. bag	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product		
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ adhesive backed label _____ <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Cheryl Wagner	Title Agent for Helena Chemical Company	Telephone No. (Include Area Code) (302) 234 8551	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Agent for Helena Chemical Company		
4. Typed Name Cheryl Wagner	5. Date August 20, 2010		

August 20, 2010



Wagner Regulatory Associates, Inc.
P.O. Box 640
7460 Lancaster Pike, Suite 9
Hockessin, Delaware 19707

Document Processing Desk (NOTIF)
ATTN: Ms. Kathryn Montague, PM 23
Registration Division (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

Dear Ms. Montague:

Re: Pro-Mate Oxadiazon 1.5% Plus Fertilizer
EPA Registration Number 5905-569
Notice of Revised Storage & Disposal Label Language

Wagner Regulatory Associates, Inc., on behalf of Helena Chemical Company, hereby notifies the Agency that the storage and disposal section of the subject label as been revised in accordance with PR Notices 2007-1, 2007-4, and 2001-6. Enclosed for the Agency's file is:

- Letter from Helena Chemical Company authorizing Wagner Regulatory to serve as Agent
- EPA Notification form (EPA Form 8570-1)
- One copy of revised labeling

Please feel free to contact me at (302) 234-8551 if you have any questions or require additional information.

Respectfully submitted,

Cheryl Wagner
Agent for Helena Chemical Company

PRO-MATE® OXADIAZON 1.5% PLUS FERTILIZER

50 lbs. Bag Treats Up To 7,260 Sq. Ft.

FOR SALE TO AND USE BY PROFESSIONAL APPLICATORS ONLY.

FOR USE ON: PARKS, GOLF COURSES, SOD FARMS, ATHLETIC FIELDS, AND OTHER RECREATIONAL AND ORNAMENTAL TURFGRASS AREAS. Also for use around Ornamental Shrubs, Trees, and Ground Covers, as listed on this label. NOT FOR USE ON HOME LAWNS. NOT FOR SALE TO OR USE BY HOMEOWNERS.

A PRE-EMERGENT WEED CONTROL PRODUCT PLUS A QUALITY FERTILIZER FOR USE ON VARIETIES OF PERENNIAL BLUEGRASS, BERMUDAGRASS, BUFFALOGRASS, PERENNIAL RYEGRASS, ST. AUGUSTINE GRASS, SEASHORE PASPALUM, TALL FESCUE, AND ZOYIAGRASS.

CONTROLS: CRABGRASS, ANNUAL BLUEGRASS, GOOSEGRASS, FLORIDA PUSLEY, OXALIS, STINGING NETTLE, CARPETGRASS, PIGWEED & OTHER WEEDS LISTED.

ACTIVE INGREDIENT:

Oxadiazon*: 3-[2,4-dichloro-5-(1-methylethoxy)phenyl]-5-(1,2-dimethylethyl)-1,3,4-oxiazol-2(3H)-one..... 1.5%

INERT INGREDIENTS:..... 98.5%

TOTAL:..... 100.00%

*CAS (19666-30-9)

KEEP OUT OF REACH OF CHILDREN	
WARNING - AVISO	
Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)	
FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious or convulsing person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible. • Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have this product container with you when calling a poison control center or doctor or when going for treatment. In case of emergency call 1-800-424-9300	

EPA REG. NO.: 5905-569
NET WEIGHT: 50 LBS

EPA EST. NO.: 5905-NC-018
SN: 012108

MANUFACTURED FOR
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE TENNESSEE 38017

NOTIFICATION

SEP 03 2010

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: Causes substantial but temporary eye injury. Wear protective eyewear (goggles, face shield, or safety glasses). Causes skin irritation. Do not get in eyes, on skin or clothing. May be harmful if swallowed, absorbed through skin, or inhaled. Avoid breathing dust, contact with skin, eyes, or clothing. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling. Do not allow domestic animals to graze treated areas. Avoid contamination of food and feedstuffs.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Loaders, applicators and other handlers must wear coveralls, chemical resistant gloves, chemical resistant footwear plus socks, protective eyewear, headgear for overhead exposure, chemical resistant apron when cleaning equipment. Follow manufacture's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should:

- Wash hands before eating drinking, chewing gum, using tobacco or using the toilet
- Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system. **Not for use on Home Lawns**

NON-AGRICULTURAL USE REQUIREMENTS

The requirements of this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170.) The WPS applies when this product is used to produce agricultural plants only on farms, forests, nurseries, sod farms or greenhouses.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on Sod farms, nurseries, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions and pertaining to the statements on this label about personal protective equipment (PPE) notification to workers and restricted entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is coveralls, chemical resistant gloves and footwear, plus socks, protective eyewear, and chemical resistant headgear for overhead exposure.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store product in its original bag, in a cool, dry, locked place out of reach of children. In case of spill, sweep up, and use according to directions or dispose of as follows.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

General Information Usage on Turfgrass

PRO-MATE® OXADIAZON 1.5% PLUS FERTILIZER may be used at full rate or as split application in established Perennial Bluegrass, Bentgrass (see restrictions), Bermudagrass, Buffalograss, Perennial Ryegrass, St Augustinegrass, Seashore Paspalum, Tall Fescue and Zoysiagrass turf, at apartment/condominium complexes, corporate and public parks, golf courses, sod farms, athletic fields, playgrounds, cemeteries and other ornamental recreations turfgrass areas. **Not for use on home lawns.** The turf should be free of leaves and thatch and in condition to allow granules to reach the soil surface. Know the square footage of the areas to be treated and uniformly apply using a granule spreader. Do not apply to turf when it is wet. When using a full rate do not overlap spreader applications, especially on St. Augustine grass since discoloration "streaking" may temporarily occur from the "doubled" rate. See section on label entitled **PRECAUTIONS IN USING ON TURFGRASS** for the maximum rate for St. Augustine and Bentgrass of 3 lb a.i. per acre which is equivalent to 4.6 lbs of **PRO-MATE® OXADIAZON 1.5% PLUS FERTILIZER** per 1,000 sq. ft. After applications if rain is not expected within 24 hours, sprinkler irrigate the treated turf up to ¼ of water to release the herbicide for maximum weed control and quicker response from the fertilizer nutrients. **PRO-MATE® OXADIAZON 1.5% PLUS FERTILIZER** is a pre-emergence herbicide and must be applied prior to weed seed germination. It will not control growing weeds.

For Spring and Split Application On Golf Courses: The 3 lbs. or 4 lbs. a.i./acre rates may be applied as split applications. Weed control and better turf management can be programmed by splitting the a.i. per acre rate of active ingredient into "two" separate applications. For example to accomplish this in a given region of the country using the 3lbs a.i. rate, first apply 1.5 lbs a.i. for the first application 1 to two weeks prior to weed seed germination or in late December or early January; then follow with the second "1/2" rate in 60 days or in March. Do not split the 2lbs a.i. acre rate on this label. The 3 or 4 lbs a.i. per acre rate should not be split if applied to new turf areas 1st under management where weed pressure is expected to be heavy.

PRECAUTIONS IN USING ON TURFGRASS:

Do not use on Red Fescue, Dichondra, or Centipede grass because damage will occur. **Do not use on Putting Greens or "Tees"** due to varying cultural practices used.

For St. Augustinegrass: Do not exceed the rate of 3 lbs. a.i per acre which is 200 lbs of **PRO-MATE OXADIAZON 1.5% PLUS FERTILIZER** per acre or 4.6 lbs per 1,000 sq. ft.. (50 lbs o/ 10,869 sq ft). This product may cause discoloration of St. Augustine, but this discoloration is temporary and normally outgrown within 2 to 3 weeks. Avoid contact with flowers and shrubs except as recommended elsewhere for ornamental plants on this label. Seeding into treated areas should be delayed until 4 months after treatment.

For Bentgrass Turf: DO NOT exceed the rate of 3 lbs. of active ingredient per acre which is 200 lbs **PRO-MATE® OXADIAZON 1.5% PLUS FERTILIZER** per acre or 4.6 lbs per 1,000 sq. ft. (50 lbs / 10,869 sq ft). DO NOT apply to Bentgrass turf mowed less than 3/8th inch. **PRO-MATE® OXADIAZON 1.5% PLUS FERTILIZER** may cause discoloration of Bentgrass, but this discoloration is temporary and normally outgrown within 2 to 3 weeks. Avoid contact with flowers and shrubs except as recommended elsewhere for ornamental plants on this label. Do not apply to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment.

For Newly Seeded Lawns - do not apply this product until after the second or third cutting. For best lawn care, plant new grass seed in fall of the year. Spring preemergent weed control can then be applied. Reseeding treated areas: Delay new seeding until 4 months after treatment.

HOW TO APPLY


For best weed control, rake the area free of leaves and thatch and mow if necessary so that granules will reach the soil surface. Measure the area to be treated and uniformly apply the required amount using a fertilizer spreader (see Spreader Settings chart). Do not apply to turf when it is wet. Do not over-lap spreader applications on St. Augustinegrass, as discoloration "streaking" may temporarily occur from "double rate." After applications, if rain is not expected within 24 hours, sprinkle the treated turf with 1/4 to 1/2 inch of water to get maximum weed control.

PRE-EMERGENCE WEED CONTROL			
Weed Controlled	Pounds of product per acre	Pounds of product per 1,000 sq. ft.	Application Instructions
Crabgrass (<i>Digitaria</i> spp) Goosegrass (<i>Eleusine indica</i>) Field Sandbur (<i>Cynchus insertus</i>) Annual Sedge (<i>Cyperus compressus</i>)	133 to 266 lbs per acre (2 to 4 lbs a.i. per acre)	3.1 to 6.1 lbs per 1,000 sq. ft.	Apply in late winter or early spring prior to weed germination. See Map. In areas 4 & 5 application made after April or May may not be fully effective
Annual Bluegrass(<i>Poa annua</i>)	133 to 266 lbs per acre (2 to 4 lbs a.i. per acre)	3.1 to 6.1 lbs per 1,000 sq. ft.	Apply in late summer to early fall prior to germination.
Virginia Buttonweed (<i>Diodia virginiana</i>) Pigweed (<i>Amaranthus</i> spp) Florida Pusley (<i>Richardia scabra</i>) Oxalis (<i>Oxalis</i> spp) Stinging Nettle (<i>Urtica dioica</i>) Carpetgrass (<i>Axonopus officinis</i>)	266 lbs. per acre (4 lbs a.i. per acre)	6.1 lbs per 1,000 sq. ft.	Apply in early spring prior to weed seed germination


FALL APPLICATION FOR SPRING WEED CONTROL IN COOL SEASON TURF			
Weed Controlled	Pounds of product per acre	Pounds of product per 1,000 sq. ft.	Application Instructions
Crabgrass, Goosegrass and Other annual weeds as listed	200 to 266 lbs per acre (3 to 4 lbs a.i. per acre)	4.6 to 6.1 lbs per 1,000 sq. ft.	For use in Bluegrass, Bentgrass, perennial Ryegrass and Tall Fescue. Make application in the fall after turf has become dormant. For late fall applications, seeding into treated areas should be delayed until 4 months after greenup.

ANNUAL BLUEGRASS CONTROL IN BERMUDAGRASS FAIRWAYS OVERSEEDED WITH PERENNIAL RYEGRASS ONLY			
Weed Controlled	Pounds of product per acre	Pounds of product per 1,000 sq. ft.	Application Instructions
Annual Bluegrass (<i>Poa annua</i> spp.)	133 lbs per acre (2 lbs a.i. per acre)	3.1 lbs per 1,000 sq. ft.	Apply in late summer to early fall prior to <i>Poa annua</i> spp. Seed germination. Any <i>Poa annua</i> spp. Established when this product is applied will not be controlled. Product should not be applied less than 60 days to over seeding. Do not use where <i>Poa trivialis</i> is present in the overseed mixture. Apply the full 2 lb a. i. rate in one application. NOTE: In many areas annual bluegrass exists as at least two (2) biotypes or subspecies of <i>Poa annua</i> . The true annual biotype, " <i>Poa annua</i> spp <i>annua</i> " which germinates from seed every year is controlled while the biotype " <i>Poa annua</i> spp <i>raptans</i> " which behaves like a perennial and survives though summer, as an established plant, cannot be controlled. Consult the extension service or University weed specialist in your area for more information concerning your locale.

ANNUAL WEED CONTROL DURING ESTABLISHMENT FROM "SPRIGS" OF BERMUDAGRASS, ZOYIAGRASS, AND SEASHORE PASPALUM			
Weed Controlled	Pounds of product per acre	Pounds of product per 1,000 sq. ft.	Application Instructions
Crabgrass, Goosegrass, Annual Sedge and other Annual weeds	133 lbs to 200 per acre (2 to 3 lbs a.i. per acre)	3.1 lbs to 4.6 lbs per 1,000 sq. ft	Refer to Map of U.S. on this label. For Bermudagrass make application immediately prior to, or, immediately after sprigging. For Seashore Paspalum and Zoysia make application 10 to 14 days after sprigging. Application made close to time of sprigging may cause unacceptable injury. Disturbance of the soil surface after application may disrupt the herbicide barrier and reduce effectiveness. For best results, irrigate the sprigged areas by sprinkler irrigation with up to 1/4 inch of water after the application.



WHEN TO APPLY
Appropriate Time To Apply For Pre-Emergent Herbicide



1. For CRABGRASS and other Grasses and Broadleaf Weeds germinating in the spring in Northern Cool Season turf. (Zones: 3,4 and 5)
2. For GOOSEGRASS and other Late Germinating Annual Grasses and Broadleaf Weeds, such as PROSTRATE SPURGE.
2a. GOOSEGRASS in Southern Turf. (Zones: 1 and 2)
3. For POA ANNUA in Northern Turf.
3a. For POA ANNUA in Southern Turf. (Zones 1 and 2)
4. For Fall-Winter-Spring control of ANNUAL WEEDS in Southern Turf. (Zones 1 and 2)

Disclaimer: Always refer to the label on the product before using Helena or any other product.
2 July 2010 revised storage & disposal

WEEDS CONTROLLED:

- | | |
|-------------------------|------------------------|
| Annual Bluegrass | **Jungle Ricegrass |
| Annual Sedge | Lambsquarter |
| *Barnyardgrass | **Liverwort |
| Bitterecress | Oxalis |
| Carpetgrass | **Panama Paspalum |
| Carpetweed | Pennsylvania Smartweed |
| Common Groundsel | Redroot Pigweed |
| Common Purslane | Sensitive plant |
| Crabgrass | Shepardspurse |
| *Evening Primrose | Sow thistle |
| Fall Panicum | Speedwell-veronica |
| Field Sandbur | Spotted Catsear |
| Fireweed | Spurge; Garden. Petty |
| Florida Pusley | **Prostrate |
| Foxtail; Green, Bristly | Stinging Nettle |
| *Gallinsoga | *Swinecress |
| Golden Ragwort | Virginia Buttonweed |
| *Goosegrass | Yellow Woodsorrel |

*For the weeds with 1 asterisk above, use 3 to 4 lbs. a.i. per acre (equal to 200 to 266 lbs of this product per acre or 4.6 to 6.1 lbs of this product per 1,000 sq ft.)

**For the difficult-to-control weeds with 2 asterisks above, use the 4 lbs. a.i. per acre (equal to 266 lbs of PRO-MATE® OXADIAZON 1.5% PLUS FERTILIZER per acre or 6.1 lbs per 1,000 sq. ft.)

Note: For newly seeded lawns do not apply this product until after the second cutting. For best turf management, plant new grass seed in the fall of the year. Spring pre-emergence weed control can then be applied.

SPREADER SETTINGS

Spreader settings are calculated to apply the recommended rates of active ingredient per acre based on PRO-MATE® OXADIAZON 1.5% PLUS FERTILIZER bulk density of 50 to 60 lbs per cubic foot. To calibrate settings refer to the spreader manual or manufacture. Test apply enough product to cover 500 sq. ft. based on the amount of product a.i. you wish to apply per acre. Select a suitable rate from the rate instructions contained in this label. Adjust and record the setting if required. Apply as directed on this label:

SPREADER SETTINGS	for 1.5 lb a.i./acre	for 2 lb a.i./acre	for 3 lb a.i./acre	for 4 lb a.i./acre
Lesco Rotary Earthway 2400 Rotary Cyclone Pro Scotts R8A Bigfoot	Spreader Setting Available at Final Printing			

**CONDITIONS OF SALE - LIMITED WARRANTY
AND LIMITATIONS OF LIABILITY AND REMEDIES**

Read the entire label before using. Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2010.

PRO-MATE® is a registered trademark of Helena Holding Company.