

5905 - 585

4 / 7 / 2014

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Bill Washburn
Helena Chemical Company
225 Schilling Blvd.
Suite 300
Collierville, TN 38017

APR - 7 2014

Subject: Label Amendment (Supplemental Label)
Product Name: Voucher Herbicide
EPA Registration Number: 5905-585
Application Dated: June 21, 2013

Dear Mr. Washburn,

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act is, as amended, acceptable.

Submit one copy of the final printed label for the record before you release the product for shipment. A stamped copy of your label is enclosed for your records. This label must be incorporated within the master label within eighteen (18) months from the date of this letter. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions. Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please contact Emily Hartman of my staff at (703) 347-0189 or hartman.emily@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "K. Montague", written over a horizontal line.

Kathryn V. Montague, Product Manager 23
Herbicide Branch
Registration Division
Office of Pesticide Programs



2/3

SUPPLEMENTAL LABEL

VOUCHER HERBICIDE

EPA. REG. NO. 5905-585

FOR USE ON GRASSES GROWN FOR SEED AND HAY

This label expires July 31, 2015 and must not be used
or distributed after that date.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY
STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL
REGULATIONS.**

Voucher Herbicide may be applied for broadleaf weed control in the following grasses grown for seed or hay: bermudagrass, bluegrass (perennial and annual), brome grass, fescue, hay grazer, orchardgrass, ryegrass (perennial and annual), redtop cane, sorghum, sorghum-Sudan, Sudan, sudex, and timothy. Voucher Herbicide may be applied for broadleaf weed control in the following grasses grown for hay: sorghum, and triticale.

For susceptible annual and biennial broadleaf weeds: Use 1 – 1.5 pints per acre per application.

For moderately susceptible biennial and perennial broadleaf weeds: Use 1.5 - 1.7 pints per acre per application.

To control many emerged broadleaf weeds, apply 1 – 1.5 pints Voucher per acre. Addition of a nonionic surfactant, such as INDUCE® or DYNE-AMIC®, usually improves weed control. Preferred timing is in the early spring when sufficient weeds have emerged, and when weeds are small and actively growing, but before weeds are too mature. Summer applications to older, drought-stressed weeds are less effective. However, weeds are more susceptible again in the fall when cooler, wetter conditions support active growth before a killing frost. For fall treatment of mature weeds or perennial weed regrowth, use 1 – 1.5 pints per acre. Several seasons of spring plus fall treatments may be necessary to control certain perennials.

Plant Response: Injury may result to bent grass, other warm season or southern grasses, and alfalfa, clover or other legumes. Do not use if this risk of injury is unacceptable. Clovers may recover from early spring applications. If grass seed production is desired, do not apply when grass is in boot to milk stage or after heading begins. Do not apply to newly seeded areas until grass is well established. Reseeding is not recommended for at least 30 days following application. Addition of a surfactant may increase the risk of injury to newly seeded grasses.

ACCEPTED

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

APR - 7 2014

RESTRICTIONS AND LIMITATIONS: GRASSES GROWN FOR SEED AND HAY

- *Preharvest Interval (PHI): Do not apply closer than 14 days before cutting of hay or 40 days before harvesting of grain and straw.*
- *Do not apply more than 35 fl. oz. per acre per growing season.*
- *Grazing Restrictions: Do not allow livestock to graze treated areas within 7 days of application.*
- *Slaughter Restrictions: Meat animals must be withdrawn from areas at least 3 days before slaughter.*
- *Limited to 2 applications per year.*
- *Minimum of 30 days between applications.*

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. PLEASE REFER TO CONTAINER LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. FOLLOW ALL APPLICATION DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

**Manufactured for
Helena Chemical Company
225 Schilling Boulevard, Suite 300
Collierville, TN 38017**

AD XXXXXX