

DIRECTIONS FOR USE

DORMANT EMULSION is a prepared dormant oil emulsion for use at 2% strength as a spreader and sticker for basic coppers and Bordeaux mixture; and at 4% to 5% strength for the control of leaf rollers, scale insects and mites during the full dormant period.

To obtain best results with this product, special attention should be given to the following: Use efficient equipment of the proper type; avoid spraying during or immediately prior to hot or freezing weather, hot dry winds, rain or other unsuitable conditions; avoid over-spraying or double-spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable. Most local agricu¹⁺ural authorities issue specific recommendations covering the use of insecticides in their particular area.

30 GALLONS

DORMANT EMULSION

ACTIVE INGREDIENT

Petroleum Oil INERT INGREDIENTS

ÍOTAL

.

Classification — Dormant Heavy

Unsulphonatea Residue — 70%, Minimum


Caution: Keep Out of Reach of Children

USDA REGISTRATION NO 5967-1

MANUFACTURED BY **MOYER CHEMICAL COMPANY**

1310 BAYSHORE HIGHWAY

P. O. BOX 945 SAN JOSE, CALIFORNIA



MIXING DIRECTIONS

If there is any free oil on the surface, stir this into the emulsion. Measure out the proper amount of emuision, and add it to the spray tank when the water is about the height of the agitator rod. The agitator should be in motion. If spreader is being used, add this when the tank is about two-thirds full.

DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY

NOTICE TO BUYER — Seller makes no warranty of any kind, express or implied, concerning the use of this product. BUYER assumes all risk of use or handling, whether in accordance with directions or not.

100.00%

By Weight

80.00%

20.00%

° '

-