

USE PRECAUTIONS

Do not allow spray to drift onto adjacent fields. Do not apply while bees are working in the field.

CONTAINER DISPOSAL

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

WASH EMPTY CONTAINER WITH ALKALI, CRUSH OR PERFORATE, BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER RE-USE.

CAUTION

Do not get rinse solution on hands, in eyes or on clothing. Wear protective clothing and equipment. In case of contact, wash immediately with soap and water.

COMPATABILITY

Avoid combinations containing highly alkaline materials such as lime-sulfur or lime. Alkaline compounds will reduce the effectiveness of parathion.

E.P.A. REG. NO. 5967-59 ZA


LABEL NO. 562-2-10/73

EPA EST. ~~5967-CA-1~~

MANUFACTURED BY

MOYER CHEMICAL COMPANY

1310 Bayshore Highway P.O. Box 945 San Jose, California



EMTHION 4:4

Contains 4 pounds of Methyl Parathion and 4 pounds of Ethyl Parathion per gallon.

 **DANGER--POISON** 

Keep Out of Reach of Children

SEE CONTAINER LABEL FOR ANTI-DOTE AND DANGER STATEMENT

READ ENTIRE LABEL AND BOOKLET. USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Keep Pesticides In Original Container
Completely empty container. Dispose of waste pesticide and container by burying. Do not burn. Never re-use.

DIRECTIONS FOR USE



EMTHION 4:4

NOT FOR HOME USE

DIRECTIONS FOR USE

THIS MATERIAL IS AN AGRICULTURAL PESTICIDE FOR THE FOLLOWING USES:

ARTICHOKES: Plume Moth, use 1 pint per acre. Do not apply within 7 days of harvest. Workers should not re-enter fields for seven days following treatment.

BEANS, DRY & GREEN: Aphids, Thrips, Leafhoppers, Stink Bugs, White Fly, use 1/2 to 1 1/2 pints per acre. Do not apply to green beans within 21 days of harvest; to dry beans within 15 days of harvest.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER: Aphids, Cabbage Loopers, Imported Cabbage Worm, use 1 to 1 1/2 pints per acre. Do not apply within 21 days of harvest.

CARROTS: ^{Bulb} Tulip Aphid, Rusty Banded Aphid, Petrobia Mite, use 1 pint per acre. Do not apply within 15 days of harvest. Do not use treated tops for food or feed.

CELERY: Aphids, Loopers, use 1 pint per acre. Do not apply within 30 days of harvest.

COTTON: Aphids, Lygus Bugs, Cabbage Loopers, Salt Marsh Caterpillars, use 1 1/2 to 2 pints per acre. Boll Worm, use 1 quart per acre. Do not hand pick or harvest within 7 days of application. Workers entering treated field within 24 hours of application should wear protective clothing.

GRAPES: False Chinch Bug, Thrips, Hoplia Beetles, Grape Mealybug, use 1 to 1 1/2 pints per acre. Do not apply within 15 days of harvest. Do not permit workers to enter the treated area where substantial contact will be made with treated foliage until 32 days after application.

LETTUCE (Head, Bibb, Leaf): Aphids, Leafminers, Loopers, Salt Marsh Caterpillar, Armyworms, use 1/2 to 1 pint per acre. For Leafminer add 5 lbs. brown sugar per acre. Do not apply within 21 days of harvest.

PEPPERS: Aphids, use 1 pint per acre. Do not apply within 15 days of harvest.

SEED ALFALFA: Aphids, Lygus Bugs, use 1/2 to 1 pint per acre. Do not apply within 15 days of harvest or cutting for forage.

TOMATOES: Aphids, use 3/4 to 1 1/2 pints per acre. Do not apply within 15 days of harvest.

DIRECTIONS FOR MIXING AND SPRAYING

Directions for Mixing: Mix in water with agitation; agitate while spraying. Use designated amount of product in the following gallons of water per acre unless otherwise noted: Vegetable and Field Crops—20 to 250 gallons by ground, 5 to 10 gallons by air. Small Fruits—20 to 250 gallons by ground, 7 to 10 gallons by air. Tree Fruits—40 to 800 gallons by ground, 10 to 20 gallons by air.

NOTICE TO BUYER—Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. **NON-RETURNABLE**

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 5967-59