

parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

✦ FIRST AID TREATMENT ✦

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **IF BREATHING HAS STOPPED,** start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding in treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Label No. 1-2-11/72

EPA Reg. No. 5967-62 AA

Dealers Should Sell in Original Packages Only.

NOTICE TO BUYER — Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

— NON-RETURNABLE —

...specially as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respirator depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label

CROP USE DIRECTIONS

Use only according to accompanying label DIRECTIONS FOR USE.


DISPOSAL

Do not contaminate water by cleaning of equipment or disposal of wastes. Rinse equipment and containers and **DISPOSE OF WASTES** by burying at least 18 inches deep in non-crop lands away from water supplies. Do not re-use container. Bury with wastes.

DO NOT CONTAMINATE FEED OR FOODSTUFFS. DO NOT USE IN UNDILUTED FORM.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid gas goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this label.

MANUFACTURED BY

MOYER CHEMICAL COMPANY

1310 BAYSHORE HIGHWAY P. O. BOX 945 SAN JOSE, CALIFORNIA

STOP! READ THE LABEL

POISON

See side panels for antidote and precautions



DANGER

Keep out of reach of children

CAN KILL YOU

METASPRAY 25-W

ACTIVE INGREDIENT

Methyl Parathion (O-O-dimethyl O-p-nitrophenyl phosphorothioate)

By Weight

25.0%

INERT INGREDIENT

75.0%


TOTAL 100.0%

2/74

NET WEIGHT 10 LBS.

EPA REG. NO. 5967-63 AA

EPA EST. 5967-CA-1



protection. (4) Wear heat
ber gloves.

WORK SAFETY

Keep all unprotected persons
from treated area or wind
of drift.

Do not rub eyes or mouth
feel sick in any way, STOP
right away. Call a doctor
hospital—immediately. Ex
has been exposed to parath
condition. After first aid is
Treatment Section) and if a
take victim to clinic or ho

IMPORTANT! Before rem
them with soap and water.
face and arms with soap
smoking, eating or drinkin

AFTER WORK, take off
shoes. Shower, using soap
only clean clothes when I
wear contaminated clothin
clothing and protective e
and water after each use
be cleaned and filter req
instructions included with

POISON SIGN

METHYL PARATHION is a
son. It rapidly enters the b
all skin surface and eyes.
this material must be re
Exposed persons must rece
treatment or they may die

Some of the signs and sym
are: Headache, nausea, vom
ness, blurred vision, pin-poi
chest, labored breathing, n
watering of eyes, drooling
and nose, muscle spasms a

ber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surface and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

seriously, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE—administer atropine sulfate in large doses. TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respirator depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label DIRECTIONS FOR USE.

DISPOSAL

DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. WASH EMPTY CONTAINER WITH ALKALI, CRUSH OR PERFORATE, BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER RE-USE.

DO NOT CONTAMINATE FEED OR FOC STUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 0° F.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

NOT FOR HOME USE

DO NOT USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell In Original Packages Only.

NOTICE TO BUYER — Seller makes no warranty expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

— NON-RETURNABLE —

NET CONTENTS LBS.



DANGER

Keep out of reach of children

25-W

By Weight

..... 25.0%

..... 75.0%

..... 100.0%

USE PRECAUTIONS
DO NOT ALLOW SPRAY TO DRIFT ONTO ADJACENT FIELDS. DO NOT APPLY WHILE BEES ARE WORKING IN THE FIELD.

CONTAINER DISPOSAL
KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

Completely empty container. Dispose of waste pesticide and container by burying. Do not burn. Never re-use.

CAUTION: Do not get rinse solution on hands, in eyes or on clothing. Wear protective clothing and equipment. In case of contact wash immediately with soap and water.

Do not permit workers to enter the treated area where substantial contact will be made with treated foliage until following indicated days have lapsed after application: Grapes 21.

EPA REG. NO. 5967-63 AA

EPA EST. 5967-CA-1


2 74



MANUFACTURED BY

MOYER CHEMICAL COMPANY

1310 Bayshore Highway P.O. Box 945 San Jose, California



METASPRAY 25-W

☠ DANGER -- POISON ☠

Keep Out of Reach of Children

***Methyl Parathion (O,O-dimethyl
O-p-nitrophenyl thiophosphate)**

**SEE CONTAINER LABEL FOR ANTI-
DOTE AND DANGER STATEMENTS**
READ ENTIRE LABEL AND BOOKLET.
USE STRICTLY IN ACCORDANCE WITH
DANGER STATEMENTS AND DIRECTIONS,
AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP IN ORIGINAL CONTAINER
WASH EMPTY CONTAINER WITH ALKALI. CRUSH OR PERFORATE, BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER RE-USE.

DIRECTIONS FOR USE

MOYER

METASPRAY 25-W

DIRECTIONS FOR USE

THIS PRODUCT IS AN AGRICULTURAL PESTICIDE FOR THE BELOW INDICATED USES:

ARTICHOKES: Aphids, Artichoke Plumbe Moth — 4 lbs. per acre. Apply in 20 to 100 gallons of water per acre by ground spray rig or 5 to 15 gallons of water by airplane. Do not apply within 7 days of harvest.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER: Aphids, Cabbage Looper, Imported Cabbage Worm—4 lbs. per acre. Apply in 20 to 100 gals. of water per acre by ground spray rig or 5 to 15 gals. of water by airplane. Do not apply within 21 days of harvest.

LETTUCE, CELERY, PEPPERS: Aphids, Looper, Armyworms—4 lbs. per acre. Apply in 20 to 100 gals. of water per acre by ground spray rig or 5 to 15 gals. of water by airplane. Do not apply within 21 days of harvest on lettuce. Do not apply within 14 days of harvest on celery and peppers.

POTATOES: Aphids, Leafhoppers—4 lbs. per acre. Apply in 20 to 100 gals. of water per acre by ground spray rig or 5 to 15 gals. of water by airplane. Do not apply within 15 days of harvest.

TOMATOES: Aphids, Cabbage Loopers, Russet Mites, Pinworm—4 lbs. per acre. Apply in 100 gals. water per acre. By air Use 5-20 gals. of water. Do not apply within 15 days of harvest.

GRAPES: Grape Leaf Folder, Leafhoppers—3 lbs. per acre. Apply in 30 to 200 gals. of water per acre. By air: Use 5-20 gals. of water. Do not use within 14 days of harvest. Do not permit workers to enter the treated area where substantial contact will be made with treated foliage until 21 days after application.

Directions for Mixing and Spraying

DIRECTIONS FOR MIXING: Mix in water with agitation; agitate while spraying. Use designated amount of product in the following gallons of water per acre unless otherwise noted: **Vegetable and Field Crops—20 to 250 gallons by ground, 5 to 10 gallons by air. Vine Crops—20 to 250 gallons by ground, 7 to 10 gallons by air.**

NOTICE TO BUYER—Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

— NON RETURNABLE —

METASPRAY 25-W

ACTIVE INGREDIENTS	By Weight
Aethyl Parathion (O,O-dimethyl O-p-nitrophenyl phosphorothioate)	25.0%
INERT INGREDIENTS	75.0%
TOTAL	100.0%

STOP! READ THE LABEL


POISON
See side panels
for antidote
and precautions



DANGER
Keep out of reach
of children

CAN KILL YOU

NOT FOR HOME USE

DANGER—POISON—PRECAUTIONS 



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT
This product can kill you if touched by hands or spilled or splashed on skin or eyes or on clothing (liquid gas goes through clothes)



CAN KILL YOU IF BREATHED
This product can kill you if vapors, spray or dust are breathed

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this label.

MANUFACTURED BY
MOYER CHEMICAL COMPANY
1310 BAYSHORE HIGHWAY P.O. BOX 945 SAN JOSE, CALIFORNIA

NET WEIGHT 10 POUNDS

EPA Reg. No. 5967-63 AA



USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison.

✚ FIRST AID TREATMENT ✚

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **IF BREATHING HAS STOPPED,** start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE — administer atropine sulfate in large doses. TWO TO FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing paralysis and respiratory depression. At first sign of poisoning, the patient should be given immediate first aid and treated symptomatically. Continued absorption of the poison may occur and late relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT**

ately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surface and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

DISPOSAL

DO NOT CONTAMINATE BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. WASH EMPTY CONTAINER WITH ALKALI. CRUSH OR PERFORATE. BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN OFF. NEVER RE-USE.

DO NOT CONTAMINATE FEED OR FOODSTUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 0° F.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

NOTICE TO BUYER— Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE— administer atropine sulfate in large doses. **TWO TO FOUR mg** intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. **2 PAM** chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILLIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing paralysis and respiratory depression. At first sign of difficulty, oxygen should be given and artificial respiration instituted if necessary. If patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label DIRECTIONS FOR USE.

USAGE CAUTIONS

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dealers Should Sell in Original Packages Only.

— NON-RETURNABLE —

CHAMBERLAIN'S COPY
NOT COPY