

# MOLLUS 2% BAIT

## DIRECTIONS FOR USE

MOLLUS 2% BAIT is very effective for control of Slugs and Snails on lawn and turf areas, in flower gardens, and in greenhouses. The bait should be applied to soil around ornamental plants but not directly to plant foliage.

Sprinkle 1 pound of Mollus 2% Bait uniformly over 1,000 square feet of area to be treated. For best results, lightly water the area to be treated before applying the bait. When making applications, special attention should be given to treating areas around flower beds, under greenhouses, benches and around building foundations. Repeat applications as necessary to keep areas free of slugs and snail pests.

## RESTRICTIONS

Do not use on plants grown for food. Do not put bait in piles. Scatter bait so that it is hardly visible on the ground.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on label.

## CONDITIONS OF SALE

These directions reflect the opinion of experts based on tests of effectiveness, toxicity to plants and laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. MOYER CHEMICAL COMPANY and the seller offer, and the buyer uses, this product subject to the understanding that the buyer assumes all such risks.

## CONTAINER DISPOSAL


DO NOT RE-USE THE CONTAINER — Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

Burn the empty container completely. Exercise extreme caution and stay well away from smoke.

DO NOT USE CONTAINER IN ANY CONNECTION WITH FEED, FOOD OR DRINKING WATER.


NOTICE TO BUYER — Seller makes no warranty, expressed or implied, concerning the use of this product, other than indicated on the label. Buyer assumes all risk of use and for handling of this product when such use and handling is contrary to label instructions.

© 1974 MOYER CHEMICAL



**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid gas goes through clothes).



**CAN KILL YOU IF BREATHED**

This product can kill you if vapors, spray or dust are breathed

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

FLASH POINT 149 F (TOC)

Net Use, Pour, Spill, or Store Near Heat or Open Flame

MANUFACTURED BY

**MOYER CHEMICAL COMPANY**

BATCH NO. RE. 11-11-73

STOP! READ THE LABEL

**POISON**

See side panels for antidote and precautions



**DANGER**

Keep out of reach of children

ACCEPTED

JUL 27 1973

**CAN KILL YOU**

**EMTHION 6:3**

ACTIVE INGREDIENTS

- Parathion\*
- O,O-dimethyl O-p nitrophenyl thiophosphate\*\*
- Xylene

INERT INGREDIENTS

By Weight

- 57.72%
- 28.96%
- 6.44%
- 6.88%

TOTAL

100.00%

\*O,O-diethyl O-p nitrophenyl thiophosphate

\*\*Methyl Parathion

Contains 6 lbs. Parathion and 3 lbs. Methyl Parathion per gallon

E.P.A. REG. NO. 5967-73 AA

protection. (4) Wear heavy duty rubber gloves.

**WORK SAFETY RULE**

Keep away from unprotected persons and children from treated area or where there is drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work at once and get to a hospital immediately. Call a doctor (physician or hospital) immediately. Explain that you have been exposed to parathion and its condition. After first aid is given (see Treatment Section) and if a doctor can take victim to clinic or hospital.

IMPORTANT: Before removing goggles wash them with soap and water. Always wash face and arms with soap and water. Do not smoke, eat or drink.

AFTER WORK take off your work clothes. Shower using soap and water. Only clean clothes when leaving. Do not wear contaminated clothing. Wash clothing and protective equipment and water after each use. Respirator be cleaned and filter replaced as instructed in instructions included with respirator.

**POISON SIGNS (Symptoms)**

PARATHION is a very dangerous insecticide. It rapidly enters the body on contact with skin and eyes. Clothing wet with material must be removed immediately. Unprotected persons must receive prompt medical attention or they may die.

Some of the signs and symptoms are: Headache, nausea, vomiting, or dizziness, blurred vision, pinpoint pupils, chest labored breathing, excessive watering of eyes, drooping eyelids, and a constriction of the pupils.

protection. 4. Wear heavy duty natural rubber gloves.

### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK** take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

### POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surface and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooping or frothing of mouth and nose, muscle twitches and spasms.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

**IN CASE OF CONTACT** immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

### NOTE TO PHYSICIAN

**ANTIDOTE**—administer atropine sulfate in large doses. TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

### POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

### CONTAINER DISPOSAL

See accompanying product information label.

### CROP USE DIRECTIONS

See accompanying product information label for DIRECTION OF USE.

and may be obtained from your Co-operative Agricultural Extension Service.

### DISPOSAL

DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. WASH EMPTY CONTAINER WITH ALKALI. CRUSH OR PERFORATE. BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER RE USE.

DO NOT CONTAMINATE FEED OR FOODSTUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 0° F.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

### Dealers Should Sell In Original Packages Only.

**NOTICE TO BUYER**— Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

NONRETURNABLE —

**NET CONTENTS**

**GALS.**

*Sub*

**USE PRECAUTIONS:**

Do not allow spray to drift onto adjacent fields. Do not apply while bees are working in the field.

**CONTAINER DISPOSAL**

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers.

Wash empty container with alkali, crush perforate, bury in safe place away from water supplies and run-off. Never re-use.

**CAUTION**

Do not get rinse solution on hands, in eyes or on clothing. Wear protective clothing and equipment. In case of contact wash immediately with soap and water.

Do not permit workers to enter treated vineyards where substantial contact will be made with treated foliage until 32 days after application.

**WARNING TO BUYER:** Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and of handling of this material when such use and/or handling is contrary to label instructions. **NON-RETURNABLE**

**E.P.A. REG. NO. 5967-73 ZA**

EPA No. 5643-7-73

MANUFACTURED BY

**MOYER CHEMICAL COMPANY**

1000 E. 10th St., P.O. Box 1000, St. Paul, Minn. 55116



**EMTHION**

Contains 3 pounds of M... and 6 pounds of Ethyl Para...

\*O,O-dimethyl O-p-nitrophenyl...  
\*\*O,O-diethyl O-p-nitrophenyl...



**Keep Out of Reach**

SEE CONTAINER LABEL FOR DANGER STATEMENT. READ AND BOOKLET. USE STRICTLY WITH DANGER STATEMENTS AND WITH APPLICABLE STATE REGULATIONS.

KEEP IN ORIGINAL CONTAINER. WASH EMPTY CONTAINER WITH ALKALI OR PERFORATE, BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND NEVER RE-USE.

NOT FOR HOME USE

**MOYER**

## **EMTHION 6:3**

### **DIRECTIONS FOR USE**

THIS MATERIAL IS AN AGRICULTURAL PESTICIDE FOR THE FOLLOWING USES:

**ARTICHOKES:** Plume Moth.  $\frac{7}{8}$  pint per acre. Do not apply within 7 days of harvest.

**BEANS, Dry and Green:** Thrips, Leafhoppers, Stink Bugs, Aphids, Leafminer.  $\frac{3}{4}$  to 1 pint per acre. Do not apply to green beans within 21 days of harvest; to dry beans within 15 days of harvest.

**BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER:** Aphids, Imported Cabbage Worm, Diamond-Back Moth Larvae, Vegetable Weevils.  $\frac{3}{8}$  pint per acre. Do not apply within 7 days of harvest to Broccoli, Brussels Sprouts and Cauliflower; within 10 days to Cabbage.

**CARROTS:** Aphids, Vegetable Weevils.  $\frac{3}{4}$  pint per acre. Do not apply within 15 days of harvest. Do not use treated tops for food or feed.

**CELERY,** Aphids, Celery Leaf Tier.  $\frac{3}{4}$  pint per acre. Do not apply within 30 days of harvest.

**CORN:** Fall Armyworms, Aphids, Mites.  $\frac{3}{4}$  pint per acre. Do not apply within 12 days of harvest or cutting for forage.

**COTTON:** Bollworm — 1 $\frac{1}{2}$  pints per acre. Aphids, Armyworms, Cabbage Looper, Stink Bugs — 1 pint per acre. Lygus Bugs —  $\frac{1}{2}$  pint per acre. Do not hand pick or harvest within 7 days of application. Workers

entering treated field within 24 hours of application should wear protective clothing.

**GRAPES:** False Chinch Bug, Thrips, Hoplia Beetle, Grape Mealybug. 1 to 1 $\frac{1}{2}$  pints per acre. Do not apply within 14 days of harvest.

**LETTUCE—Leaf, Head:** Aphids, Imported Cabbage Worm, Cabbage Looper. Use  $\frac{3}{4}$  pint per acre. Do not apply within 21 days of harvest.

**ONIONS,** Leafminer, Thrips, Petrobia Mite.  $\frac{3}{4}$  pint per acre. Do not apply within 15 days of harvest.

**PEPPERS,** Aphids.  $\frac{3}{4}$  pint per acre. Do not apply within 15 days of harvest.

**POTATOES:** Aphids, Leafhoppers, Leafminers, Potato Psyllids, Thrips, Vegetable Weevils. 1 to 1 $\frac{1}{2}$  pints per acre. Do not apply within 5 days of harvest.

**SPINACH:** Aphids, Imported Cabbage Worm, Diamond-Back Moth Larvae, Leafminers, Vegetable Weevils.  $\frac{3}{4}$  pint per acre. Do not apply within 21 days of harvest.

**TOMATOES:** Aphids, Armyworms, Cabbage Looper, Grasshoppers, Leafminers, Russet Mites, White Flies. 1 $\frac{1}{2}$  pint per acre. Do not apply within 15 days of harvest.

#### **DIRECTIONS FOR MIXING AND SPRAYING**

**Directions for Mixing:** Mix in water with agitation; agitate while spraying. Use designated amount of product in the following gallons of water per acre unless otherwise noted: Vegetable and Field Crops—20 to 250 gallons by ground, 5 to 10 gallons by air. Small Fruits—20 to 250 gallons by ground, 7 to 10 gallons by air. Tree Fruits—40 to 800 gallons by ground, 10 to 20 gallons by air.