

NOT FOR HOME USE



DANGER—POISON—PRECAUTIONS ☠

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

P
S
a



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid gas goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray or dust are breathed.

POISONOUS TO FISH AND WILDLIFE


This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

FLASH POINT 95° F. (TOC)
Do Not Use, Pour, Spill or Store Near Heat or Open Flame

MANUFACTURED BY

MOYER CHEMICAL COMPANY

1310 BAYSHORE HIGHWAY P. O. BOX 945 SAN JOSE CALIFORNIA



RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

STOP! READ THE LABEL

POISON

See side panels for antidote and precautions



DANGER

Keep out of reach of children

CAN KILL YOU

PARA-DAN SPRAY 1-2E

ACTIVE INGREDIENTS	By Weight*
Parathion*	11.50%
Endosulfan**	23.00%
Xylene	59.39%
INERT INGREDIENTS	6.12%
TOTAL	100.00%

*0,0 diethyl 0 p nitrophenyl thiophosphate

**Hexachlorohexahydromethano 2,4,3 benzodioxathiepin oxide

Contains 1 lb of Parathion and 2 lbs Endosulfan per gallon
11/73

E.P.A. REGISTRATION NO. 5967-78 ZA

EPA EST. 5967-CA-1

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come take victim to clinic or hospital.

IMPORTANT! Before removing gloves wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surface and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **IF BREATHING HAS STOPPED**, start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE—administer atropine sulfate in large doses. TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respirator depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label DIRECTIONS FOR USE.

USE PESTICIDE

AND USE ONLY BY CERTIFIED PERSONS UNDER THEIR DIRECT CONTROL FOR THOSE USES COVERED BY APPLICATOR'S CERTIFICATION.

READ THE LABEL



DANGER

Keep out of reach of children

KILL YOU

SPRAY 1-2E

	By Weight
.....	11.50%
.....	23.00%
.....	59.38%
.....	6.12%
TOTAL	100.00%

yl thiophosphate
hano 2,4,3-benzodioxathiepin oxide
n and 2 lbs. Endosulfan per gallon

ATION NO. 5967-78 ZA

. 5967-CA-1

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician) clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surface and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **IF BREATHING HAS STOPPED,** start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE—administer atropine sulfate in large doses. TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respirator depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label DIRECTIONS FOR USE.

USAGE CAUTIONS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Co-operative Agricultural Extension Service.

DISPOSAL

DO NOT CONTAMINATE BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. WASH EMPTY CONTAINER WITH ALKALI, CRUSH OR PERFORATE, BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER RE-USE.

DO NOT CONTAMINATE FEED OR FOOD-STUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 0° F.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

Dealers Should Sell In Original Packages Only.

NOTICE TO BUYER— Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

— NON-RETURNABLE —

NET CONTENTS GALS.

