

SEVIN® BAIT

DIRECTIONS FOR USE:

This material is an agricultural pesticide, formulated for broadcast by either ground equipment or air, for the following uses:

CROP	PEST	PER ACRE	LIMITATIONS	
Alfalfa	Armyworms Cutworms Sow Bugs	30 lbs.	No time limitations.	
Asparagus Štrawberries	Ea <u>rwig</u> s	30-40 lbs.	Apply to asparagus during cutting season. Do not repeat application within 3 days. Do not apply within one day of harvest.	
Broccoli Cabbage Cauliflower Lettuce	Armyworms Cutworms Earwigs	30-40 lbs.	Do not apply within 3 days of harvest. Do not apply within 14 days on Leaf Lettuce.	
Corn	Cutworms Armyworms	30-40 lbs.	No time limitations.	
Grapes	Cutworms	25-50 lbs.	No time limitations.	
Melons Squash	Armyworms Cutworms	15-20 lbs.	No time limitations.	
Peppers Tometoes	Armyworms Cutworms Earwigs	30-40 lbs.	No time limitations.	
Şugar Beets	Cutworms Armyworms	35-40 lbs.	Do not apply within 14 days of harvest.	

NOTICE TO BUYER — Seller makes no wurranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

- NON-RETURNABLE -

ACTIVE INGREDIENT		By Weight
Carbaryl*		5.0 %
INERT INGREDIENTS		95.0%
	TOTAL	100.0%

*I-naphthyl N-methylcarbamate

U. S. Pat. No. 2,903,478

Sevin is the registered trademark of Union Carbide Corporation for carbaryl insecticide

LABEL NO. 403-3-8 72

CAUTION: KEEP OUT OF REACH OF CHILDREN

EPA Registration No. 5967 105 AA

EPA EST. 5967-CA-1

MANUFACTURED FOR

MOYER CHEMICAL COMPANY

1310 BAYSHORE HIGHWAY

P. O. BOX 945

SAN JOSE, CALIFORNIA

READ ENTIRE LABEL. Use strictly in accordance with cautions and directions and with applicable state and federal regulations.

KEEP IN ORIGINAL CONTAINER.

BURN BAG IMMEDIATELY WHEN EMPTY, STAY OUT OF SMOKE.

CAUTION:

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Avoid breathing dust. Do not take 'internally. Skin contact may be harmful. Avoid contact. Wash hands and face before eating. Take a shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily.

NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible. Cholinesterase inhibitor. Atropine is anidotal.

AVOID CONTAMINATION OF FOOD, FEED, FEED-ING TROUGHS AND WATER RECEPTACLES.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or rendered unfit for sale, use or consumption.

Do not permit workers to enter treated vineyards where substantial contact will be made with treated foliage until 2 days after application.

NET WEIGHT 50 LBS.

